

Material Safety Data Sheet

Issuing Date 21-Sep-2012

Revision Date 18-Sep-2012

Revision Number 2

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name SMITH STREET BATH SET PINEAPPLE

Recommended Use Personal care.

↓
Kiwi

Supplier Address

Worldwide Universal Brands limited
Rm 1002,10/F., Malaysia Building, 50
Gloucester Road,
HONGKONG
HONGKONG
518001
CN
Phone:86-13538056842
Contact:Coco He
Email:COCO.HE@universalbrands.com
.cn
Contact Phone86-755-2518-2667

Kiwi Fruit scented
body lotion / Smith Street
Market

2. HAZARDS IDENTIFICATION

CAUTION!

Emergency Overview

May cause eye irritation

Appearance Yellow

Physical State Lotion, Liquid.

Odor Fruity

Potential Health Effects

Principle Routes of Exposure

Eye contact. Skin contact. Inhalation.

Acute Toxicity

Eyes

May cause irritation.

Skin

No known effect based on information supplied.

Inhalation

No known effect based on information supplied.

Ingestion

Not an expected route of exposure. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Chronic Effects

No known effect based on information supplied.

Aggravated Medical Conditions

Allergies. Skin disorders. Pre-existing eye disorders.

Interactions with Other Chemicals

Irritants. Sensitizers. Epoxies.

Environmental Hazard

See Section 12 for additional Ecological Information.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %
Water	7732-18-5	60-100

White mineral oil	8042-47-5	5-10
Cetearyl alcohol	67762-27-0	3-7
Ammonium polyacrylate	9003-03-6	0.1 - 1
Peg-3 sorbitan stearate	9005-67-8	0.1 - 1
Supplier Trade Secret	Proprietary	0.1 - 1
Laureth-10	9002-92-0	0.1 - 1
Carbomer	9003-01-4	0.1 - 1
Methylparaben	99-76-3	0.1 - 1
C13-16 isoparaffin	68551-20-2	0.1 - 1
Methylisothiazolinone	2682-20-4	0.01-0.16
Iodopropynyl butylcarbamate	55406-53-6	0.01-0.16
1-Hexadecanol, dihydrogen phosphate, monopotassium salt	19035-79-1	0.1 - 1

4. FIRST AID MEASURES

Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If symptoms persist, call a physician.
Skin Contact	Wash off immediately with plenty of water. If skin irritation persists, call a physician.
Inhalation	Move to fresh air. If symptoms persist, call a physician.
Ingestion	Rinse mouth. Drink plenty of water. Do NOT induce vomiting. If symptoms persist, call a physician.
Notes to Physician	Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Flammable Properties	Not flammable.
Flash Point	816.1C / 1501F
Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Hazardous Combustion Products	Carbon oxides.
Explosion Data	
Sensitivity to Mechanical Impact	No.
Sensitivity to Static Discharge	No.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA **Health Hazard** 1 **Flammability** 0 **Stability** 0 **Physical and Chemical Hazards** -

6. ACCIDENTAL RELEASE MEASURES

- Personal Precautions** Avoid contact with eyes.
- Environmental Precautions** Refer to protective measures listed in Sections 7 and 8.
- Methods for Containment** Prevent further leakage or spillage if safe to do so.
- Methods for Cleaning Up** Dam up. Soak up with inert absorbent material. Keep in suitable and closed containers for disposal.

7. HANDLING AND STORAGE

- Handling** Handle in accordance with good industrial hygiene and safety practice. Avoid contact with eyes.
- Storage** Keep containers tightly closed in a cool, well-ventilated place. Keep in properly labeled containers.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
White mineral oil 8042-47-5	TWA: 5 mg/m ³ inhalable fraction excluding metal working fluids, highly & severely refined	TWA: 5 mg/m ³ (vacated) TWA: 5 mg/m ³	IDLH: 2500 mg/m ³ TWA: 5 mg/m ³ STEL: 10 mg/m ³

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value. OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits. NIOSH IDLH: Immediately Dangerous to Life or Health.

- Other Exposure Guidelines** Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).
- Engineering Measures** Showers
Eyewash stations
Ventilation systems
- Personal Protective Equipment**
 - Eye/Face Protection** No special protective equipment required.
 - Skin and Body Protection** No special protective equipment required.
 - Respiratory Protection** No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
- Hygiene Measures** Remove and wash contaminated clothing before re-use. Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Yellow.	Odor	Fruity.
Odor Threshold	No information available	Physical State	Lotion Liquid
pH	7		
Flash Point	1501F / 816.1C	Autoignition Temperature	No information available
Decomposition Temperature	No information available	Boiling Point/Range	No information available
Melting Point/Range	No information available		
Flammability Limits in Air	No information available	Explosion Limits	No information available
Water Solubility	Liquid	Solubility	No information available
Evaporation Rate	No information available	Vapor Pressure	No data available
Vapor Density	No data available	VOC Content (%)	0.1
Partition Coefficient: n-octanol/water			

10. STABILITY AND REACTIVITY

Stability	Stable under recommended storage conditions.
Incompatible Products	None known.
Conditions to Avoid	None known.
Hazardous Decomposition Products	Carbon oxides.
Hazardous Polymerization	Hazardous polymerization does not occur.

11. TOXICOLOGICAL INFORMATION

Acute Toxicity

Product Information

LD50 Oral VALUE	36293.93 mg/kg (rat) estimated
LD50 Dermal VALUE	
LC50 Inhalation (DUST) VALUE	
LC50 Inhalation (VAPOR) VALUE	

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Water	90090 mg/kg (rat)	-	-
White mineral oil	> 5000 mg/kg (Rat)	-	-
Cetearyl alcohol	> 10000 mg/kg (Rat)	> 8000 mg/kg (Rabbit)	-
Peg-3 sorbitan stearate	> 60 mL/kg (Rat)	-	-
Laureth-10	= 1 g/kg (Rat)	-	-
Carbomer	= 2500 mg/kg (Rat)	-	-
Methylparaben	= 2100 mg/kg (Rat)	-	-
Methylisothiazolinone	= 53 mg/kg (Rat)	-	-

Chronic Toxicity

Chronic Toxicity No known effect based on information supplied.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
White mineral oil	A2			
Carbomer		Group 3		

ACGIH: (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

IARC: (International Agency for Research on Cancer)

Group 3 - Not Classifiable as to Carcinogenicity in Humans

Target Organ Effects

Eyes. Respiratory system. Skin.

12. ECOLOGICAL INFORMATION**Ecotoxicity**

The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
White mineral oil		LC50: > 10000 mg/L (96 h) Lepomis macrochirus		
Cetearyl alcohol				EC50: 1666 mg/L (48 h) Daphnia magna
Carbomer		LC50: 580 mg/L (96 h) Lepomis macrochirus		EC50: 168 mg/L (96 h) water flea
Iodopropynyl butylcarbamate		LC50: 0.049-0.079 mg/L (96 h) flow-through) Oncorhynchus mykiss LC50: 0.05-0.089 mg/L (96 h) Oncorhynchus mykiss LC50: 0.18-0.23 mg/L (96 h) flow-through) Pimephales promelas LC50: 0.14-0.32 mg/L (96 h) flow-through) Lepomis macrochirus		

Chemical Name	Log Pow
White mineral oil	6.006
Cetearyl alcohol	6.65

13. DISPOSAL CONSIDERATIONS**Waste Disposal Methods**

This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

Contaminated Packaging

Dispose of in accordance with local regulations.

California Hazardous Waste Codes 331

Chemical Name	California EHW	California Carc	California Hazardous Waste	California Waste - Part 2
Carbomer				Total Threshold Limit Conc. Values PBT Toxic Substances: 2500 mg/kg

14. TRANSPORT INFORMATION**DOT**

NOT REGULATED

14. TRANSPORT INFORMATION

<u>TDG</u>	Not regulated
<u>MEX</u>	Not regulated
<u>ICAO</u>	Not regulated
<u>IATA</u>	Not regulated
<u>IMDG/IMO</u>	Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA Complies
DSL -

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Carbomer		X		

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product contains the following substances which are listed hazardous air pollutants (HAPS) under Section 112 of the Clean Air Act:

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
White mineral oil	X	X	X		

International Regulations

Mexico - Grade

No information available.

Chemical Name	Carcinogen Status	Exposure Limits
White mineral oil		Mexico: TWA 5 mg/m ³ Mexico: STEL 10 mg/m ³

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

WHMIS Hazard Class
D2B Toxic materials



16. OTHER INFORMATION

Prepared By	Product Stewardship 23 British American Blvd. Latham, NY 12110 1-800-572-6501
Issuing Date	21-Sep-2012
Revision Date	18-Sep-2012
Revision Note	No information available

General Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet