SAFETY DATA SHEET

Date: 8 November 2011

Tire Sealant Spray, slime

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

GHS Product Identifier

Slime SDS Tire Sealant

Chemical Name

Mixture

Trade name

Slime SDS Tire Sealant

CAS No.

Mixture Mixture

EINECS No. REACH Registration No.

Not available

1.2

Relevant identified uses of the substance or mixture and uses advised against

Identified use(s)

Sealant

Uses advised against

Users are recommended to seek further advice.

1.3 Details of the supplier of the safety data sheet

> Company Identification

(North America) Accessories Marketing, Inc.

Address

Telephone

(Europe)

Freightways c/o Access Marketing Europe

(North America) 125 Venture Drive, Suite 210, San Luis Obispo, CA 93401

Mandenmakerstraat 6, 2222 AX Katwjik Nederlands

(Europe)

(North America)

(805) 489-0490

(Europe)

+31 71 408 0838

E-Mail (competent person)

mailto:brett@slime.com

Only representative of a non-Community manufacturer

Company Identification

H2 Compliance

Address

Rubicon Building, CIT Campus, Bishopstown, Cork,Ireland

Telephone

+353 21 486 8122

E-Mail (competent person)

mailto:info@h2compliance.com

Emergency telephone number - Chemtel Inc.

Emergency Phone No. (800) 255-3924, (813) 248-0585

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

2.1.1 Regulation (EC) No. 1272/2008 (CLP) and GHS Classifications - Not Hazardous according to Directives 1272/2008/EC and 1907/2006/EC. Not hazardous according to GHS-compliant regulations in Japan, as well as the UN model regulations.

Directive 67/548/EEC & Directive 1999/45/EC - Not Hazardous according to Directives 67/548/EEC and 2.1.2 1999/45/EC..

2.2 Label elements

2.2.1 Label elements According to Regulation (EC) No. 1272/2008 (CLP)

GHS Product Identifiers

Hazard

Not Hazardous According to

Directives 1272/2008/EC

pictogram(s)

and1907/2006/EC.

Hazard statement(s)

None None

Precautionary statement(s)

2.2.2 Label elements According to Directive 67/548/EEC & Directive 1999/45/EC Not Hazardous According to Directives 67/548/EEC and 1999/45/EC...

Hazard Symbol

None

Risk Phrases Safety Phrases

None

2.3 Other hazards OSHA Classification(USA): Non-Hazardous under OSHA Hazard

Signal word(s)

NONE

Communication Standard.

HMIS: Health - 0, Flammability - 0 Reactivity - 0

WHMIS Classification (Canada): Non-Hazardous under WHMIS.

2.4 Additional Information None

MATERIAL SAFETY DATA SHEET

Slime SDS Tire Sealant

Date: 8 November 2011

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

EC Classification No. 1272/2008/EC (GHS Classification)

Hazardous ingredient(s)	%W/W	CAS No.	EC No.	REACH Registration No.	Hazard pictogram(s) and Hazard statement(s)		
No hazardous ingredients in reportable quantities under USA, Canada, EU, and UN regulations are present in this product.							

EC Classification No. 67/548/EEC

Hazardous ingredient(s)	%W/W	CAS No.	EC No.	REACH Registration No.	Hazard pictogram(s) and Risk (R) Phras(es)		
No hazardous ingredients in reportable quantities under USA, Canada, EU, and UN regulations are present in this product.							

3.3 **Additional Information**

- For full text of H phrases see section 16. For full text of R phrases see section 16. Non-Hazardous ingredients are not listed and make up the balance of the product.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

Inhalation Not a likely route of exposure. Remove patient from exposure. Keep patient at rest

and give oxygen if breathing difficult. If symptoms develop, obtain medical

attention.

Skin Contact Wash exposured areas with soap and warm water. In the unlikely event of irritation,

seek medical advice.

Eye Contact Not a likely route of exposure. Remove any contact lenses. Irrigate with eyewash

solution or clean water, holding the eyelids apart, for at least 15 minutes. Obtain

immediate medical attention.

Ingestion Ingestion is expected to cause irritation of the gastrointestinal tract. If swallowed,

seek medical advice immediately and show this container or label. Do not induce

vomiting. Make victim drink plenty of water.

4.2 Most important symptoms and

4.3

effects, both acute and delayed

Indication of the immediate medical attention and special treatment needed

Acute: Ingestion will cause irritation of the gastrointestinal tract. May cause

chemical and mechanical eye irritation.

Delayed and chronic effects: Expected to be similar to acute exposures.

Treat symptomatically.

SECTION 5: FIRE-FIGHTING MEASURES

Non-flammable. Acrid smoke. Not Sensitive to mechanical impact and static discharge. Flash Point > 93.3°C / 200°F. Explosive Limits: NA

5.1 Extinguishing media

Suitable Extinguishing

Auto-Ignition Temperatures: NA

Media

Extinguish preferably with dry chemical, foam or water spray.

Unsuitable Extinguishing

Media

None known,

5.2 Special hazards arising

from the substance or mixture

Containers may rupture from exposure to high temperatures, releasing contents that may be slippery.

5.3 Advice for fire-fighters A self contained breathing apparatus and suitable protective clothing should be worn in fire conditions. Extinguish preferably with dry chemical, foam or

water spray.

Page: 2/7

MATERIAL SAFETY DATA SHEET

Slime SDS Tire Sealant

Date: 8 November 2011

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions,

protective equipment and emergency procedures

None.

6.2 **Environmental Precautions** None

6.3 Methods and material for containment and cleaning up

Mix spilled product with sand, then shovel up into covered container. For small spills on hard surfaces, allow substance to harden, then

scrape up and discard.

6.4 Reference to other sections See Also Section 7, 8, 13.

6.5 **Additional Information** None

SECTION 7: HANDLING AND STORAGE

Precautions for safe

Avoid ingestion. Use only in well-ventilated areas. Keep away from oxidizing

7.1 handling 7.2

any

Conditions for safe storage, including

Do not use or store near heat or open flame. Do not store and transport with oxidizers etc.

incompatibilities

Storage Temperature

Specific end use(s)

Ambient..

Storage Life

Not available

Incompatible

Can react violently if in contact with acids, and oxidizing agents.

materials

7.3

Consult the supplier.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters 8.1

8.1.1 Occupational Exposure Limits

SUBSTANCE.	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m³)	Note:
No hazardous ingredients in reportable quantities under USA, Canada, EU, and UN regulations are present in this product.						

OELs are not available for non-listed components.

8.1.2 Biological limit value

Limit value type (country of origin)	SUBSTANCE.	CAS No.	Biological limit value	Note:			
No hazardous ingredients in reportable quantities under USA, Canada, EU, and UN regulations are present in this product.							

8.1.3 PNECs and DNELs

No PNECs or DNELs are available for this product. As with all chemical products, users are cautioned to avoid unnecessary exposures.



Page: 3/7

MATERIAL SAFETY DATA SHEET

Slime SDS Tire Sealant

Date: 8 November 2011

8.2.2 Personal protection equipment

0	Respirators	Usually Not Needed.
	Eye Protection	Safety glasses are suggested as good practice.
0	Gloves	Protective gloves are usually not needed; if chosen, nitrile or neoprene are suggested. Latex gloves should not be worn.
8	Body protection	Usually Not Needed.
	Engineering Controls	No special controls required.
	Other	Clean contaminated equipment.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Color

Odor Threshold (ppm)

Explosive limit ranges

Boiling point/boiling range (°C):

9.1 Information on basic physical and chemical propertie	9.1	Information on	basic phys	sical and che	mical properties
----------------------------------------------------------	-----	----------------	------------	---------------	------------------

Appearance Odor Melting Point (°C) / Freezing Point (°C) Flash Point (°C) Auto Ignition Temperature (°C) Explosive properties Flammability (solid, gas) Evaporation rate Vapor Density (Air=1) Solubility (Water)

Partition Coefficient

(n-Octanol/water) Other information Paste Slight

< -30°F / -34.4°C

> 200°F / 93°C

Not Flammable Not Flammable Not Flammable

< water > 1 Emulsifies.

Solubility (Other) Not available Viscosity

> 302°F / 150°C Decomposition Temperature (°C) Oxidizing properties Not an Oxidizer pH (Value) 8.8 ± 1.0 Vapor Pressure (mm Hg) Not available 1.16 ± 0.1 Density (g/ml)

Not available Paste

Various Colors

> 220°F / 104.4°C

Not Flammable

Not available

Volatile Organic Chemical (VOC) Content: < 5% by weight.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity May react with incompatible materials.

Chemical stability Stable under normal conditions. Avoid temperature extremes 10.2

Possibility of hazardous reactions Can react violently if in contact with acids and oxidizing 10.3 agents.

10.4 Conditions to avoid

Avoid temperature extremes

Incompatible materials Can react violently if in contact with acids and oxidizing 10.5

agents.

10.6 **Hazardous Decomposition**

Product(s)

Carbon monoxide, Carbon dioxide, Nitrogen Oxides, Sulfur Oxides. Thermal decomposition will evolve irritant vapors.



9.2

MATERIAL SAFETY DATA SHEET

Slime SDS Tire Sealant

Date: 8 November 2011

SECTION 11: TOXICOLOGICAL INFORMATION

LD₅₀ LC₅₀ **LD50** SUBSTANCE. CAS No. (Oral, Rat) (Inhalation, Rat) (Dermal, Rat) No hazardous ingredients in reportable quantities under USA, Canada, EU, and UN regulations are present in this product.

11.1 Information on toxicological effects

11.1.2 Mixtures

> Acute toxicity and **Exposure Effects**

Ingestion

Not Known. Product may be irritating to

gastrointestinal tract.

Inhalation Skin Contact

Not Known. Not a likely route of exposure. Not Known. Prolonged contact may result in

mild irritation.

Eye Contact

Not Known. Contact may result in mechanical

and chemical irritation.

Irritation

May cause irritation to eyes; prolonged exposure may result in mild skin exposure.

None Expected.

Corrosivity

Expected to be similar to single exposures.

Carcinogenicity

No data.

Mutagenicity

No data.

Toxicity for reproduction

Repeated dose toxicity

No data.

11.2 Other information

None

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Not expected to be harmful to aquatic or soil

environments.

12.2 Persistence and degradability

Partially persistent

12.3

Bioaccumulative potential

Particulate material may bioaccumulate with multiple

spills.

12.4 Mobility in soil Variable mobility; dependent upon component.

12.5

Results of PBT and vPvB

assessment

No data.

12.6 Other adverse effects

No data.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Disposal should be in accordance with local, state or national

legislation. Containers must not be punctured or destroyed by

burning, even when empty.

13.2 **Additional Information**

None



MATERIAL SAFETY DATA SHEET

Slime SDS Tire Sealant

Date: 8 November 2011

SECTION 14: TRANSPORT INFORMATION

Land transport (ADR/RID) (c)(d)

UN number

Land transport (Within USA) (c)(d)

UN number

Proper Shipping Name

Environmental hazards

Special precautions for user

Sea transport (IMDG) (c)(d)

Not classified as

Not classified as

dangerous for transport.

Proper Shipping Name

Not classified as dangerous for

None

Transport hazard class(es) Packing Group Hazard label(s)

None None None Transport hazard class(es) Packing Group

None None None

transport.

None

Environmental hazards None Special precautions for user None

Air transport (ICAO/IATA) (c) (d)

UN number

Proper Shipping Name

dangerous for transport. Transport hazard class(es)

None None None

UN number Proper Shipping Name

Hazard label(s)

Not classified as dangerous for

transport. None

Packing Group Marine Pollutant Special precautions for user None

Transport hazard class(es) Packing Group **Environmental hazards** Special precautions for user

None None None

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1 **EU regulations**

Authorisations and/or restrictions

Consult the supplier.

on use

European Union

All chemicals listed

(EINECS/ELINCS) German WGK number

2

15.1.2 National regulations

USA

TSCA (Toxic Substance Control Act)

All chemicals listed.

SARA 311/312 - Hazard Categories

None

SARA 302 - Extremely Hazardous

Listed - None

Substances

SARA 313 - Toxic Chemicals

Listed - None

CERCLA (Comprehensive Environmental

Listed - None

Response Compensation and Liability Act)

Listed - None

CAA (Clean Air Act 1990)

Listed - None

CWA (Clean Water Act)

State Right to Know Lists

Listed - None in reportable quantities.

Proposition 65 (California) Listed. - None

Canada

WHMIS Classification

None

Components Listed - DSL. Canada (DSL/NDSL)

Canada Ingredient Disclosure List (CIDL) Listed - None.

Page: 6/7



⁽c)- Consult with transport provider.

⁽d)- Check relevant regulations for Special Provisions.

MATERIAL SAFETY DATA SHEET

Slime SDS Tire Sealant

Date: 8 November 2011

Japan

Japan Fire Service Act

Not classified as flammable/combustible, oxidizing, or reactive.

Not-hazardous

15.2 Chemical Safety Assessment

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1-16.

FGEND

ACGIH	American Conference of Governmental Industrial Hygienists	NA	not applicable, not available
AICS	Australian Inventory of Chemical Substances	NIOSH	National Institute for Occupational Safety and Health
ANSI	American National Standards Institute	ND	not determined
atm	atmosphere (pressure unit)	NFPA	National Fire Prevention Association
BOD	biological oxygen demand	NTP	National Toxicology Program
CAS	Chemical Abstracts Service	OC	open cup
CC	closed cup	OSHA	Occupational Safety and Health Administration
CDTA	Chemical Drug and Trafficking Act	Part	partition
COC	Cleveland Open Cup	PEL	permissible exposure limits
COD	chemical oxygen demand	ppb	parts per billion
coeff.	coefficient	PPE	personal protective equipment
CFR	Code of Federal Regulations	ppm	parts per million
CPR	cardio-pulmonary resuscitation	psi	pounds per square inch
DEA	Drug Enforcement Agency	RCRA	Resource Conservation and Recovery Act
DOT	Department of Transportation	RQ	Reportable quantity
DSCL	Dangerous Substances Classification and Labeling	RTK	Right to Know
EEC	European Economic Community	SARA	Superfund Amendments and Reauthorization Act
FDA	Food and Drug Administration	STEL	short-term exposure limit
HMIS	Hazardous Materials Information System	SUSDP	Standard for the Uniform Scheduling of Drugs and
		OCCD.	Poisons (Australia)
IARC	International Agency for Research on Cancer	TCC	Tagliabue Closed Cup
IDLH	immediate danger to life or health	TDG	Transportation of Dangerous Goods
kg	kilogram	TPQ	threshold planning quantity
L	liter	TQ	threshold quantity
LC50	median lethal concentration	TSCA	Toxic Substances Control Act
LD50	median lethal dose	TWA	time-weighted average
LEL	lower explosive limit	UEL	upper explosive limit
mg	milligram	WES	Workplace Exposure Standard (New Zealand)
mĹ	milliliter	WHMIS	Workplace Hazardous Material Information System
			Transplace Hazaracac material information cystem

References: RTECS, CAS Registry, EINECS/ESIS, Casarett & Doull's Toxicology, Goldfranks's Toxicological Emergencies, Manufacturer Information

Risk Phrases and Safety Phrases

None

Hazard statement(s) and Precautionary statement(s)

None

Training advice: None

Additional Information: Replaces 22 December 2010 and all previous editions.

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. ChemTel Inc. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. ChemTel Inc. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.



Page: 7/7