10/26/16



SAFETY DATA SHEET

Napa Soluble Cutting + Grinding Oil

Issuing Date 10-Nov-2014

Revision Date 10-Nov-2014

Revision Number 0

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

GHS product identifier

Product Name

Cutting Grinding Oil

Other means of identification

Product Code(s)

CG-13BK, CG-18, CG-18BK, CG-55

Synonyms

Cutting Grinding Oil

Recommended use of the chemical and restrictions on use

Recommended Use

A water-soluble oil for grinding, drilling, machining and cooling. One gallon can make up to 40 gallons of cutting oil. Cutting and Grinding Oil forms a very stable emulsion with excellent rust protection. The emulsion stability promotes rapid settling of grinding dirt. This formulation resists bacterial growth and reduces odor problems.

Uses advised against

No information available

Supplier's details

Supplier Address AGS Company P.O. Box 729 Muskegon, MI 49443

TEL: 800-253-0403

Emergency telephone number

Emergency Telephone

CHEM-TEL, INC.

Number

24 Hour Emergency Contact 1-800-255-3924

2. HAZARDS IDENTIFICATION

Classification

This chemical is not considered hazardous according to the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200).

Carcinogenicity

Category 1A

GHS Label elements, including precautionary statements

Emergency Overview

Signal Word Hazard Statements • May cause cancer Danger



Appearance Clear, Dark amber

Physical State Liquid.

Odor Petroleum

Precautionary Statements

Prevention

- Obtain special instructions before use.
- Do not handle until all safety precautions have been read and understood.
- Use personal protective equipment as required.

General Advice

• If exposed or concerned: Get medical attention/advice

Storage

· Store locked up.

Disposal

• Dispose of contents/container to an approved waste disposal plant.

Hazard Not Otherwise Classified (HNOC)

Not applicable

Other information

Prolonged or repeated contact may dry skin and cause irritation

3. COMPOSITION/INFORMATION ON INGREDIENTS

Synonyms

Cutting Grinding Oil

| Chemical Name | CAS-No | Weight % | Trade secret |
|--|------------|----------|--------------|
| Petroleum distillates, hydrotreated heavy naphthenic | 64742-52-5 | 60-100 | * |
| 2-Butoxyethanol | 111-76-2 | 0.1-1 | * |

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of necessary first-aid measures

Eye Contact Rinse thorou

Rinse thoroughly with plenty of water, also under the eyelids. If eye irritation persists,

consult a specialist.

Skin Contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Inhalation

Move to fresh air.

Ingestion

Clean mouth with water and afterwards drink plenty of water.

Most important symptoms/effects, acute and delayed

Most Important Symptoms/Effects No information available.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to Physician

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media No information available.

Specific Hazards Arising from the Chemical

No information available.

Explosion Data

Sensitivity to Mechanical Impact Sensitivity to Static Discharge

None.

None.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions

Ensure adequate ventilation.

Environmental Precautions

Environmental Precautions

See Section 12 for additional Ecological Information.

Methods and materials for containment and cleaning up

Methods for Containment

Prevent further leakage or spillage if safe to do so.

Methods for Cleaning Up

Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling

Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage

Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible Products

None known based on information supplied.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

Exposure Guidelines

This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|---------------|-----------|----------|------------|
| · | | | |

| oxyethanol 1-76-2 | TWA: 20 ppm | TWA: 50 ppm TWA: 240 mg/m³ (vacated) TWA: 25 ppm | IDLH: 700 ppi TWA: 5 ppm TWA: 24 mg/n | 1 |
|--------------------------|-------------|---|---|---|
| | | (vacated) TWA: 25 ppm (vacated) TWA: 120 mg/m³ (vacated) S* | TVVA. 24 mg/m | |
| | | S* | | |

Appropriate engineering controls

Engineering Measures

Showers

Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/Face Protection Skin and Body Protection Respiratory Protection

If splashes are likely to occur, wear: Tightly fitting safety goggles.

No special protective equipment required.

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Clear Dark amber **Physical State** Liquid **Appearance** No information available **Odor Threshold** Petroleum Odor Remarks/ - Method **Property** Values @ 5%: 8 - 9 None known pΗ Not determined None known Melting Point/Range > 500 °F None known **Boiling Point/Boiling Range** Flash Point > 350 °F None known No data available None known **Evaporation rate** No data available None known Flammability (solid, gas) Flammability Limits in Air No data available upper flammability limit lower flammability limit No data available No data available None known Vapor Pressure No data available None known Vapor Density 0.93 at 60°F None known **Specific Gravity** Water Solubility Emulsifies None known No data available None known Solubility in other solvents Partition coefficient: n-octanol/waterNegligible None known **Autoignition Temperature** No data available None known **Decomposition Temperature** No data available None known >100 SUS @ 100 °F None known Viscosity Not flammable Flammable Properties No data available **Explosive Properties**

Oxidizing Properties

No data available

Other information

VOC Content (%)

Not determined

10. STABILITY AND REACTIVITY

Reactivity

No data available.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to avoid

None known based on information supplied.

Incompatible materials

None known based on information supplied.

Hazardous decomposition products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation Eye Contact Skin Contact Ingestion There is no data available for this product There is no data available for this product.

There is no data available for this product. There is no data available for this product. There is no data available for this product.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms

No information available.

Delayed and immediate effects and also chronic effects from short and long term exposure

Sensitization Mutagenic Effects No information available.

Carcinogenicity

No information available.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical Name | ACGIH | IARC | NTP | OSHA |
|-------------------------------|-------|---------|-----|------|
| Petroleum distillates, | A2 | Group 1 | | X |
| hydrotreated heavy naphthenic | | | | |
| 2-Butoxyethanol | A3 | Group 3 | | |

Reproductive Toxicity

No information available.

STOT - single exposure STOT - repeated exposure

No information available. No information available.

Aspiration Hazard

No information available.

Numerical measures of toxicity - Product

The following values are calculated based on chapter 3.1 of the GHS document:

LD50 Oral LD50 Dermal 27260 mg/kg; Acute toxicity estimate 63800 mg/kg; Acute toxicity estimate

Inhalation gas

261000

dust/mist Vapor 87 mg/L; Acute toxicity estimate 638 mg/L; Acute toxicity estimate

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated.

| Chemical Name | Toxicity to Algae | Toxicity to Fish | Toxicity to Microorganisms | Daphnia Magna (Water Flea) |
|--|-------------------|---|-------------------------------|---|
| Petroleum distillates, hydrotreated heavy naphthenic 64742-52-5 | | LC50 96 h: > 5000 mg/L (Oncorhynchus mykiss) | | EC50 48 h: > 1000 mg/L (Daphnia magna) |
| 2-Butoxyethanol 111-76-2 | | LC50 96 h: = 1490 mg/L static (Lepomis macrochirus) LC50 96 h: = 2950 mg/L (Lepomis macrochirus) | | EC50 24 h: 1698 - 1940 mg/L (Daphnia magna) EC50 48 h: > 1000 mg/L (Daphnia magna) |

Persistence and Degradability

No information available.

Bioaccumulation

| | Chemical Name | | Log Pow |
|---|-----------------|---------------------------------------|---------|
| İ | 2-Butoxyethanol | · · · · · · · · · · · · · · · · · · · | 0.81 |

Other Adverse Effects

No information available.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods

This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

Contaminated Packaging

Do not re-use empty containers.

14. TRANSPORT INFORMATION

DOT

Not regulated

15. REGULATORY INFORMATION

International Inventories

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

| Chemical Name | CAS-No | Weight % | SARA 313 - Threshold Values % |
|--------------------------------|----------|----------|----------------------------------|
| 2-Butoxyethanol | 111-76-2 | 1 | 1.0 |
| SARA 311/312 Hazard Categories | | | |

Acute Health Hazard No
Chronic Health Hazard Yes
Fire Hazard No
Sudden Release of Pressure Hazard No
Reactive Hazard No

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

| Chemical Name | New Jersey | Massachusetts | Pennsylvania | Illinois | Rhode Island |
|--|------------|---------------|--------------|----------|--------------|
| Petroleum distillates, hydrotreated heavy naphthenic | | | | Х | |
| 2-Butoxyethanol | Х | Х | X | X | X |

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

| | 10 | 6. OTHER INFORM | ATION | |
|-------------|------------------|------------------|-------------------|-----------------------|
| NFPA | Health Hazard 1 | Flammability 0 | Instability 0 | Physical and Chemical |
| | | and the state of | | Hazards - |
| <u>HMIS</u> | Health Hazard 1* | Flammability 0 | Physical Hazard 0 | Personal Protection X |

^{*}Indicates a chronic health hazard.

Prepared By

Product Stewardship 23 British American Blvd. Latham, NY 12110 1-800-572-6501

Issuing Date Revision Date Revision Note 1-800-572-650 10-Nov-2014 10-Nov-2014 Initial Release.

General Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet