

SAFETY DATA SHEET

9/29/14

LPS 2 Industrial Strength

LUBRICANT

1. Identification

LPS® 2

Product identifier

Other means of identification

Part Number

00222, 02128, 00205, 00255

Recommended use

An industrial lubricant designed to displace moisture from equipment, provide heavy-duty

lubrication and rust prevention.

Recommended restrictions

None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer Manufacturer

Company name

ITW Pro Brands

Address

4647 Hugh Howell Rd.

Tucker, GA 30084

Country

(U.S.A.)

Tel: +1 770-243-8800

In Case of Emergency

1-800-424-9300 (inside U.S.)

+001 703-527-3887 (outside U.S.)

Website

www.lpslabs.com

E-mail

lpssds@itwprobrands.com

2. Hazard(s) identification

Physical hazards

Flammable liquids

Category 4

Health hazards

Skin corrosion/irritation

Category 2

Serious eye damage/eye irritation

Category 2A

Specific target organ toxicity, single exposure

Category 3 narcotic effects

Aspiration hazard

Category 1

Environmental hazards

OSHA defined hazards

Not classified. Not classified.

Label elements



Signal word

Danger

Hazard statement

Combustible liquid. Causes skin irritation. Causes serious eye irritation. May cause drowsiness or dizziness. May be fatal if swallowed and enters airways.

Precautionary statement

Prevention

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Avoid breathing mist or vapor. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/eye protection/face protection.

Response

In case of fire: Use appropriate media to extinguish. If swallowed: Immediately call a poison center/doctor. Do NOT induce vomiting. If on skin: Wash with plenty of water. Take off

contaminated clothing and wash before reuse. Specific treatment (see this label). If skin irritation occurs: Get medical advice/attention. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. If inhaled: Remove person to fresh air and keep comfortable for

breathing. Call a poison center/doctor if you feel unwell.

Storage

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store locked up.

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.

Material name: LPS® 2

SDS US

00222, 02128, 00205, 00255 Version #: 01 Issue date: 06-13-2016

1/8

Hazard(s) not otherwise classified (HNOC)

Supplemental information

None known.

None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number		
Distillates Petroleum, Hydroteated Light		64742-47-8		
Petroleum Oil		64742-52-5	20 - 30	

4. First-aid measures

Inhalation

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

Skin contact

Remove contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Wash contaminated clothing before reuse.

Eye contact

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Ingestion

Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting, If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Aspiration may cause pulmonary edema and pneumonitis.

Most important symptoms/effects, acute and delayed

Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting, Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain.

Indication of immediate medical attention and special Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

treatment needed

General information

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media Unsuitable extinguishing media

Alcohol resistant foam. Water spray. Water fog. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

The product is combustible, and heating may generate vapors which may form explosive vapor/air mixtures. During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk. Cool containers exposed to heat with water spray and remove container, if no risk is involved

Specific methods General fire hazards Use standard firefighting procedures and consider the hazards of other involved materials. Combustible liquid.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. Use personal protection recommended in Section 8 of the SDS.

Material name: LPS® 2

SDS US

Methods and materials for containment and cleaning up

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material.

Large Spills: Stop the flow of material, if this is without risk. Use water spray to reduce vapors or divert vapor cloud drift. Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.

Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.

Environmental precautions

7. Handling and storage

Precautions for safe handling

Keep away from open flames, hot surfaces and sources of ignition. When using do not smoke. Avoid breathing mist or vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated contact with skin. Avoid prolonged exposure. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store locked up. Keep away from heat and sources of ignition. Store in a cool, dry place out of direct sunlight. Store in original tightly closed container. Store in a well-ventilated place. Keep in an area equipped with sprinklers. Store away from incompatible materials (see Section 10 of the

8. Exposure controls/personal protection

Occupational exposure limits

U.S OSHA Components	Туре	Value	Form	
Distillates Petroleum, Hydroteated Light (CAS 64742-47-8)	PEL	5 mg/m3	Oil mist	-
Petroleum Oil (CAS 64742-52-5)	PEL	5 mg/m3	Oil mist	
ACGIH				
Components	Туре	Value	Form	
Distillates Petroleum, Hydroteated Light (CAS 64742-47-8)	TWA	5 mg/m3	Oil mist	
Petroleum Oil (CAS 64742-52-5)	TWA	5 mg/m3	Oil mist	

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

exposure limits have not been established, maintain airborne levels to an acceptable level. Individual protection measures, such as personal protective equipment

Eye/face protection

Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Chemical resistant gloves are recommended.

Other

Avoid contact with the skin. Wear appropriate chemical resistant clothing.

Respiratory protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation,

or other engineering controls to maintain airborne levels below recommended exposure limits. If

Thermal hazards

Not applicable.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Material name: LPS® 2

Physical state

Liquid.

Form

Liquid.

Color

Brown.

Odor

Slight petroleum odor. Cherry.

Odor threshold

Not established

Нq

Not applicable

Melting point/freezing point

< -58 °F (< -50 °C)

Initial boiling point and boiling

383 °F (195 °C)

range

Flash point

174.2 °F (79.0 °C) Tag Closed Cup (dispensed liquid)

Evaporation rate

< 0.1 (BuA = 1)

Flammability (solid, gas)

Not available.

Upper/lower flammability or explosive limits

inot available.

Flammability limit - lower

0.6 %

(%)

(/0)

Flammability limit - upper

7%

(%)

Explosive limit - lower (%)

Not available. Not available.

Explosive limit - upper (%)

< 0.05 mm Hg @ 20°C

Vapor pressure Vapor density

4.7 (air = 1)

Relative density

Not available.

Solubility(ies)

Solubility (water)

< 3 %

Partition coefficient

< 1

(n-octanol/water)

> 442.4 °F (> 228 °C)

Auto-ignition temperature Decomposition temperature

Not established

Viscosity

< 7 cSt @ 25°C

Other information

Heat of combustion

> 30 kJ/g

Percent volatile

92 - 95 %

VOC

0 % per US State & Federal Consumer Product Regulations

10. Stability and reactivity

Reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability

Material is stable under normal conditions.

Possibility of hazardous reactions

Hazardous polymerization does not occur.

Touotions

Conditions to avoid

Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the

flash point. Contact with incompatible materials.

Incompatible materials

Oxidizing agents.

Hazardous decomposition

Carbon oxides.

products

11. Toxicological information

Information on likely routes of exposure

Inhalation

Vapors have a narcotic effect and may cause headache, fatigue, dizziness and nausea.

Skin contact

Causes skin irritation.

Eye contact

Causes serious eye irritation.

Ingestion

May be fatal if swallowed and enters airways.

Material name: LPS® 2

SDS US

4/8

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. Exposure may cause temporary irritation, redness, or discomfort. Vapors have a narcotic effect and may cause headache, fatigue, dizziness and nausea. Decrease in motor functions. Behavioral changes.

Information on toxicological effects

Acute toxicity

May be fatal if swallowed and enters airways. Narcotic effects.

Components

Species

Test Results

Distillates Petroleum, Hydroteated Light (CAS 64742-47-8)

Acute

Dermal

LD50

Rabbit

> 2000 mg/kg

> 2000 mg/kg, 24 Hours

Inhalation

Aerosol

LC50

Cat

> 6.4 mg/l, 6 Hours

Rat

> 7.5 mg/l, 6 Hours

> 4.3 mg/l, 4 Hours

Vapor

LC50

Rat

> 0.1 mg/l, 8 Hours

Oral

LD50

Rat

> 5000 mg/kg

Petroleum Oil (CAS 64742-52-5)

Acute

Dermal

LD50

Rabbit

> 2000 mg/kg

> 2000 mg/kg, 24 Hours

Inhalation

Aerosol

LC50

Rat

2.18 mg/l, 4 Hours

Oral

LD50

Rat

> 2000 mg/kg

Skin corrosion/irritation

Serious eye damage/eye

irritation

Causes skin irritation.

Causes serious eye irritation.

Respiratory or skin sensitization

Respiratory sensitization

Not a respiratory sensitizer.

Skin sensitization

This product is not expected to cause skin sensitization.

Germ cell mutagenicity

No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity

This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity - single exposure Narcotic effects.

Specific target organ toxicity - repeated

Not classified.

exposure

Material name: LPS® 2

SDS US

Aspiration hazard

May be fatal if swallowed and enters airways.

Chronic effects

Prolonged inhalation may be harmful.

12. Ecological information

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components

Test Results

Distillates Petroleum, Hydroteated Light (CAS 64742-47-8)

Aquatic

Fish

LC50

Rainbow trout, donaldson trout (Oncorhynchus mykiss)

2.9 mg/l, 96 hours

Persistence and degradability

Bioaccumulative potential

Not inherently biodegradable.

Not available.

Partition coefficient n-octanol / water (log Kow)

LPS® 2

< 1

Mobility in soil

No data available.

Other adverse effects

None known.

13. Disposal considerations

Disposal instructions

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and

the IBC Code

Not applicable.

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Material name: LPS® 2

SDS US

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

chemical

Yes

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tlt. 22, 69502.3, subd.

(a))

Petroleum Oil (CAS 64742-52-5)

US. Massachusetts RTK - Substance List

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act

Not listed.

US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Material name: LPS® 2 SDS US 00222, 02128, 00205, 00255 Version #: 01 Issue date: 06-13-2016 7 / 8

16. Other information, including date of preparation or last revision

Issue date

06-13-2016

Version #

Λ1

Disclaimer

ITW Pro Brands cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Revision information

Product and Company Identification: Product and Company Identification

Hazard(s) identification: Disposal Hazard(s) identification: Prevention Hazard(s) identification: GHS Symbols Fire-fighting measures: General fire hazards Physical and chemical properties: Appearance Stability and reactivity: Chemical stability

Toxicological information: Specific target organ toxicity - repeated exposure

Regulatory information: US federal regulations

Other information, including date of preparation or last revision: Disclaimer

GHS: Classification

Material name: LPS® 2