## **SAFETY DATA SHEET**

Issuing Date 18-Jul-2012

Revision Date 05-Oct-2017

**Revision Number 1** 

10/11/2018



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

# HARIORIAN OF THE SUESTANGE/PAREPARATION AND DEFINE. (XOMEANY/UNDERTAKING)

**Product identifier** 

**Product Name** 

Super Tech High Mileage 5W30

Supe Tech SAE 5W-30

Other means of identification

**Synonyms** 

None

Motor Uil

(High Mileage)

Recommended use of the chemical and restrictions on use

**Recommended Use** 

Engine (motor) oil for Auto or Boat

Uses advised against

No information available

Details of the supplier of the safety data sheet

**Supplier Name** 

Warren Distribution, Inc.

**Supplier Address** 

727 S.13th Street

Omaha NE 68102 US

**Supplier Phone Number** 

Phone:800-424-9300 Fax:402-977-5857

Contact Phone402-977-5786

**Supplier Email** 

alowery@wd-wpp.com

Emergency telephone number

**Company Emergency Phone** 

Number

800-424-9300

#### FARTANAVIOLET DE L'EXPERTENT

#### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Carcinogenicity

Category 1B

GHS Label elements, including precautionary statements



#### **Emergency Overview**

Signal word Danger

Hazard Statements
May cause cancer



Appearance Amber

Physical state Liquid

Odor Petroleum distillates

#### **Precautionary Statements - Prevention**

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required

#### **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention

#### **Precautionary Statements - Storage**

Store locked up

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### **Hazards not otherwise classified (HNOC)**

Not applicable

#### **Unknown Toxicity**

0 % of the mixture consists of ingredient(s) of unknown toxicity

#### Other information

No information available

#### **Interactions with Other Chemicals**

Use of alcoholic beverages may enhance toxic effects.

## SECCOMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS-No	Percent	Trade Secret
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	60 - 100	*
Petroleum distillates, solvent dewaxed heavy	64742-65-0	1 - 5	*
paraffinic			

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret



## 

#### First aid measures

Eye contact

Rinse thoroughly with plenty of water, also under the eyelids. If symptoms persist, call a

physician.

Skin contact

Wash with soap and water.

Inhalation

Remove to fresh air.

Ingestion

Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an

unconscious person.

#### Most important symptoms and effects, both acute and delayed

**Most Important Symptoms and** 

Effects

No information available.

#### Indication of any immediate medical attention and special treatment needed

**Notes to Physician** 

Treat symptomatically.

## 

#### **Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### Unsuitable extinguishing media

CAUTION: Use of water spray when fighting fire may be inefficient.

#### Specific hazards arising from the chemical

No information available.

**Uniform Fire Code** 

Combustible Liquid: III-B

**Explosion Data** 

**Sensitivity to Mechanical Impact** 

None.

Sensitivity to Static Discharge

None.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## opyvenie pyvenie povytenie povyte

#### Personal precautions, protective equipment and emergency procedures

Personal precautions

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Other Information

Refer to protective measures listed in Sections 7 and 8.

**Environmental precautions** 

**Environmental precautions** 

See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for containment

Absorb or cover with dry earth, sand or other non-combustible material and transfer to

containers.

Methods for cleaning up

Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

## · 7.14ANDLING ANDSTORAGE \*\*\*

#### Precautions for safe handling

Handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off

contaminated clothing and wash before reuse.

#### Conditions for safe storage, including any incompatibilities

Storage

Keep containers tightly closed in a dry, cool and well-ventilated place.

**Incompatible Products** 

None known based on information supplied.

## (3) EXXXOSURE (CONTIRIO) ESTRERSIÓNALE PROTECTION

## Control parameters

## **Exposure Guidelines**

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Petroleum distillates,	TWA: 5 mg/m³, as oil mist, mineral	TWA: 5 mg/m³, as oil mist, mineral	
hydrotreated heavy	STEL: TWA: 10 mg/m³, as oil mist,	<del>-</del> ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '	
paraffinic	mineral		
64742-54-7			
Petroleum distillates,	TWA: 5 mg/m³, as oil mist, mineral	TWA: 5 mg/m³, as oil mist, mineral	
solvent dewaxed heavy	STEL: TWA: 10 mg/m³, as oil mist,	-	
paraffinic	mineral	•	
64742-65-0			

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits NIOSH IDLH Immediately Dangerous to Life or Health

**Other Exposure Guidelines** 

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962



(11th Cir., 1992)

#### Appropriate engineering controls

**Engineering Measures** 

Showers

Eyewash stations Ventilation systems

#### Individual protection measures, such as personal protective equipment

Eye/face protection

No special protective equipment required.

Skin and body protection

Wear protective gloves and protective clothing.

Respiratory protection

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

**Hygiene Measures** 

Do not eat, drink or smoke when using this product. Wash hands before breaks and

immediately after handling the product.

## PRINTS CONTAND OF EMICAL BROBERTIES

#### Physical and Chemical Properties

Physical state	
Appearance	
Color	

Liquid Amber

No information available

**Odor Threshold** 

Remarks Method

Petroleum distillates No information available

**Property** рΗ Melting / freezing point

Flash Point

**Evaporation Rate** 

**Values** No data available

No data available °C / °F 250 C / 482 F

None known None known None known

None known

None known

None known

None known

None known

Flammability (solid, gas) Flammability Limit in Air

Boiling point / boiling range

No data available

No data available

No data available

Upper flammability limit Lower flammability limit No data available No data available Vapor pressure No data available

Vapor density **Specific Gravity** 1.069 Water Solubility Negligible No data available Solubility in other solvents Partition coefficient: n-octanol/waterNo data available Autoignition temperature No data available **Decomposition temperature** No data available Kinematic viscosity No data available **Dynamic viscosity** 

None known No data available None known No data available

Other Information

**Explosive properties** 

Oxidizing properties

Softening Point **VOC Content (%)** Particle Size

No data available No data available No data available

No data available



#### Particle Size Distribution

## A A Wadayata ta daliya wa a Haranda a Aranda a Aranda

## Reactivity

No data available.

## **Chemical stability**

Stable under recommended storage conditions.

#### **Possibility of Hazardous Reactions**

None under normal processing.

#### **Conditions to avoid**

None known based on information supplied.

#### Incompatible materials

None known based on information supplied.

#### **Hazardous Decomposition Products**

None known based on information supplied.

## #11 TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

#### **Product Information**

Inhalation

Specific test data for the substance or mixture is not available.

Eye contact

Specific test data for the substance or mixture is not available.

Skin contact

Specific test data for the substance or mixture is not available.

Ingestion

Specific test data for the substance or mixture is not available.

#### **Component Information**

No information available

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Petroleum distillates, hydrotreated heavy paraffinic 64742-54-7	> 15 g/kg(Rat)	-	-
Petroleum distillates, solvent dewaxed heavy paraffinic 64742-65-0	> 15000 mg/kg(Rat)	-	

#### Information on toxicological effects

**Symptoms** 

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure



Sensitization

No information available.

**Mutagenic Effects** 

No information available.

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Petroleum distillates, hydrotreated heavy paraffinic 64742-54-7	A2	Group 1	Known	Х
Petroleum distillates, solvent dewaxed heavy paraffinic 64742-65-0	A2	Group 1	Known	Х

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity

No information available.

STOT - single exposure

No information available.

STOT - repeated exposure

No information available.

**Chronic Toxicity** 

Contains a known or suspected carcinogen.

**Target Organ Effects** 

Respiratory system. Eyes. Skin. Central Nervous System (CNS). Kidney. Liver. Thyroid.

Reproductive System. Endocrine system. Gastrointestinal tract (GI).

**Aspiration Hazard** 

No information available.

## Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document Not applicable

## MP4 = (eje) Heje) (eya Elin Eze) Elin Az ilein

#### **Ecotoxicity**

The environmental impact of this product has not been fully investigated.

Chemical name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Petroleum distillates, hydrotreated heavy paraffinic 64742-54-7		96h LC50: > 5000 mg/L (Oncorhynchus mykiss)	<u></u>	48h EC50: > 1000 mg/L
Petroleum distillates, solvent dewaxed heavy paraffinic 64742-65-0		96h LC50: > 5000 mg/L (Oncorhynchus mykiss)		48h EC50: > 1000 mg/L

## Persistence and Degradability

No information available.

#### **Bioaccumulation**

No information available

#### Other adverse effects

No information available.

## 15x DISPOSAL CONSIDERATIONS

#### Waste treatment methods

Disposal methods

This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

**Contaminated Packaging** 

Dispose of contents/containers in accordance with local regulations.

was as the second of the second

California Hazardous Waste Codes 221

## MENTAL PARTE CONTROLL OF THE PROPERTY OF THE P

DOT

**NOT REGULATED** 

Proper Shipping Name

NON REGULATED

Hazard Class

N/A

<u>TDG</u>

Not regulated

MEX

Not regulated

**ICAO** 

Not regulated

<u>IATA</u>

Not regulated

Proper Shipping Name

NON REGULATED



**Hazard Class** 

N/A

IMDG/IMO

Not regulated

**Hazard Class** 

N/A

RID

Not regulated

ADR

Not regulated

ADN

Not regulated

## 113 REQUESTORY INFORMATION

#### **International Inventories**

**TSCA** 

Not determined

DSL

Not determined

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

#### **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

## SARA 311/312 Hazard Categories

Acute Health Hazard No
Chronic Health Hazard Yes
Fire Hazard No
Sudden release of pressure hazard No
Reactive Hazard No

## **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

#### **US State Regulations**

#### California Proposition 65

This product does not contain any Proposition 65 chemicals.

#### U.S. State Right-to-Know Regulations

This product does not contain any substances regulated by state right-to-know regulations.

Chemical name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Petroleum distillates, hydrotreated heavy paraffinic 64742-54-7					Х
Petroleum distillates, solvent dewaxed heavy paraffinic 64742-65-0					X

#### International Regulations



Chemical name	Carcinogen Status	Exposure Limits
Petroleum distillates, hydrotreated heavy paraffinic	A2	
Petroleum distillates, solvent dewaxed heavy paraffinic	A2	

## Canada

#### **WHMIS Hazard Class**

Not determined

## etiokonflerinikoramatikon

**NFPA** 

Health Hazards 1

Flammability 1

Instability 0

Physical and

**HMIS** 

Health Hazards 1\*

Flammability 1

Physical Hazard 0

Chemical Hazards - Personal Protection X

Chronic Hazard Star Legend \* = Chronic Health Hazard

Prepared By

Product Stewardship

23 British American Blvd.

Latham, NY 12110 1-800-572-6501

Issuing Date

18-Jul-2012

**Revision Date** 

05-Oct-2017

Revision Note

No information available

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**