
10/10/2017



ALE PURPLE PRIMER

Material Safety Data Sheet

SECTION I - Material Identity

SECTION II - Manufacturer's Information

SECTION III - Physical/Chemical Characteristics

SECTION IV - Fire and Explosion Hazard Data

SECTION V - Reactivity Data

SECTION VI - Health Hazard Data

SECTION VII - Precautions for Safe Handling and Use

SECTION VIII - Control Measures

SECTION IX - Label Data

SECTION X - Transportation Data

SECTION XI - Site Specific/Reporting Information

SECTION XII - Ingredients/Identity Information

SECTION I - Material Identity

Item Name

Part Number/Trade Name

National Stock Number

CAGE Code

Part Number Indicator

MSDS Number

HAZ Code

ACE PURPLE PRIMER

8040L4164342027

EZWEL

673-3

195031

В

SECTION II - Manufacturer's Information

Manufacturer Name

E-Z WELD

Street

1661 OLD DIXIE HWY

City

RIVIERA BEACH

State

 \mathbf{FL}

Country

US

are are

UD

Zip Code

33404

Emergency Phone

800-424-9300 (CHEMTREC)

Information Phone

800-432-3582

MSDS Preparer's Information

Date MSDS Prepared/Revised

01MAY01

Active Indicator

Y

Alternate Vendors

SECTION III - Physical/Chemical Characteristics

Appearance/Odor	CLEAR, PURPLE, BLUE WATER LIKE LIQUID/ETHERAL ODOR
Boiling Point	NR
Melting Point	NR
Vapor Pressure	NR
Vapor Density	≯ 1.
Specific Gravity	1.0
Evaporation Rate	>1.
Solubility in Water	SOMEWHAT SOLUBLE
Chemical pH	NR
Container Type	R
Container Pressure Code	1.
Temperature Code	* 4
Product State Code	s

SECTION IV - Fire and Explosion Hazard Data

Flash Point Method	TONK.
Extinguishing Media	WATER SPRAY FOR COOLING ONLY, CARBON DIOXIDE, FOAM, HALON, DRY CHEMICAL, ANY "B" CLASS
Special Fire Fighting Procedures	FIRE FIGHTERS SHOULD WEAR EYE PROTECTION, SCBA, AND FULL PROTECTIVE GEAR. THIS MATERIAL MAY IGNITE AND PRODUCE IRRITATING VAPORS AND TOXIC GASES. VAPORS ARE HEAVIER THAN AIR AND MAY TRAVEL TO A SOURCE OF IGNITION. AND FLASH BACK TO CONTAINER
Unusual Fire/Explosion Hazards	CLOSED CONTAINERS CONTAMINATED WITH PEROXIDES CAN RUPTURE VIOLENTLY IN THE HEAT OF A FIRE

SECTION V - Reactivity Data

Stability	YES
Stability Conditions to Avoid	EXPOSURE OR CONTACT TO EXTREME TEMPS. SOURCES OF IGNITION,
	IMCOOMPATIBLE CHEMICALS
Materials to Avoid	STRONG OXIDIZERS, LITHIUM

ALUMINUM HYDRIDE, ALKALINE EARTH HYDORXIDES

CO, CO2

NO

WILL NOT OCCUR

Hazardous Decomposition Products

Hazardous Polymerization

Polymerization Conditions to Avoid

SECTION VI - Health Hazard Data

Route of Entry: Skin

Route of Entry: Ingestion Route of Entry: Inhalation

Health Hazards - Acute and Chronic

Carcinogenity: NTP Carcinogenity: IARC

Carcinogenity: OSHA

Symptoms of Overexposure

Emergency/First Aid Procedures

YES

NO

YES

ACUTE: OVER-EXPOSURE CAN BE IRRITATING TO EYES, SKIN AND MUCOUS MEMBRANES, AND CAN ALSO CAUSE CENTRAL NERVOUS SYSTEM DAMAGE, INGESTION OF THIS PRODUCT OR INHALATION OF HIGH CONC. OF THIS PRODUCTS VAPORS MAY BE FATAL. CHRONIC: EXPOSURES CAN LEAD TO DERMATITIS, TETRAHYDROFURAN, AFTER LONG-TERM INHALATION , LIVER AND KIDNEY DAMAGE

NO NO NO

> [INHALE] IRRITATING TO NOSE, THROAT, MUCOUS MEMBRANES AND OTHER TISSUES OF THE RESPIRATORY SYSTEM, [SKIN] IRRITATING, PROLONGED OR REPEATED EXPOSURE CAN LEAD TO DERMATITIS. [EYES] IRRITATING, CORNEAL OPACITY CAN OCCUR. [INGEST] NOT ANTICIPATED TO BE A SIGNIFICANT ROUTE OF EXPOSURE

> [EYE] FLUSH W/WATER FOR AT LEAST 15 MIN. LIFTING EYELIDS, SEEK IMMED, MED. ATTN. [SKIN] FLUSH W/WATER, WASH WITH MILD SOAP, REMOVE CONTAMINATED CLOTHING, LAUNDER BEFORE REUSE. IF IRRITATION PERSISTS OR OCCURS, SEEK MED. ATTN. [INHALE] MOVE TO FRESH AIR, IF NECESSARY GIVE ARTIFICIAL RESPIRATION OR OXYGEN. GET MED. ATTN. [INGEST] DO NOT INDUCE VOMITING! GET IMMED. MED. ATTN. HAVE VICTIM DRINK MILK, EGG WHITES, OR LG AMTS.

> OF WATER. DO NOT GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS

PERSON

SECTION VII - Precautions for Safe Handling and Use

Steps if Material Released/Spilled

CLEAR AFFECTED AREA,
ELIMINIATE ALL SOURCES OF
IGNITION. USE NON-SPRAKING
TOOLS, ABSORB SPILL WITH
ACTIVATED CARBON, POLYPADS OR
OTHER SUITABLE ABSORBENT
MATERIALS. PLACE ALL SPILL
RESIDUE IN APPROPRIATE
CONTAINER

Neutralizing Agent Waste Disposal Method

Handling and Storage Precautions

Other Precautions

NA

IN ACCORDANCE W/STATE, LOCAL, AND FEDERAL REGULATIONS

USE IN WELL-VENTILATED AREA, STORE IN A COOL, DRY LOCATION AWAY FROM DIRECT SUNLIGHT, SOURCES OF INTENSE HEAT. OR WHERE FREEZING IS POSSIBLE. KEEP CONTAINERS TIGHTLY CLOSED

WHEN NOT IN USE

READ AND UNDERSTAND ALL CAUTIONS, LABELS AND MSDS BEFORE USING ANY CHEMICAL

PRODUCT

SECTION VIII - Control Measures

Respiratory Protection

Ventilation

Protective Gloves
Eye Protection

Other Protective Equipment

Work Hygenic Practices

Supplemental Health/Safety Data

NOT GENERALLY NEEDED

MECHANICAL EXHAUST MAY BE

NEEDED

VITON OR BARRICADE

SPLASH GOGGLES OR SAFETY GLASSES. FULL FACE SHIELD SHOULD BE WORN WHEN WORKING AROUND SPLASHES OR SPRAYS

EYE WASH FOUNTAIN/SAFETY

SHOWER

WASH HANDS THOROUGHLY AFTER

HANDLING

REMOVE CONTAMINATED

CLOTHING /LAUNDER BEFORE REUSE. WASH HANDS AFTER EACH USE AND BEFORE EATING, DRINKING, ETC. MINIMIZE CONTACT OF PRODUCT ON SKIN

SECTION IX - Label Data

Protect Eye

YES

Protect Skin YES
Protect Respiratory NO
Chronic Indicator YES
Contact Code UNKNOWN
Fire Code UNKNOWN
Health Code UNKNOWN
React Code UNKNOWN

Specific Hazard and Precaution TARGET ORGANS: SKIN, EYES, RESPIRATORY SYSTEM, CENTRAL

NERVOUS SYSTEM, LIVER, KIDNEY

DAMAGE

SECTION X - Transportation Data

SECTION XI - Site Specific/Reporting Information

SECTION XII - Ingredients/Identity Information

Ingredient # Ingredient Name 2 - PROPANONE CAS Number 67641 Percent OSHA PEL 1000 PPM Ingredient # 02 Ingredient Name 2-BUTANONE CAS Number 78933 Percent OSHA PEL 200 PPM ACGIH TLV 200 PPM Ingredient # Ingredient Name CYCLOHEXANONE CAS Number 108941 Percent 15 Ingredient # 04 Ingredient Name FURAN, TETRAHYDRO-CAS Number 109999 Percent 10 OSHA PEL 200 PPM ACGIH TLV 200 PPM