

# **Safety Data Sheet**

Issue Date: 11-Dec-2014

Revision Date: N/A

Version 1

1. IDENTIFICATION

**Product Identifier** 

**Product Name** 

Lubriguard SAE 5W-40 CJ-4/SM Diesel Engine Oil

Lubri Guard Synthetic

SAE 5W- 40 HD

Diesel Engine oil

CK-4/5N

Other means of identification

SDS#

LUB-018

Recommended use of the chemical and restrictions on use

Recommended Use

Premium heavy duty motor oil.

Details of the supplier of the safety data sheet

**Supplier Address** 

Warren Oil Company, LLC 915 E. Jefferson Ave. West Memphis, AR 72301

**Emergency Telephone Number** 

**Company Phone Number** 

1-800-428-9284

**Emergency Telephone (24 hr)** 

CHEMTREC 1-800-424-9300

# 2. HAZARDS IDENTIFICATION

Appearance Light amber, viscous liquid

Physical State Viscous liquid

Odor Typical petroleum

#### Classification

This chemical does not meet the hazardous criteria set forth by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200). However, this Safety Data Sheet (SDS) contains valuable information critical to the safe handling and proper use of this product. This SDS should be retained and available for employees and other users of this product.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	IV TO BE STORY THE PARTY OF THE	, Co., Page , Alex Manager and Co.
	CAS No	Weight-%
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	70-80
paramile	1 07/72-04-7	/U-8U I

<sup>\*\*</sup>If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

#### 4. FIRST-AID MEASURES

#### **First Aid Measures**

**Eye Contact** 

Flush eyes with large amounts of water, for at least 15 minutes, until irritation subsides. If irritation persists, get medical attention.

Skin Contact

No treatment is necessary under ordinary circumstances. Remove contaminated clothing.

Wash contaminated area thoroughly with soap and water. If redness or irritation occurs and persists, seek medical attention. If product is injected into or under the skin, or into any part of the body, regardless of the appearance of the wound or its size, the individual should

seek immediate medical attention.

Inhalation Remove to fresh air. If not breathing give artificial re

Remove to fresh air. If not breathing give artificial respiration, preferably mouth-to-mouth. If

breathing is difficult, give oxygen. Get medical attention.

Ingestion If swallowed, do not induce vomiting. If victim exhibits signs of lung aspiration such as

coughing or choking, seek immediate medical attention.

# Most important symptoms and effects

**Symptoms** 

Expected to be a minor eye irritant. Repeated or prolonged skin contact may cause

dermatitis.

# Indication of any immediate medical attention and special treatment needed

Notes to Physician

Treat symptomatically.

# 5. FIRE-FIGHTING MEASURES

#### Suitable Extinguishing Media

Use dry chemical, foam, carbon dioxide or water fog.

Unsuitable Extinguishing Media While carbon dioxide and inert will extinguish the fire, they can also displace oxygen. Use caution when applying carbon dioxide or inert gas in confined spaces.

#### Specific Hazards Arising from the Chemical

This material can burn but will not readily ignite. This material will release vapors when heated above the flashpoint temperature that can ignite when exposed to a source of ignition. In enclosed spaces, heated vapor can ignite with explosive force. Mists or sprays may burn at temperatures below the flashpoint. Dense smoke may be generated while burning. Carbon monoxide, carbon dioxide, and other oxides may be generated as products of combustion.

Hazardous Combustion Products Carbon monoxide. Carbon dioxide (CO2). Aldehydes. Ketones. Combustion products of sulfur and nitrogen.

# Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Avoid breathing smoke and vapor. Water may be used to cool containers exposed to heat or flame.

# 6. ACCIDENTAL RELEASE MEASURES

# Personal precautions, protective equipment and emergency procedures

**Personal Precautions** 

Use personal protective equipment as required.

# Methods and material for containment and cleaning up

**Methods for Containment** 

Remove sources of ignition. Contain any spills with dikes or absorbents to prevent

migration and entry into sewers or streams.

Methods for Clean-Up

Take up small spills with absorbent pads. Large spills may be taken up with pump or

vacuum.

#### Precautions for safe handling

Advice on Safe Handling

Handle in accordance with good industrial hygiene and safety practice.

# Conditions for safe storage, including any incompatibilities

**Storage Conditions** 

Store at ambient conditions. Store at atmospheric pressure. Keep container tightly closed. Store in a cool, well-ventilated place. Keep away from heat, sparks, and flame. Empty containers retain product residues. Store away from incompatible materials.

Incompatible Materials

This product may react with strong oxidizing agents.

7. HANDLING AND STORAGE

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies

#### Appropriate engineering controls

**Engineering Controls** 

Use general ventilation and use local exhaust, where possible, in confined or enclosed spaces. If product is heated above 70 C (155 F) in the presence of water, hydrogen sulfide vapors may be released. Ventilation should be sufficient to keep hydrogen sulfide levels below recommended exposure limits. Eye wash fountains are recommended.

# Individual protection measures, such as personal protective equipment

**Eye/Face Protection** 

Wear safety glasses. Wear chemical goggles or face shield if splash or mist occurs.

Skin and Body Protection

Use impervious gloves for prolonged contact. Wear oil-impervious garments if contact is

unavoidable.

**Respiratory Protection** 

If mist is generated (heating, spraying) and engineering controls are not sufficient, wear

approved organic vapor respirator suitable for oil mist.

General Hygiene Considerations Use good hygiene when handling petroleum product. Launder contaminated clothing before reuse. Excessive misting may cause slippery floors - wear appropriate footwear.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# Information on basic physical and chemical properties

**Physical State Appearance** 

Viscous liquid

Light amber, viscous liquid

Odor

Typical petroleum

Color

Light amber

**Values** 

**Odor Threshold** 

Remarks • Method

Not available

**Property** 

Melting Point/Freezing Point **Boiling Point/Boiling Range** 

Not available Not available Not available

Flash Point **Evaporation Rate** 

Vapor Pressure

204 °C / 400 °F Not available Liquid-Not applicable

ASTM D-92

Flammability (Solid, Gas) **Upper Flammability Limits** Lower Flammability Limit

Not determined Not determined Not available

# LUB-018 - Lubriguard SAE 5 W-40 CJ-4/SM Diesel Engine Oil

Vapor Density >1 Specific Gravity 0.88

(Air=1)

Water Solubility
Solubility in other solvents
Partition Coefficient
Auto-ignition Temperature
Decomposition Temperature

Kinematic Viscosity

**Explosive Properties** 

**Oxidizing Properties** 

**Dynamic Viscosity** 

Insoluble in water
Not determined
Not available
No data available
Not determined
Not determined
Not determined
Not determined
Not determined

Not determined

10. STABILITY AND REACTIVITY

#### Reactivity

Not reactive under normal conditions.

#### **Chemical Stability**

Stable under recommended storage conditions.

#### Possibility of Hazardous Reactions

None under normal processing.

**Hazardous Polymerization** 

Under normal conditions of storage and use, hazardous polymerization will not occur.

Revision Date: N/A

#### Conditions to Avoid

Avoid formation of mists. Keep away from extreme heat, sparks, open flame and incompatible materials.

# **Incompatible Materials**

This product may react with strong oxidizing agents.

#### **Hazardous Decomposition Products**

Decomposition of this product may yield oxides of boron, calcium, magnesium, nitrogen, phosphorus, sulfur including hydrogen sulfide and zinc as well as carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

# 11. TOXICOLOGICAL INFORMATION

# Information on likely routes of exposure

**Product Information** 

Eye Contact

Avoid contact with eyes.

**Skin Contact** 

Avoid contact with skin.

Inhalation

Do not inhale.

Ingestion

Do not ingest.

#### Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Petroleum derived calcium salt 61789-86-4	> 5000 mg/kg (Rat)	> 4000 mg/kg ( Rabbit )	-

# Information on physical, chemical and toxicological effects

LUB-018 - Lubriguard SAE 5 W-40 CJ-4/SM Diesel Engine Oil

Symptoms

Please see Section 4 of this SDS for symptoms.

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity

This product does not contain any carcinogens or potential carcinogens as listed by OSHA,

Revision Date: N/A

IARC or NTP.

#### Numerical measures of toxicity

Not determined

# 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

#### Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Petroleum distillates, hydrotreated heavy paraffinic 64742-54-7	·	5000: 96 h Oncorhynchus mykiss mg/L LC50		1000: 48 h Daphnia magna mg/L EC50
Petroleum derived calcium salt 61789-86-4		5.7 - 9.7: 96 h Pimephales promelas mg/L LC50 static 1.0 - 10.0: 96 h Pimephales promelas mg/L LC50 semi- static		6.2 - 12: 48 h Daphnia magna mg/L EC50

# Persistence/Degradability

Not determined.

#### **Bioaccumulation**

Not determined.

# **Mobility**

Not determined

#### **Other Adverse Effects**

Not determined

# 13. DISPOSAL CONSIDERATIONS

# **Waste Treatment Methods**

**Disposal of Wastes** 

Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging

Disposal should be in accordance with applicable regional, national and local laws and

regulations.

# 14. TRANSPORT INFORMATION

<u>Note</u>

Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

<u>DOT</u>

Not regulated

<u>IATA</u>

Not regulated

<u>IMDG</u>

Not regulated

# 15. REGULATORY INFORMATION

#### **International Inventories**

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Petroleum distillates,	Present	Х		Present		Present	Х	Present	Х	X
hydrotreated heavy paraffinic	<del>-</del> .						,			i I

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

#### **US Federal Regulations**

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

# SARA 311/312 Hazard Categories

Acute Health Hazard	No
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

#### **SARA 313**

Subject to the Alice and the Colonia of Manager Charles States and the Colonia of States and States	Market and the second s		
			SARA 313 - Threshold
Chemical Name	CAS No	Weight-%	Values %
Zinc alkyl dithiophosphate - 113706-15-3	110700 17 0		Value 70
Zinc alkyl dithiophosphate - 113706-15-3	113706-15-3	I <1	1.0

#### **CWA (Clean Water Act)**

CWA - Reportable Chemical Name Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Zinc alkyl dithiophosphate	Х		- Constitution of the cons

# **US State Regulations**

#### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

# U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts Pennsylvania
Zinc alkyl dithiophosphate	X	
113706-15-3		^ '

# 16. OTHER INFORMATION

**NFPA** 

**Health Hazards** 

Flammability

Instability

Special Hazards

Not determined

<u>HMIS</u>

1 Health Hazards 1 Flammability

0 Physical Hazards

Not determined Personal Protection

Issue Date:

11-Dec-2014

**Revision Date:** 

N/A

**Revision Note:** 

New format

**Disclaimer** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**