

# **Safety Data Sheet** Spartan Chemical Company, Inc.

Revision Date: 31-Jul-2015

## PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

**Product Name:** 

**Product Number:** 

Recommended Use:

**Uses Advised Against:** Manufacturer/Supplier: 4045 Floor Finish

**SUNNY-SIDE** 

For Industrial and Institutional Use Only

Spartan Chemical Company, Inc.

1110 Spartan Drive Maumee, Ohio 43537 USA 800-537-8990 (Business hours) www.spartanchemical.com

24 Hour Emergency Phone Numbers:

Medical Emergency/Information: 888-314-6171

CHEMTREC 800-424-9300 Transportation/Spill/Leak:

Sparton Sunny Side

High GLOSS MetaL

InterLock FLOOR

Finsh

2. HAZARDS IDENTIFICATION

**GHS Classification** 

**Not Classified** 

Not dangerous according to the Globally Harmonized System (GHS)

**GHS Label Elements** 

Signal Word:

No signal word

Symbols:

**Hazard Statements:** 

Precautionary Statements:

Prevention:

Response:

-Specific Treatment:

No hazard statements

Not Applicable

See Safety Data Sheet Section 4: "FIRST AID MEASURES" for additional information.

Storage: Not Applicable Not Applicable Disposal:

Hazards Not Otherwise Classified: Not Applicable

 May cause skin irritation. Other Information:

May cause eye irritation.

May be harmful if swallowed.

· Inhalation of vapors or mist may cause respiratory irritation.

· Keep out of reach of children.

## 

Chemical Name	CAS No	Weight-%
water	7732-18-5	60-100
acrylate copolymer	63744-68-3	10-30
diethylene glycol monoethyl ether	111-90-0	1-5
modified rosin ester	68152-55-6	1-5

4045 - SUNNY-SIDE Revision Date: 31-Jul-2015

tributoxyethyl phosphate 78-51-3 1-5

Specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

#### 4 FIRST AND MEASURES

**-Eye Contact:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

-Skin Contact: Wash with soap and water. If skin irritation occurs: Get medical attention.

-Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a

poison control center or physician if you feel unwell.

-Ingestion: Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious

person. Get medical attention if you feel unwell.

Note to Physicians: Treat symptomatically.

#### 5 FIRE FIGHTING MEASURES

Suitable Extinguishing Media: Product does not support combustion, Use extinguishing agent suitable for type of

surrounding fire

Specific Hazards Arising from the

Chemical:

Hazardous Combustion Products:

the Dried product is capable of burning. Combustion products are toxic.

ducts: May include Carbon monoxide Carbon dioxide and other toxic gases or vapors.

Protective Equipment and Precautions for Firefighters:

Wear MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full

protective gear. Cool fire-exposed containers with water spray.

## 6 ACCIDENTAL RELEASE MEASURES

Personal Precautions: Environmental Precautions: Methods for Clean-Up: Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Do not rinse spill onto the ground, into storm sewers or bodies of water.

Prevent further leakage or spillage if safe to do so. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

#### 7 HANDLING AND STORAGE

Advice on Safe Handling: Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly

after handling.

Storage Conditions: Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach

of children. Keep from freezing.

### 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits: None established.

Engineering Controls: Provide good general ventilation.

If work practices generate dust, fumes, gas, vapors or mists which expose workers to chemicals above the occupational exposure limits, local exhaust ventilation or other

engineering controls should be considered.

Personal Protective Equipment

Eye/Face Protection: Skin and Body Protection: Respiratory Protection: Not required with expected use. Not required with expected use. Not required with expected use.

If occupational exposure limits are exceeded or respiratory irritation occurs, use of a NIOSH/MSHA approved respirator suitable for the use-conditions and chemicals in Section

3 should be considered.

General Hygiene Considerations: Wash hands and any exposed skin thoroughly after handling.

See 29 CFR 1910 132-138 for further guidance.

Revision Date: 31-Jul-2015 4045 - SUNNY-SIDE

## 9. PHYSICAL AND CHEMICAL PROPERTIES Liquid White emulsion Slight ammonia odor 8.7-9.1 No information available. Melting Point / Freezing Point: 100 °C / 212 °F Boiling Point / Boiling Range: > 99 °C / > 210 °F ASTM D56 < 1 (Butyl acetate = 1) No information available. No information available.

No information available.

No information available. No information available.

No information available.

No information available.

No information available.

No information available:

Miscible in water

									TIME BOLLEN	ľ
******	about a mindant	the state of	THE RESERVE THE PROPERTY OF THE PARTY OF THE		ACCOUNT OF THE PARTY OF THE PAR	THE RESERVE OF THE	NAME OF TAXABLE PARTY.	THE RESERVE	Υ	š
3854Jac	E23-57 Cents	23-347-047-057-0	A COUNTY OF THE PERSON AS IN COMME	7 10 10 10 10	WE SET	10 Miles 1994	100 M 100 m	19 1 to	TA T ATTENDED TO THE STATE OF	

1.03

This material is considered to be non-reactive under normal conditions of use. Reactivity:

Stable under normal conditions. Chemical Stability:

Possibility of Hazardous Reactions: Not expected to occur with normal handling and storage.

**Conditions to Avoid:** Extremes of temperature and direct sunlight. Strong oxidizing agents. Strong acids. Incompatible Materials:

**Hazardous Decomposition** 

Products:

May include carbon monoxide, carbon dioxide (CO2) and other toxic gases or vapors.

## 11. TOXICOLOGICAL INFORMATION

Eyes, Skin, Ingestion, Inhalation. Likely Routes of Exposure:

Symptoms of Exposure:

Appearance/Physical State:

Color:

Odor:

Flash Point:

Evaporation Rate:

Vapor Pressure:

Specific Gravity:

Partition Coefficient:

Vapor Density:

Solubility(ies):

Viscosity:

Flammability (solid, gas)

Upper Flammability Limit:

Lower Flammability Limit:

Autoignition Temperature:

Decomposition Temperature:

pH:

Pain and redness. -Eye Contact: Drving of the skin. -Skin Contact:

Nasal discomfort and coughing. -Inhalation: Pain, nausea, vomiting and diarrhea. -Ingestion:

Immediate, Delayed, Chronic Effects

Product Information: Data not available or insufficient for classification.

Numerical Measures of Toxicity

The following acute toxicity estimates (ATE) are calculated based on the GHS document.

ATEmix (oral): 23153 mg/kg 40524 mg/kg ATEmix (dermal): 45.9 mg/l ATEmix (inhalation-dust/mist):

Component Acute Toxicity Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50		
water 7732-18-5	> 90 mL/kg (Rat)	Not Available	Not Available		
diethylene glycol monoethyl ether 111-90-0	= 1920 mg/kg (Rat)	= 4200 µL/kg (Rabbit) = 6 mL/kg ( Rat)	> 5240 mg/m³ (Rat) 4 h		
tributoxyethyl phosphate 78-51-3	= 3000 mg/kg(Rat)	> 5000 mg/kg (Rabbit)	> 6.4 mg/L (Rat) 4 h		

4045 - SUNNY-SIDE Revision Date: 31-Jul-2015

Carcinogenicity: No components present at 0.1% or greater are listed as to being carcinogens by ACGIH, IARC, NTP or OSHA.

## 12 FOOLOGICAL INFORMATION

**Ecotoxicity** 

Chemical Name	Algae/Aquatic Plants	Fish	Toxicity to Microorganisms	Crustacea	
diethylene glycol monoethyl	Not Available	11400 - 15700: 96 h	Not Available	3940 - 4670: 48 h Daphnia	
ether		Oncorhynchus mykiss mg/L		magna mg/L EC50	
111-90-0		LC50 flow-through 11600 -			
		16700: 96 h Pimephales			
		promelas mg/L LC50			
		flow-through 10000: 96 h			
		Lepomis macrochirus mg/L			
		LC50 static 19100 - 23900:			
		96 h Lepomis macrochirus			
		mg/L LC50 flow-through			
		13400: 96 h Salmo gairdneri	1,	i i i i i i i i i i i i i i i i i i i	
		mg/L LC50 flow-through			
tributoxyethyl phosphate	Not Available	10.4 - 12.0: 96 h Pimephales	Not Available	Not Available	
78-51-3		promelas mg/L LC50			
'00'0		flow-through			

Persistence and Degradability:

Bioaccumulation:

No information available. No information available.

Other Adverse Effects:

No information available.

## 43 DISPOSAL CONSIDERATIONS

Disposal of Wastes:

Contaminated Packaging:

Dispose of in accordance with federal, state and local regulations. Dispose of in accordance with federal, state and local regulations.

## 44 TRANSPORT INFORMATION

DOT:

Not Regulated

**Proper Shipping Name:** 

Non-Hazardous Products

Special Provisions:

Shipping descriptions may vary based on mode of transport, quantities, package size,

and/or origin and destination. Check with a trained hazardous materials transportation

expert for information specific to your situation.

IMDG:

Not Regulated

Proper Shipping Name:

Non-Hazardous Products

## 15. REGULATORY INFORMATION

TSCA Status: (Toxic Substance Control Act Section 8(b) Inventory)

All chemical substances in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

#### **SARA 313**

This product contains the following listed substances:

diethylene glycol monoethyl ether

CAS No. 111-90-0 applies to R-(OCH2CH2)n-OR', where n = 1, 2, or 3, R=Alkyl C7 or less, or R = Phenyl or Alkyl substituted phenyl, R' = H or Alkyl C7 or less, or OR' consisting of Carboxylic acid ester, Sulfate, Phosphate, Nitrate, or Sulfonate, Chemical Category N230

SARA 311/312 Hazard Categories

Acute Health Hazard:
Chronic Health Hazard:
No
Fire Hazard:
Sudden release of pressure hazard:
No

4045 - SUNNY-SIDE Revision Date: 31-Jul-2015

Reactive Hazard:

No

#### California Proposition 65

This product is not subject to warning requirements under California Proposition 65.

## 16. OTHER INFORMATION

NFPA Health Hazards: 1 Flammability: 0 Instability: 0 Special: N/A

HMIS Health Hazards: 1 Flammability: 0 Physical Hazards: 0

Revision Date: 31-Jul-2015
Reasons for Revision: Section 14 and 15

#### Disclaimer:

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet** 

Page 5/5