# **Excelsior AW-510**

**Excelsior Acrylic Wet Set Adhesive** 



Excelsion AW-5115

Version

1.0

**Revision Date:** 

2/13/2017

MSDS Number:

AW-510 03/04

Date of first issue:

03/04/2016

## **SECTION 1. IDENTIFICATION**

**Product name** 

: Excelsior AW-510

**Product Description** 

: Acrylic Wet Set Adhesive

Supplier

RHC

Address

1602 N. Union St.

Fostoria, OH 44830

Telephone

(844) 393 - 4044

Fax

(419) 436 - 2482

**Emergency Telephone** 

Number

CHEMTREC: 1 (800) 424-9300

CANUTEC: (613) 996 - 6666

# **SECTION 2. HAZARDS IDENTIFICATION**

**GHS Classification** 

: Not classified

**GHS Label Element** 

: Not a dangerous substance

Other Hazards

: Exposure may aggravate those with pre-existing eye, skin or

respiratory conditions.

# SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

**Chemical Classification** 

: Mixtures

Description

: Adhesive

#### **Hazardous Components**

C/	AS#		Chemical	Name	Pe	ercentage
1480	8-60-7		Quartz	<u>z</u> *	(	0.1 - 1%

<sup>\*</sup>This product contains a material that may be hazardous when present as an airborne dust. Since this product is in a liquid form, the material is not able to become airborne and cannot be inhaled. Thus, the hazards usually associated with this material are not applicable to this product.

### **SECTION 4. FIRST AID MEASURES**

#### **First Aid Measures**

General

: Never give anything by mouth to an unconscious person. If

you feel unwell, seek medical advice (show the label if

possible).



## **Excelsior AW-510**

# **Excelsior Acrylic Wet Set Adhesive**

Version

Revision Date:

MSDS Number:

Date of first issue:

1.0

2/13/2017

AW-510

03/04/2016

Inhalation

: If inhaled, remove to fresh air and keep at rest in a position

comfortable for breathing. Obtain medical attention if

breathing difficulty persists.

**Skin Contact** 

: In case of skin contact, flush with plenty of water for at least 15 minutes. Seek medical advice if irritation develops or persists. Call a POISON CENTER or doctor/physician if you feel unwell. Take off contaminated clothing and wash it before

reuse.

**Eye Contact** 

: In case of eye contact, rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do so. Continue rinsing. Obtain medical attention if irritation

persists.

Ingestion

: If swallowed, Do NOT induce vomiting. Rinse mouth. Immediately call a POISON CENTER or doctor/physician.

### Most Important Symptoms and effects, Both Acute and Delayed

General

: None expected under normal conditions of use.

Inhalation

: May cause respiratory irritation.

**Skin Contact** 

: May cause mild skin irritation.

**Eye Contact** 

: May cause minor eye irritation.

Ingestion

: Ingestion is likely to be harmful or have adverse effects.

**Chronic Symptoms** 

: None expected under normal conditions of use.

#### Indications of Any Immediate Medical Attention and Special Treatment Needed

If you feel unwell, seek medical attention (show product label where possible).

### SECTION 5. FIREFIGHTING MEASURES

### **Extinguishing Media**

Suitable Extinguishing

: Use extinguishing media appropriate for area.

Media

Unsuitable Extinguishing

Media

: Do not use heavy water stream, as this may spread fire.

## Specific Hazards Arising From Substance or Mixture

Fire Hazard

: Product is not flammable.



# **Excelsior AW-510**

# **Excelsior Acrylic Wet Set Adhesive**

Version 1.0

Revision Date: 2/13/2017

MSDS Number:

Date of first issue:

· · · /

AW-510 03/04/2016

**Explosion Hazard** 

: Product is not explosive.

Reactivity

: Hazardous reactions are unlikely to occur under normal

circumstances.

## **Advice for Firefighting**

Precautionary Measures While Firefighting

: Exercise caution when fighting any chemical fire. Under fire,

conditions, hazardous fumes will be present.

Specific Firefighting Instructions : Use water spray or fog for cooling exposed containers. Do not allow run-off from firefighting to enter drains or water courses.

Do not breathe fumes from fires or vapors from

decomposition.

Specific Protection Equipment for Firefighters : Do not enter fire area without proper protective equipment,

including respiratory protection.

Hazardous Combustion Products

: Under fire conditions this material may produce hazardous carbon dioxide (CO2), carbon monoxide (CO), various low

molecular weight hydrocarbons, and smoke.

Other Information

: Refer to Section 9 for flammability properties.

# **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal Precautions, Protective Equipment & Emergency Procedures : Avoid all contact with skin, eyes or clothing. Do not breathe

vapor, mist or spray.

Instructions for Non-Emergency Personnel : Use appropriate personal protection equipment (PPE).

Evacuate unnecessary personnel.

Instructions for Emergency Personnel

: Equip cleanup crew with proper protection. Upon arrival at the scene, a first responder is expected to recognize the presence

of dangerous goods, protect oneself and the public, secure the area and call for assistance of trained personnel as soon

as conditions permit.

**Environmental Precautions** 

: Do not allow product to reach sewage systems or water

course. Inform respective authorities in case of seepage into

sewage or water course.

Methods & Materials for Containment and Cleaning Up : Contain any spills with dikes or inert absorbent material (e.g. sand, diatomite, acid binder, universal binder, sawdust) to prevent migration into sewage systems and water course. Clean up spills immediately and dispose contaminated

material according to section 13. Clean contaminated floors and objects thoroughly while observing environmental regulations. Inform respective authorities in case of seepage

into sewage or water course.



### **Excelsior AW-510**

# **Excelsior Acrylic Wet Set Adhesive**

Version 1.0

Revision Date: 2/13/2017

Date of first issue:

03/04/2016

Reference to Other

Sections

: See Section 8 for information on personal protection.

See section 13 for disposal information.

### **SECTION 7. HANDLING AND STORAGE**

### **Precautions for Safe Handling**

**Hygiene Measures** 

Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when

leaving work.

MSDS Number:

AW-510

#### Conditions for Safe Storage, Including Any Incompatibilities

**Technical Measures** 

: Comply with applicable regulations.

**Storage Conditions** 

Store in a dry, cool and well-ventilated area. Keep container closed when not in use. Keep/Store away from direct sunlight,

extremely high or low temperatures and incompatible

materials.

Incompatible Materials

: Strong acids, strong bases, strong oxidizers.

Specific End Use(s)

: No use specified.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Components with Workplace Control Parameters**

Contains no substances with occupational exposure limit values.

# **Exposure Controls**

**Engineering Controls** 

: Ensure adequate ventilation, especially in confined areas. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential

exposure. Ensure all national/local regulations are observed.

**Environmental Exposure** 

Controls

: Do not allow product to be released into the environment.

Consumer Exposure

Controls

: Do not eat, drink or smoke during use.



# **Excelsior AW-510**

# Excelsior Acrylic Wet Set Adhesive

Version 1.0

Revision Date: 2/13/2017

MSDS Number:

Date of first issue:

AW-510

03/04/2016

# **Personal Protective Equipment**

**Respiratory Protection** 

Use a NIOSH-approved respirator or self-contained breathing

apparatus whenever exposure may exceed established

Occupational Exposure Limits.

**Hand Protection** 

: Wear chemically resistant protective gloves.

**Eye Protection** 

: Chemical goggles or safety glasses.

Skin & Body Protection

: Wear suitable protective clothing.

**Protective Measures** 

: The usual precautionary measures for handling chemicals

should be followed.

**Hygiene Measures** 

The usual precautionary measures for handling chemicals

should be followed.

#### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance** 

: Paste

Color

: Off-white

Odor

: Mild Odor

pН

: 9.0 - 10.0

Melting Point / Range

: No data available

**Freezing Point** 

: ~32° F (0° C)

**Boiling Point / Range** 

: 212 °F (100° C)

Flash Point

: None

**Flammability** 

: No data available

**Auto-Ignition Temperature** 

: No data available

Decomposition Temperature

: No data available

**Upper & Lower** 

Flammability Limit

: None

**Specific Gravity** 

: 1.1648

**Water Solubility** 

: No data available

Solubility

: No data available



# **Excelsior AW-510**

# **Excelsior Acrylic Wet Set Adhesive**

Version 1.0

Revision Date:

MSDS Number:

Date of first issue: 03/04/2016

2/13/2017 AW-510

Partition Coefficient (Noctanol/Water)

: No data available

Viscosity

: No data available

Explosion Data – Mechanical Impact : Not expected to present an explosion hazard due to

mechanical impact

Explosion Data - Static

Discharge

Not expected to present an explosion hazard due to static

discharge

**VOC Content** 

: < 1g/l

# **SECTION 10. STABILITY AND REACTIVITY**

Reactivity

: Stable under normal conditions.

**Chemical Stability** 

: Stable under recommended handling and storage conditions

(see section 7)

Possibility of Hazardous

Reactions

: None known.

**Conditions to Avoid** 

Direct sunlight. Extremely high or low temperatures.

Incompatible materials.

**Incompatible Materials** 

Strong acids, strong bases, strong oxidizers.

**Hazardous Decomposition** 

**Products** 

Carbon oxides (CO, CO<sub>2</sub>).

# SECTION 11. TOXICOLOGICAL INFORMATION

#### <u>Toxicological Effects (Product)</u>

**Acute Toxicity** 

: Not classified / available

**Skin Corrosion / Irritation** 

: Not classified, pH 7.5-10

Serious Eye Damage /

Irritation

: Not classified, pH 7.5-10

**Respiratory or Skin** 

Sensitization:

: Not classified

**Germ Cell Mutagenicity** 

: Not classified

Teratogenicity

: Not classified

Carcinogenicity

: Not classified



# **Excelsior AW-510**

# **Excelsior Acrylic Wet Set Adhesive**

Version

Revision Date: 2/13/2017

MSDS Number: AW-510 Date of first issue: 03/04/2016

1.0

Reproductive Toxicity

: Not classified

**Aspiration Hazard** 

: Not classified

Specific Target Organ Toxicity (Single or Repeated Exposure)

: Not classified

Symptoms / Injuries After

Inhalation

: May cause respiratory irritation

Symptoms / Injuries After

**Skin Contact** 

: May cause mild skin irritation

Symptoms / Injuries After

**Eye Contact** 

: May cause minor eye irritation.

Symptoms / Injuries After

Ingestion

: Ingestion is likely to me harmful or have adverse effects.

**Chronic Symptoms** 

: None expected under normal conditions

### **Carcinogenic Categories**

IARC

No component of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by IARC.

**OSHA** 

No component of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by OSHA.

NTP

No component of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by NTP.

# **SECTION 12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity (Product)**

**Toxicity** 

No additional information available

Persistence & Degradability

Not available

**Bioaccumulative Potential** 

Not available

**Mobility in Soil** 

Not available



# **Excelsior AW-510**

# Excelsior Acrylic Wet Set Adhesive

Version 1.0

Revision Date: 2/13/2017

MSDS Number: AW-510

Date of first issue:

03/04/2016

Other Adverse Effects

None known

Other Information

Avoid release into the environment

# **SECTION 13. DISPOSAL CONSIDERATIONS**

# **Disposal methods**

Waste from Residues

Dispose of in accordance with federal, state/province and

local regulations.

**Contaminated Packaging** 

Clean container with water.

Empty containers should be taken to an approved waste

handling site for recycling or disposal.

### **SECTION 14. TRANSPORT INFORMATION**

## International Regulation

DOT

: Not regulated as a dangerous good

**IMDG-Code** 

: Not regulated as a dangerous good

IATA-DGR

: Not regulated as a dangerous good

**UNRTDG** 

: Not regulated as a dangerous good

### **SECTION 15. REGULATORY INFORMATION**

**SARA 355** 

: No chemicals in this material are subject to the reporting

requirements of SARA Title III, Section 355.

**SARA 313** 

: This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

**TSCA (Toxic Substance** 

Control Act)

: All ingredients are not listed or are not required to be listed on

the TSCA inventory.

California Prop 65

This product does not contain any chemicals known to State

of California to cause cancer, birth defects, or any other

reproductive harm.

Cancer

Chemicals Known to Cause : None of the ingredients listed.



# **Excelsior AW-510**

# **Excelsior Acrylic Wet Set Adhesive**

Version 1.0

Revision Date: 2/13/2017

MSDS Number:

Date of first issue:

AW-510

03/04/2016

Chemicals known to cause reproductive toxicity for

females

: None of the ingredients listed.

Chemicals known to cause reproductive toxicity for

males

: None of the ingredients listed.

**GHS Label Elements** 

: Void.

**Signal Pictograms** 

: Void.

Signal Word

: Void.

**Hazard Statements** 

: Void.

VOC

: <1 g/l - 0.01 lb/gal

Chemical Safety Assessment : A Chemical Safety Assessment has not been carried out.

**WHMIS Classification** 

: Uncontrolled product according to WHMIS classification

criteria

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and this SDS contains all of the information required by CPR.

### **SECTION 16. OTHER INFORMATION**

**Revision Date** 

: 2.13.2017

Other Information

: This document has been prepared in accordance with the SDS requirements of OSHA Hazard Communication Standard

29 CFR 1910.1200.



# **Excelsior AW-510 Excelsior Acrylic Wet Set Adhesive**


Version 1.0

Revision Date: 2/13/2017

MSDS Number: AW-510


Date of first issue: 03/04/2016

NFPA:



Special hazard.

#### HMIS III:



0 = not significant, 1 =Slight,

2 = Moderate, 3 = High 4 = Extreme, \* = Chronic

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.