

# Safety Data Sheet

Issue Date: 20-Oct-2012

Revision Date: 23-April-2015

Version 1

## 1. IDENTIFICATION

### Product Identifier

#### Product Name

Service Pro Automatic Transmission Fluid Multi-Purpose ATF

### Other means of identification

#### SDS #

SP-013, SP16693, SPL16693, SPL26693, SPL36693, SPL56693, SPL00220, SPL00221

### Synonyms

### Recommended use of the chemical and restrictions on use

#### Recommended Use

Automatic transmission fluid.

### Details of the supplier of the safety data sheet

#### Supplier Address

Warren Oil Company  
915 E. Jefferson Ave.  
West Memphis, AR 72301

#### Manufactured for:

AIOD  
P.O. BOX 1861  
Montrose, CO 81402-1861  
970-249-6336 www.service-pro.com

### Emergency Telephone Number

#### Company Phone Number

1-870-400-3020

#### Emergency Telephone (24 hr)

INFOTRAC 1-352-323-3500 (International)  
1-800-535-5053 (North America)

STP AUTOMATIC  
Transmission Fluid  
Multi-Purpose ATF  
For use with certain GM & Ford  
vehicles where Dexon III  
are specified.

## 2. HAZARDS IDENTIFICATION

**Appearance** Red liquid

**Physical State** Liquid at room  
temperature

**Odor** Petroleum

### Classification

This chemical does not meet the hazardous criteria set forth by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200). However, this Safety Data Sheet (SDS) contains valuable information critical to the safe handling and proper use of this product. This SDS should be retained and available for employees and other users of this product.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

### Synonyms

Coastal D/M Automatic Transmission Fluid.

| Chemical Name                                        | CAS No     | Weight-% |
|------------------------------------------------------|------------|----------|
| Petroleum distillates, hydrotreated heavy paraffinic | 64742-54-7 | 90-100   |

\*\*If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

## 4. FIRST-AID MEASURES

**First Aid Measures**

|                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|---------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Eye Contact</b>  | IMMEDIATELY flush eyes with running water for at least 15 minutes, keeping eyelids open. Seek medical attention.                                                                                                                                                                                                                                                                                                                                          |
| <b>Skin Contact</b> | No treatment is necessary under ordinary circumstances. Remove contaminated clothing. Wash contaminated area thoroughly with soap and water. If redness or irritation occurs and persists, seek medical attention. WARNING: Oil injected into the skin from high pressure leaking hydraulic systems can cause severe damage. Most damage occurs during the first few hours. Seek medical attention immediately. Surgical removal of oil may be necessary. |
| <b>Inhalation</b>   | Remove to fresh air. If not breathing, give artificial respiration, preferably mouth to mouth. If breathing is difficult give oxygen. Get medical attention.                                                                                                                                                                                                                                                                                              |
| <b>Ingestion</b>    | If swallowed, DO NOT induce vomiting because of danger of aspirating liquid into lungs. Seek medical attention.                                                                                                                                                                                                                                                                                                                                           |

**Most important symptoms and effects**

|                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|-----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Symptoms</b> | This product is irritating to the eyes. This product may cause irritation to the skin. Prolonged and/or repeated skin contact with this product may cause irritation/dermatitis. Inhalation of oil mists or fumes can cause irritation of the nose, throat and upper respiratory tract. Repeated and prolonged overexposure to oil mists may result in droplet deposition, oil granuloma formation, inflammation and increased incidence of infection. If this product is heated over 70 C (155 F) in the presence of water, hydrogen sulfide may be released. Hydrogen sulfide is irritating to the eyes and respiratory system. Continued overexposure may cause respiratory collapse, coma and death without necessarily any warning odor being sensed. |
|-----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

**Indication of any immediate medical attention and special treatment needed**

|                           |                        |
|---------------------------|------------------------|
| <b>Notes to Physician</b> | Treat symptomatically. |
|---------------------------|------------------------|

**5. FIRE-FIGHTING MEASURES****Suitable Extinguishing Media**

Dry chemical, foam, carbon dioxide, water fog.

**Unsuitable Extinguishing Media** Not determined.

**Specific Hazards Arising from the Chemical**

Direct water spray or foam may cause frothing and spattering.

**Hazardous Combustion Products** Upon decomposition this product may yield oxides of boron, calcium, magnesium, phosphorous, zinc, sulfur including hydrogen sulfide and nitrogen as well as carbon monoxide, carbon dioxide and/or other low molecular weight hydrocarbons.

**Protective equipment and precautions for firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Use water to cool fire-exposed containers and to protect personnel.

**6. ACCIDENTAL RELEASE MEASURES****Personal precautions, protective equipment and emergency procedures**

|                             |                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|-----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Personal Precautions</b> | Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed. Eliminate all sources of ignition or flammables that may come into contact with a spill of this material. Surfaces may become slippery after spillage. Wear appropriate protective equipment and clothing during clean-up. Do not allow the spilled product to enter public drainage systems or open water courses. |
|-----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

**Environmental Precautions** See Section 12 for additional Ecological Information.

#### **Methods and material for containment and cleaning up**

**Methods for Containment** Stop the flow of material, if this is without risk.

**Methods for Clean-Up** Absorb with non-flammable suitable absorbent such as sand or earth. Scoop up used absorbent into drums or other appropriate container.

### **7. HANDLING AND STORAGE**

#### **Precautions for safe handling**

**Advice on Safe Handling** Avoid getting this material into contact with your eyes. Avoid prolonged or repeated skin contact with this material. Avoid the generation of oil mists. Wash thoroughly after handling. Use this product with adequate ventilation.

#### **Conditions for safe storage, including any incompatibilities**

**Storage Conditions** Do not store near heat, sparks, open flame or strong oxidizing agents. Do not store this material in open or unlabeled containers. "Empty" containers retain product residue (liquid and/or vapor) and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, static electricity, or other sources of ignition; they may explode.

**Incompatible Materials** This product may react with strong oxidizing agents.

### **8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Exposure Guidelines** This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies

#### **Appropriate engineering controls**

**Engineering Controls** Use general ventilation and use local exhaust, where possible, in confined or enclosed spaces. If product is heated above 70 C (155 F) in the presence of water, hydrogen sulfide vapors may be released. Ventilation should be sufficient to keep hydrogen sulfide levels below recommended exposure limits. Eye wash fountains are recommended.

#### **Individual protection measures, such as personal protective equipment**

**Eye/Face Protection** Wear safety glasses. Wear chemical goggles or face shield if splash or mist occurs.

**Skin and Body Protection** Use impervious gloves for prolonged contact. Wear oil-impervious garments if contact is unavoidable.

**Respiratory Protection** If mist is generated (heating, spraying) and engineering controls are not sufficient, wear approved organic vapor respirator suitable for oil mist.

**General Hygiene Considerations** Use good hygiene when handling petroleum product. Launder contaminated clothing before reuse. Excessive misting may cause slippery floors - wear appropriate footwear.

### **9. PHYSICAL AND CHEMICAL PROPERTIES**

#### **Information on basic physical and chemical properties**

|                       |                            |                       |                |
|-----------------------|----------------------------|-----------------------|----------------|
| <b>Physical State</b> | Liquid at room temperature | <b>Odor</b>           | Petroleum      |
| <b>Appearance</b>     | Red liquid                 | <b>Odor Threshold</b> | Not determined |
| <b>Color</b>          | Red                        |                       |                |

| <u>Property</u>              | <u>Values</u>         | <u>Remarks • Method</u> |
|------------------------------|-----------------------|-------------------------|
| pH                           | Not available         |                         |
| Melting Point/Freezing Point | Not applicable        |                         |
| Boiling Point/Boiling Range  | Not available         |                         |
| Flash Point                  | 204 °C / 400 °F       | Cleveland Open Cup      |
| Evaporation Rate             | Not determined        |                         |
| Flammability (Solid, Gas)    | Liquid-Not applicable |                         |
| Upper Flammability Limits    | Not available         |                         |
| Lower Flammability Limit     | Not available         |                         |
| Vapor Pressure               | Not available         |                         |
| Vapor Density                | Not available         |                         |
| Specific Gravity             | 0.86                  | at 15.6°C (60°F)        |
| Water Solubility             | Negligible            |                         |
| Solubility in other solvents | Not determined        |                         |
| Partition Coefficient        | Not determined        |                         |
| Auto-ignition Temperature    | Not available         |                         |
| Decomposition Temperature    | Not determined        |                         |
| Kinematic Viscosity          | Not available         |                         |
| Dynamic Viscosity            | Not available         |                         |
| Explosive Properties         | Not determined        |                         |
| Oxidizing Properties         | Not determined        |                         |

## 10. STABILITY AND REACTIVITY

### Reactivity

Not reactive under normal conditions.

### Chemical Stability

Stable under recommended storage conditions.

### Possibility of Hazardous Reactions

None under normal processing.

#### **Hazardous Polymerization**

Under normal conditions of storage and use, hazardous polymerization will not occur.

### Conditions to Avoid

Avoid formation of mists.

### Incompatible Materials

This product may react with strong oxidizing agents.

### Hazardous Decomposition Products

Decomposition of this product may yield oxides of boron, calcium, magnesium, nitrogen, phosphorus, sulfur including hydrogen sulfide and zinc as well as carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

## 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

#### **Product Information**

#### **Eye Contact**

Avoid contact with eyes.

#### **Skin Contact**

Avoid contact with skin.

**Inhalation** Do not inhale.

**Ingestion** Do not ingest.

### **Component Information**

#### **Information on physical, chemical and toxicological effects**

**Symptoms** Please see section 4 of this SDS for symptoms.

#### **Delayed and immediate effects as well as chronic effects from short and long-term exposure**

**Carcinogenicity** This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.

#### **Numerical measures of toxicity**

Not determined

## **12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

#### **Component Information**

| Chemical Name                                                   | Algae/aquatic plants | Fish                                     | Toxicity to microorganisms | Crustacea                          |
|-----------------------------------------------------------------|----------------------|------------------------------------------|----------------------------|------------------------------------|
| Petroleum distillates, hydrotreated heavy paraffinic 64742-54-7 |                      | 5000: 96 h Oncorhynchus mykiss mg/L LC50 |                            | 1000: 48 h Daphnia magna mg/L EC50 |

#### **Persistence/Degradability**

Not determined.

#### **Bioaccumulation**

Not determined.

#### **Mobility**

Not determined

#### **Other Adverse Effects**

Not determined

## **13. DISPOSAL CONSIDERATIONS**

#### **Waste Treatment Methods**

##### **Disposal of Wastes**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

##### **Contaminated Packaging**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

## **14. TRANSPORT INFORMATION**

#### **Note**

Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

**DOT** Not regulated**IATA** Not regulated**IMDG** Not regulated**15. REGULATORY INFORMATION****International Inventories**

| Chemical Name                                        | TSCA    | DSL | NDSL | EINECS  | ELINCS | ENCS    | IECSC | KECL    | PICCS | AICS |
|------------------------------------------------------|---------|-----|------|---------|--------|---------|-------|---------|-------|------|
| Petroleum distillates, hydrotreated heavy paraffinic | Present | X   |      | Present |        | Present | X     | Present | X     | X    |

**Legend:***TSCA - United States Toxic Substances Control Act Section 8(b) Inventory**DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List**EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances**ENCS - Japan Existing and New Chemical Substances**IECSC - China Inventory of Existing Chemical Substances**KECL - Korean Existing and Evaluated Chemical Substances**PICCS - Philippines Inventory of Chemicals and Chemical Substances**AICS - Australian Inventory of Chemical Substances***US Federal Regulations****CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

**SARA 311/312 Hazard Categories**

|                                   |    |
|-----------------------------------|----|
| Acute Health Hazard               | No |
| Chronic Health Hazard             | No |
| Fire Hazard                       | No |
| Sudden Release of Pressure Hazard | No |
| Reactive Hazard                   | No |

**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

**CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

**US State Regulations****California Proposition 65**

This product does not contain any Proposition 65 chemicals.

**U.S. State Right-to-Know Regulations**

This product does not contain any substances regulated under applicable state right-to-know regulations

**16. OTHER INFORMATION****NFPA****Health Hazards**

0

**Flammability**

1

**Instability**

0

**Special Hazards**

Not determined

**HMIS****Health Hazards**

1

**Flammability**

1

**Physical Hazards**

0

**Personal Protection**

Not determined

**Issue Date:**

20-Oct-2012

**Revision Date:**

23-April-2015

**Revision Note:**

New format

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**