Napa Multi-Purpose Extreme Pressure Wheel Bearing & Chassis Grease

Safety Data Sheet



Revision Number: 003.0

Issue date: 08/21/2014

12/3/2018

1. PRODUCT AND COMPANY IDENTIFICATION

Product name:

LOCTITE LB 8219 EXTREME

PRESSURE GREASE known as

Extreme Pressure Grease

Product type: Restriction of Use:

Lubricant None identified

Company address:

One Henkel Way

Henkel Corporation

Rocky Hill, Connecticut 06067

IDH number:

209753

Item number:

51242

Region:

United States

Contact information: Telephone: (860) 571-5100

MEDICAL EMERGENCY Phone: Poison Control Center

1-877-671-4608 (toll free) or 1-303-592-1711 TRANSPORT EMERGENCY Phone: CHEMTREC 1-800-424-9300 (toll free) or 1-703-527-3887

Internet: www.henkelna.com

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

WARNING:

CAUSES SKIN IRRITATION.

MAY CAUSE AN ALLERGIC SKIN REACTION.

CAUSES SERIOUS EYE IRRITATION.

HAZARD CLASS	HAZARD CATEGORY
SKIN IRRITATION	2
EYE IRRITATION	2A
SKIN SENSITIZATION	1

PICTOGRAM(S)



Precautionary Statements

Prevention:

Avoid breathing dust or fumes. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wear eye and face protection. Wear protective

Response:

gloves. IF ON SKIN: Wash with plenty of soap and water. IF IN EYES: Rinse cautiously with water for

several minutes. Remove contact lenses, if present and easy to remove. Continue rinsing. If skin irritation or rash occurs: Get medical attention. If eye irritation persists: Get medical

attention. Take off contaminated clothing.

Storage:

Not prescribed

Disposal:

Dispose of contents and/or container according to Federal, State/Provincial and local

governmental regulations.

2 % of the mixture consists of ingredient(s) of unknown acute toxicity.

Classification complies with OSHA Hazard Communication Standard (29 CFR 1910.1200) and is consistent with the provisions of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

See Section 11 for additional toxicological information.

IDH number: 209753

Product name: LOCTITE LB 8219 EXTREME PRESSURE GREASE known as Extreme Pressure Grease

Page 1 of 6

3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Component(s)	CAS Number	Percentage*	
Distillates (petroleum), hydrotreated heavy naphthenic	64742-52-5	60 - 100	
Residual oils (petroleum), hydrotreated	64742-57-0	10 - 30	
Petroleum Distillates	Proprietary	1 - 5	
Octadecanoic acid	57-11-4	1 - 5	
Organic acid	Proprietary	1 - 5	

^{*} Exact percentage is a trade secret. Concentration range is provided to assist users in providing appropriate protections.

4. FIRST AID MEASURES

Inhalation: Move to fresh air. If not breathing, give artificial respiration. If breathing is

difficult, give oxygen. Get medical attention.

Skin contact: Remove contaminated clothing and footwear. Wash with soap and water. If

symptoms develop and persist, get medical attention. Wash clothing before

reuse.

Eye contact: Immediately flush eyes with plenty of water for at least 15 minutes. Get

medical attention.

Ingestion: Do not induce vomiting. Keep individual calm. Never give anything by mouth

to an unconscious person. Get medical attention.

Symptoms: See Section 11.

IDH number: 209753

5. FIRE FIGHTING MEASURES

Extinguishing media: Water spray (fog), foam, dry chemical or carbon dioxide.

Special firefighting procedures: Wear self-contained breathing apparatus and full protective clothing, such as

turn-out gear. In case of fire, keep containers cool with water spray.

Unusual fire or explosion hazards: Closed containers may rupture (due to build up of pressure) when exposed to

extreme heat. Vapor accumulation can flash or explode if ignited.

Hazardous combustion products: Oxides of carbon. Irritating organic fragments.

6. ACCIDENTAL RELEASE MEASURES

Use personal protection recommended in Section 8, isolate the hazard area and deny entry to unnecessary and unprotected personnel.

Environmental precautions: Do not allow product to enter sewer or waterways.

Clean-up methods: Ensure adequate ventilation. Remove all sources of ignition. Soak up with

inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Remove the absorbed material, and place in an appropriate

chemical waste container for disposal.

7. HANDLING AND STORAGE

Handling:

Keep away from heat, spark and flame. Prevent contact with eyes, skin and clothing. Do not breathe vapor and mist. Wash thoroughly after handling.

Refer to Section 8.

Storage:

Keep in a cool, well ventilated area away from heat, sparks and open flame.

Keep container tightly closed until ready for use.

For information on product shelf life contact Henkel Customer Service at (800) 243-4874.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

Hazardous Component(s)	ACGIH TLV	OSHA PEL	AIHA WEEL	OTHER
Distillates (petroleum), hydrotreated heavy naphthenic	5 mg/m3 TWA mist 10 mg/m3 STEL mist	5 mg/m3 TWA mist 500 ppm (2,000 mg/m3) PEL 5 mg/m3 PEL Mist.	None	None
Residual oils (petroleum), hydrotreated	5 mg/m3 TWA mist 10 mg/m3 STEL mist			None
Petroleum Distillates	None	None	None	None
Octadecanoic acid	10 mg/m3 TWA	None	None	None
Organic acid	None	None	None	None

Engineering controls:

Work should be done in an adequately ventilated area (i.e., ventilation sufficient to maintain concentrations below one half of the PEL and other relevant standards). Local exhaust ventilation is recommended when general

ventilation is not sufficient to control airborne contamination.

Respiratory protection:

Use NIOSH approved respirator if there is potential to exceed exposure

limit(s).

Eye/face protection:

Safety goggles or safety glasses with side shields. Full face protection should be used if the potential for splashing or spraying of product exists. Safety

showers and eye wash stations should be available.

Skin protection:

Use chemical resistant, impermeable clothing including gloves and either an apron or body suit to prevent skin contact. Nitrile gloves. Neoprene gloves.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state:

Grease

Color: Odor: Amber to yellowish hydrocarbons

Odor threshold:

Not available. Not available.

pH:

Not available. Not available.

Vapor pressure:

Not available. Not available.

Boiling point/range: Melting point/ range: Specific gravity:

0.09 Not available.

Vapor density:

203.0 °C (397.4 °F) HST-US E38F; Cleveland Open Cup (Coc) Flash Point

Flash point:

Not available.

Flammable/Explosive limits - lower:

Not available.

Flammable/Explosive limits - upper: Autoignition temperature:

Not available. Not available.

Evaporation rate: Solubility in water:

Not available. Not available. Not available.

Partition coefficient (n-octanol/water): VOC content:

< 3 %

Viscosity: Decomposition temperature:

Not available. Not available.

IDH number: 209753

Product name: LOCTITE LB 8219 EXTREME PRESSURE GREASE known as Extreme Pressure
Grease

10. STABILITY AND REACTIVITY

Stability:

Stable under normal conditions of storage and use.

Hazardous reactions:

Will not occur.

Hazardous decomposition

products:

Oxides of carbon. Irritating organic fragments.

Incompatible materials:

Acids. Oxidizing agents.

Reactivity:

Not available.

Conditions to avoid:

Keep away from heat, ignition sources and incompatible materials.

11. TOXICOLOGICAL INFORMATION

Relevant routes of exposure:

Skin, Eyes

Potential Health Effects/Symptoms

Inhalation:

Not a relevant route of exposure.

Skin contact:

Causes skin irritation. May cause allergic skin reaction.

Eye contact:

Causes serious eye irritation.

Ingestion:

Not expected under normal conditions of use. May be harmful if swallowed.

Hazardous Component(s)	LD50s and LC50s	Immediate and Delayed Health Effects Irritant	
Distillates (petroleum), hydrotreated heavy naphthenic	None		
Residual oils (petroleum), hydrotreated	None	Irritant	
Petroleum Distillates	None	Irritant, Lung	
Octadecanoic acid	Oral LD50 (RAT) = 4.6 g/kg	Irritant	
Oral LD50 (RAT) = 1,700 mg/kg Organic acid Dermal LD50 (RABBIT) = > 5,000 mg/kg Inhalation LC50 (RAT, 1 h) = > 0.026 mg/l		Allergen, Irritant	

Hazardous Component(s)	NTP Carcinogen	IARC Carcinogen	OSHA Carcinogen (Specifically Regulated)	
Distillates (petroleum), hydrotreated heavy naphthenic	No	No	No	
Residual oils (petroleum), hydrotreated	No	No	No	
Petroleum Distillates	No	No	No	
Octadecanoic acid	No	No	No	
Organic acid	No	No	No	

12. ECOLOGICAL INFORMATION

Ecological information:

IDH number: 209753

Not available.

13. DISPOSAL CONSIDERATIONS

Information provided is for unused product only.

Recommended method of disposal:

Follow all local, state, federal and provincial regulations for disposal.

Hazardous waste number:

Not a RCRA hazardous waste.

14. TRANSPORT INFORMATION

The transport information provided in this section only applies to the material/formulation itself, and is not specific to any package/configuration.

U.S. Department of Transportation Ground (49 CFR)

Proper shipping name:

Not regulated

Hazard class or division:

None

Identification number:

None

Packing group:

None

International Air Transportation (ICAO/IATA)

Proper shipping name:

Not regulated

Hazard class or division: Identification number:

None None

Packing group:

None

Water Transportation (IMO/IMDG)

Proper shipping name:

Not regulated

Hazard class or division: Identification number:

None

Packing group:

None None

Exceptions:

None

15. REGULATORY INFORMATION

United States Regulatory Information

TSCA 8 (b) Inventory Status:

All components are listed or are exempt from listing on the Toxic Substances Control Act

Inventory.

TSCA 12 (b) Export Notification:

None above reporting de minimis

CERCLA/SARA Section 302 EHS:

CERCLA/SARA Section 311/312:

None above reporting de minimis

Immediate Health

CERCLA/SARA Section 313:

This product contains the following toxic chemicals subject to the reporting requirements of section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 (40 CFR 372). zinc bis(dipentyldithiocarbamate) (CAS# 15337-18-5). Zinc compound (CAS#

68649-42-3).

California Proposition 65:

No California Proposition 65 listed chemicals are known to be present.

Canada Regulatory Information

CEPA DSL/NDSL Status:

All components are listed on or are exempt from listing on the Canadian Domestic

Substances List.

16. OTHER INFORMATION

This safety data sheet contains changes from the previous version in sections: New Safety Data Sheet format.

Prepared by:

Catherine Bimler, Regulatory Affairs Specialist

Issue date:

08/21/2014

IDH number: 209753

Product name: LOCTITE LB 8219 EXTREME PRESSURE GREASE known as Extreme Pressure Grease

Page 5 of 6

DISCLAIMER: The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation and its affiliates ("Henkel") does not assume responsibility for any results obtained by persons over whose methods Henkel has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any Henkel's products. In light of the foregoing, Henkel specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel's products. Henkel further disclaims any liability for consequential or incidental damages of any kind, including lost profits.