according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE® PLUG-INS® SCENTED OIL - LAVENDER & VANILLA

Version 1.0

Print Date 08/13/2015

Revision Date 03/02/2015

SDS Number 350000003583

1. PRODUCT AND COMPANY IDENTIFICATION

Product information

Product name

: GLADE® PLUG-INS® SCENTED OIL - LAVENDER &

VANILLA

Recommended use

: Air Freshener

Manufacturer, importer,

supplier

S.C. Johnson & Son, Inc.

1525 Howe Street

Racine WI 53403-2236

Telephone

Emergency telephone

number

+18005585252

24 Hour Medical Emergency Phone: (866)231-5406 24 Hour International Emergency Phone: (703)527-3887

24 Hour Transport Emergency Phone: (800)424-9300

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

Globally Harmonized System (GHS) Classification

Globally Hamilonized System (Onlo) Glassification			
Hazard classification	Hazard category	Hazards identification	
Flammable liquids	Category 4	Combustible liquid.	
Eye irritation	Category 2B	Causes eye irritation.	

Labelling

Hazard statements

Combustible liquid.

Causes eye irritation.

Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

In case of fire: Use .? for extinction.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

If eye irritation persists: Get medical advice/ attention.

Store in a well-ventilated place. Keep cool.

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE® PLUG-INS® SCENTED OIL - LAVENDER & VANILLA

Version 1.0

Print Date 08/13/2015

Revision Date 03/02/2015

SDS Number 350000003583

Dispose of contents/ container to an approved incineration plant. Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Wear protective gloves.

Wash hands thoroughly after handling.

Other hazards

None identified

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name		Weight percent
Fragrance - Trade Secret	Mixture	20.00 - 50.00

The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

For additional information on product ingredients, see www.whatsinsidescjohnson.com.

4. FIRST AID MEASURES

Eye contact

Rinse with plenty of water. Get medical attention if irritation

develops and persists.

Skin contact

Rinse with plenty of water.

Inhalation

: No special requirements

Ingestion

If swallowed, DO NOT induce vomiting unless directed to do so

by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention immediately.

5. FIREFIGHTING MEASURES

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Specific hazards during

firefighting

: Container may melt and leak in heat of fire.

Further information Fight fire with normal precautions from a reasonable distance.

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE® PLUG-INS® SCENTED OIL - LAVENDER & VANILLA

Version 1.0

Print Date 08/13/2015

Revision Date 03/02/2015

SDS Number 350000003583

Standard procedure for chemical fires. Wear full protective clothing and positive pressure self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

: No special precautions required.

Environmental precautions

: Outside of normal use, avoid release to the environment.

Methods and materials for containment and cleaning up

: Soak up with inert absorbent material.

Sweep up and shovel into suitable containers for disposal.

Dike large spills.

Clean residue from spill site.

7. HANDLING AND STORAGE

Handling

Precautions for safe

handling

: Use only as directed.

KEEP OUT OF REACH OF CHILDREN AND PETS.

Advice on protection against fire and explosion

: Normal measures for preventive fire protection.

Storage

Requirements for storage

areas and containers

Keep container closed when not in use.

Keep in a dry, cool and well-ventilated place.

Other data

Stable at normal ambient temperature and pressure.

Stable at normal ambient temperature and pressure.

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE® PLUG-INS® SCENTED OIL - LAVENDER & VANILLA

Version 1.0

Print Date 08/13/2015

Revision Date 03/02/2015

SDS Number 350000003583

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits

Components	CAS-No.	mg/m3	ppm	Non- standard units	Basis
ISOPENTYL ACETATE	123-92-2	525 mg/m3	100 ppm	-	OSHA TWA
ISOPENTYL ACETATE	123-92-2	-	100 ppm	-	ACGIH STEL
ISOPENTYL ACETATE	123-92-2	-	50 ppm		ACGIH TWA

Personal protective equipment

Respiratory protection

No personal respiratory protective equipment normally

required.

Hand protection

No special requirements.

Eye protection

No special requirements.

Skin and body protection

No special requirements.

Hygiene measures

: Handle in accordance with good industrial hygiene and safety

practice. Wash thoroughly after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form

liquid

Color

colourless

Odor

floral

Odour Threshold

: Test not applicable for this product type

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE® PLUG-INS® SCENTED OIL - LAVENDER & VANILLA

Version 1.0

Print Date 08/13/2015

Revision Date 03/02/2015

SDS Number 350000003583

рΗ

: Test not applicable for this product type

Melting point/freezing point

: Test not applicable for this product type

Initial boiling point and

boiling range

: Test not applicable for this product type

Flash point

: 74 °C

165.2 °F

Method: Tag Closed Cup (TCC)

Evaporation rate

: Test not applicable for this product type

Flammability (solid, gas)

: Sustains combustion

Upper/lower flammability or

explosive limits

: Test not applicable for this product type

Vapour pressure

: Calculated0.77 hPa

Vapour density

: No data available

Relative density

: 0.9620 g/cm3 at 25 °C

Solubility(ies)

: negligible

Partition coefficient: n-

octanol/water

: Test not applicable for this product type

Auto-ignition temperature

: not auto-flammable

Decomposition temperature

: Test not applicable for this product type

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE® PLUG-INS® SCENTED OIL - LAVENDER & VANILLA

Version 1.0

Print Date 08/13/2015

Revision Date 03/02/2015

SDS Number 35000003583

Viscosity, dynamic

: Test not applicable for this product type

Viscosity, kinematic

: Test not applicable for this product type

Oxidizing properties

: Test not applicable for this product type

Volatile Organic Compounds Total VOC (wt. %)*

78.9 %

- additional exemptions may apply

*as defined by US Federal and State Consumer Product

Regulations

Other information

: None identified

10. STABILITY AND REACTIVITY

Possibility of hazardous

reactions

Possibility of hazardous

reactions

: Stable under recommended storage conditions.

: Stable under recommended storage conditions.

Conditions to avoid

Direct sources of heat.

Incompatible materials

: None known.

Hazardous decomposition

products

: Thermal decomposition can lead to release of irritating gases

and vapours.

11. TOXICOLOGICAL INFORMATION

Emergency Overview

: Warning

Acute oral toxicity

LD50

estimated > 5,000 mg/kg

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE® PLUG-INS® SCENTED OIL - LAVENDER & VANILLA

Version 1.0

Print Date 08/13/2015

Revision Date 03/02/2015

SDS Number 350000003583

Acute inhalation toxicity

: LC50

estimated

> 2 mg/l

Acute dermal toxicity

LD50

estimated

> 2,000 mg/kg

GHS Properties	Classification	Routes of entry
Acute toxicity	No classification proposed	-
Skin corrosion/irritation	No classification proposed	-
Skin corrosion/irritation	No classification proposed	-
Eye irritation	Category 2B	-
Skin sensitisation	No classification proposed	-
Respiratory sensitisation	No classification proposed	-
Germ cell mutagenicity	No classification proposed	-
Carcinogenicity	No classification proposed	-
Reproductive toxicity	No classification proposed	-
Specific target organ toxicity - single exposure	No classification proposed	<u>-</u>
Specific target organ toxicity - repeated exposure	No classification proposed	
Aspiration hazard	No classification proposed	-

Aggravated Medical Condition

: None known.

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE® PLUG-INS® SCENTED OIL - LAVENDER & VANILLA

Version 1.0

Print Date 08/13/2015

Revision Date 03/02/2015

SDS Number 350000003583

12. ECOLOGICAL INFORMATION

Product: The product itself has not been tested.

Toxicity

The ingredients in this formula have been reviewed and no adverse impact to the environment is expected when used according to label directions.

Toxicity to fish

Components	End point	Species	Value	Exposure time
Fragrance - Trade Secret	No data available			

Toxicity to aquatic invertebrates

Components	End point	Species		Value	Exposure time
Fragrance - Trade Secret	No data available		·		

Toxicity to aquatic plants

Components	End point	Species	Value	Exposure time
Fragrance - Trade Secret	No data available			

Persistence and degradability

Component	Biodegradation	Exposure time	Summary
Fragrance - Trade Secret	No data available		

Bioaccumulative potential

Component	Bioconcentration factor (BCF)	Partition Coefficient n- Octanol/water (log)
Fragrance - Trade Secret	No data available	No data available

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE® PLUG-INS® SCENTED OIL - LAVENDER & VANILLA

Version 1.0

Print Date 08/13/2015

Revision Date 03/02/2015

SDS Number 350000003583

Mobility

Component	End point	Value	
Fragrance - Trade Secret	No data available		

PBT and vPvB assessment

Results
Not fulfilling PBT and vPvB criteria
_

Other adverse effects

None known.

13. DISPOSAL CONSIDERATIONS

Observe all applicable Federal, Provincial and State regulations and Local/Municipal ordinances regarding

disposal.

Consumer may discard empty container in trash, or recycle

where facilities exist.

RCRA waste class

D001 (Ignitable Waste)

14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/receiving documents for up-to-date shipping information.

Land transport

Not classified as dangerous in the meaning of transport regulations.

Sea transport

Not classified as dangerous in the meaning of transport regulations.

Air transport

Not classified as dangerous in the meaning of transport regulations.

15. REGULATORY INFORMATION

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE® PLUG-INS® SCENTED OIL - LAVENDER & VANILLA

Version 1.0

Print Date 08/13/2015

Revision Date 03/02/2015

SDS Number 350000003583

Notification status

: All ingredients of this product are listed or are excluded from

listing on the U.S. Toxic Substances Control Act (TSCA)

Chemical Substance Inventory.

Notification status

All ingredients of this product comply with the New Substances

Notification requirements under the Canadian Environmental

Protection Act (CEPA).

16. OTHER INFORMATION

HMIS Ratings

Health	2	·
Flammability	2	
Reactivity	0	

NFPA Ratings

2	
2	
0	
- -	
	0

This information is being provided in accordance with the Occupational Safety and Health Administration (OSHA) regulation (29 CFR 1910.1200). The information supplied is designed for workplaces where product use and frequency of exposure exceeds that established for the labeled consumer use.

Further information

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE® PLUG-INS® SCENTED OIL - LAVENDER & VANILLA

Version 1.0

Print Date 08/13/2015

Revision Date 03/02/2015

SDS Number 350000003583

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

Prepared by	SC Johnson Global Safety Assessment &
	Regulatory Affairs (GSARA)