NAME OF PRODUCT

GCP CONCENTRATED GLASS CLEANER 10 TO 1

2-16-17

FILE # 0192.02

FILE NO.: MSDS DATE: / / DATE: 6/15/15

PAGE 1 0F 5

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: GCP CONCENTRATED GLASS CLEANER 10 TO 1

SYNONYMS: GLASS AND MIRROR CLEANER

PRODUCT CODES: 0192.02

MANUFACTURER: MIC INDUSTRIES INC

DIVISION:

ADDRESS:10892 HILLPOINT, SAN ANTONIO, TEXAS 78217

EMERGENCY PHONE: 210-590-1114

CHEMTREC PHONE: OTHER CALLS:

FAX PHONE: 210-590-1173

CHEMICAL NAME: CONCENTRATED WINDOW CLEANER

CHEMICAL FAMILY: CHEMICAL FORMULA:

PRODUCT USE: CLEAN WINDOWS AND GLASS

PREPARED BY: HAL MATTHEWS

SECTION 1 NOTES:

SECTION 2: HAZARDS IDENTIFICATION

GHS CLASSIFICATION:

G

HEALTH ENVIRONMENTAL PHYSICAL

ACUTE TOXICITY - Oral

EYE CORROSION - Serious eye damage/eye irritation

SKIN CORROSION - Irritation

SKIN SENSITIZATION - Will burn skin if left on skin and not rinsed.

MUTAGENICITY - N/A

REPRODUCTIVE/DEVELOPMENTAL -

TARGET ORGAN TOXICITY (REPEATED) -

TOXICITY -

GHS LABEL:

SIGNAL WORD -

HAZARD STATEMEN - | armful if swallowed or if inhaled, Causes serious eye damage.

PRECAUTIONARY STATEMENTS:Prevetion, avidn breathing dust/fume/gas/mist/vapors/spray. Wash skin thoroughly after Handling. Do not eat, drink or smoke when using this product. Wear eye protection/ face protection. Use in well ventilated area.

SECTION 3 NOTES:

GCP concentrated Window CLeaner 10 to 1 Dilution

NAME OF PRODUCT

FILE NO.: MSDS DATE: //

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

COMPONENT

CASRN

CONCENTRATION

ISOPROPYL ALCOHOL

NONYLPHENOL POLYETHYLENE

67-63-0

5 TO 8 %

GLYCOL ETHER

127087-87-0

LESS THAN 1 %

SECTION 3 NOTES:

(SEE SECTION 8 FOR EXPOSURE LIMITS)

SECTION 4: FIRST AID MEASURES

EYES: If product enters the eyes, open eyes while under gently running water. Use sufficient force to open eyelids. Roll eyes to expose more surface. Minimum flushing is for 15 minutes. Seek immediate Medical attention.

SKIN:If the product contaminates the skin, immediately begin decontamination with running water. Minimum flushing is for 15 minutes. Remove contaminated clothing, taking care not to contaminate eyes. If skin becomes irritated and iffitation persists, Medical attention may be necessary. Wash contaminated clothing before reuse.

INHALATION: After high vapor exposure, remove to fresh air. If breathing is difficult, give oxygen. If breathing has stopped, trained Personnel should immediately give artificial respiration. If the heart has stopped, trained personnel should immediately begin Cardiopulmonary resuscition (CPR). Seek immediate medical attention.

SWALLOWING: If swallowed, CALL PHYSICIAN OR POISON CONTROL CENTER FOR MOST CURRENT INFORMATION. If professional advice is not available, give 2 glases of water to drink. DO NOT INDUCE VOMITTING. Never induce vomiting or Give liquids to someone who is un conscious, having convulsions, or unable to swallow. Seek medical attention immediately.

NOTES TO PHYSICIAN: There are no specific antidote. Treatment of overexposure should be directed at the control of symptons and the

SECTION 4 NOTES:

SECTION 5: FIRE-FIGHTING MEASURES



FLAMMABLE LIMITS IN AIR, UPPER: N/A (% BY VOLUME) LOWER: N/A

FLASH POINT:

F: N/A

C: N/A

METHOD USED:

AUTOIGNITION TEMPERATURE:

F: N/A

C: N/A

NFPA HAZARD CLASSIFICATION

HEALTH: 2

FLAMMABILITY: 0

REACTIVITY: 2

OTHER:

HMIS HAZARD CLASSIFICATION

HEALTH: 2 PROTECTION:

FLAMMABILITY: 0

REACTIVITY: 2

EXTINGUISHING MEDIA: Use sry powder, alcohol-resistant foam, watr spray, carbon dioxide.

SPECIAL FIRE FIGHTING PROCEDURES: Water spray mat be ineffective on fire but can protect fire-fighters & cool closed

Containers. Use fog nozzlesif water is used. Do not enter confined fire-space without

NAME OF PRODUCT

Full bunker gear.

FILE NO.: MSDS DATE: / /

UNUSUAL FIRE AND EXPLOSION HAZARDS: Combustable. Isolate from oxidizers, heat, & open flame. Closed containers may

Explode if exposed to extreme heat. Empty container very hazardous! Continue all Label precautions.

SECTION 5 NOTES:

SECTION 6: ACCIDENTAL RELEASE MEASURES

ACCIDENTAL RELEASE MEASURES: Uncontrolled releases should be resonded to by trained personnel using pre-planned Procedures. Proper protective equipment should be used. In case of a spill, clear the affected area, protect people, and resond With trained personnel.

SECTION 6 NOTES:

Ttly closed

SECTION 7: HANDLING AND STORAGE

HANDLING AND STORAGE: Isolate from oxidizers, heat, and open flames. Do not get in eyes, on skin or clothing. Use only with Adequate ventilation. Avoid or repeated breathing of vapor or spray mist. Wear OSHA Standard goggles or face shield. Consult Safety equipment supplier. Wear goggles, face shield, gloves, apron & footwear impervious to material. Wash clothing before reuse.

OTHER PRECAUTIONS: Storage-

Isolate from strong oxidants. Keep ontainer tightly closed and upright when not in use to prevent leakage.

SECTION 7 NOTES:

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

EXPOSURE LIMITS

CAS#

EINECS# TWA (OSAH) TLV (ACGIN)

COMPONENT: ISOPROPYL ALCOHOL

67-63-0

25 PPM S

10 PPM S

This product contains no EPA Hazardous Air Pollutants (hap) in amounts > 0.1%

ENGINEERING CONTROLS:

VENTILATION: Necessary

Mechanical

Special: None

RESPIRATORY PROTECTION: Maintain airborne contaminant concentrations below exposure limits given above.

EYE PROTECTION: Splash goggles or safety goggles. Face shields are recommended when the operation can generate splashes Sprays or mists.

SKIN PROTECTION: Use body protection appropriate for task.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT:

WORK HYGIENIC PRACTICES: Provide readily accessible eye wash stations & safety showers. Wash at the end of each shift And before eating.

EXPOSURE GUIDELINES:

SECTION 8 NOTES:

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Liquid, water like.

ODOR: CHARACTERISTIC

PHYSICAL STATE: liquid

pH AS SUPPLIED: 1 to 2 ph

pH (Other):

BOILING POINT: 60 TO 195 C

PAGE 3 OF 6

NAME OF PRODUCT

F: 331 to 342 f

C: 166 to 172 c

MELTING POINT: N/A

C:

FREEZING POINT:

F: 5 TO 29 F

C: N/A

VAPOR PRESSURE (mmHg): 14.6 - 80 mmHG AT 20 C

@ 20 C

F:

VAPOR DENSITY (AIR = 1): 1.3 @ 20 C

@ AIR=1

F: 68

C: 20

SPECIFIC GRAVITY (H2O = 1): .902

@ POUNDS PER GALLON 7.514

Γ:

EVAPORATION RATE: 0.153

BASIS (=1):

SOLUBILITY IN WATER: COMPLETE

PERCENT SOLIDS BY WEIGHT: 26%

PERCENT VOLATILE: NO AVAILABLE

BY WT/ BY VOL @

C:

VOLATILE ORGANIC COMPOUNDS (VOC):25%

WITH WATER:

LBS/GAL 7.5 LBS GAL.

WITHOUT WATER:

LBS/GAL 2.5 LBS GAL

SECTION 9 NOTES:

SECTION 10: STABILITY AND REACTIVITY

STABLE

UNSTABLE

FILE NO.:

MSDS DATE: / /

STABILITY: UNDER NORMAL CONDITIONS

CONDITIONS TO AVOID (STABILITY): Isolate from oxidizers, heat and open flame.

INCOMPATIBILITY (MATERIAL TO AVOID): Reacts to strong oxidants, causing fire and explosion hazard.

HAZARDOUS DECOMPOSITION OR BY-PRODUCTS: Carbon Monoxide, Carbon Dioxide from burning.

HAZARDOUS POLYMERIZATION: Will not occur.

CONDITIONS TO AVOID (POLYMERIZATION):

SECTION 10 NOTES:

SECTION 11: TOXICOLOGICAL INFORMATION

TOXICOLOGICAL INFORMATION:EYES AND SKIN CONTACT: Primary irritation to skin, dermatitis. Asorption thru skin Increases exposure. Primary irritation to eyes, redness, tearing, blurred vision. Liquid can cause irritation. WASH THOROUGHLY AFTER HANDLING.

INHALATION: Anestetic. Irritates respiratory tract. Acute exposure can cause serious nervous system depression. Vapor Harmful.

SECTION 11 NOTES:

PAGE 4 OF 6

NAME OF PRODUCT

FILE NO.: MSDS DATE: //

SECTION 12: ECOLOGICAL INFORMATION

ECOLOGICAL INFORMATION:

ALL WORK PRACTICES MUST BE AIMED AT ELIMINATED EVIORMRNTAL CONTAMINATION

This product may be harmful or fatal to plant and animal life if released into the environment.

SECTION 12 NOTES:

SECTION 13: DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD: Recycle / dispose of observing national, regional, state and local health, safety and pollution laws.

RCRA HAZARD CLASS:

SECTION 13 NOTES:

SECTION 14: TRANSPORT INFORMATION

U.S. DEPARTMENT OF TRANSPORTATION

PROPER SHIPPING NAME: CLEANING COMPOUND, NOI, LIQUID HAZARD CLASS: Combustable liquid n.o.s. 2 butoxyethanol PG 111

ID NUMBER:

PACKING GROUP: NOT REGULATED ON TRUCKS IN CONTAINERS OF <119 GALLONS.

LABEL STATEMENT:

WATER TRANSPORTATION N/A PROPER SHIPPING NAME: HAZARD CLASS: NONE ID NUMBER: 0192.02

PACKING GROUP: LABEL STATEMENTS:

AIR TRANSPORTATION
PROPER SHIPPING NAME:
HAZARD CLASS:
ID NUMBER:
PACKING GROUP:
LABEL STATEMENTS:

OTHER AGENCIES:

SECTION 14 NOTES:

SECTION 15: REGULATORY INFORMATION

U.S. FEDERAL REGULATIONS

TSCA (TOXIC SUBSTANCE CONTROL ACT):

CERCLA (COMPREHENSIVE RESPONSE COMPENSATION, AND LIABILITY ACT):N/A

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT): SARA SECTION 3211/312 HAZARDS

311/312 HAZARD CATEGORIES: NONE

313 REPORTABLE INGREDIENTS: NONE

STATE REGULATIONS:

INTERNATIONAL REGULATIONS:

NAME OF PRODUCT SECTION 15 NOTES:

<u>.</u>

FILE NO.: MSDS DATE: //

SECTION 16: OTHER INFORMATION

OTHER INFORMATION:

PREPARATION INFORMATION:

DISCLAIMER: The supplier disclaims all expressed or implied warranties of mechantability or fitness for a specific use, with Respect to the product or the information provided herein, except for conformation to contracted specifications. All information Appearing herein, is based upon date obtained from manufacturers and/or recognized technical sources. While the information is Believed to be accurate, we make no representations as to its accuracy or sufficiency.

Contitions of use are beyond our control, and therefore users are responsible for verifying the data under their own operating conditions yo determine whether this product is suitable for their particular purposes and they assume all risks of their handling, And disposal of the product. Users also assume all risks in regards to the publication or use of, or reliance upon information Contained herein.

This information relates only to the product designated herein, and does not relate to its use in combination with any other material Or process.

Unless updated, the Safety Data Sheet is valid until 6-15 2020.

Turner, Troy M.

From: Sent: Danny Kent <dkent@gulfcoastpaper.com>

To:

Wednesday, February 15, 2017 5:21 PM

Subject:

Turner, Troy M. SDS GULF COAST PAPER

Attachments:

sds doc GCP NO RINSE STRIPPER .docx; sds doc GCP

CONCENTRATED10TO1WINDSHIELDCLNR.docx; sds doc GCPRTUWIND0WCLNR.docx

Hello Troy.

Attached are the SDS you requested.

Please advise this was received in good order?

Thanks and have a great day!

GCP RTU GLASS CLEANER GALLONS GCP CONCENTRATED 10:1 GLASS CLEANER GALLONS GCP NO RINSE STRIPPER GALLONS

Danny Kent

dkent@gulfcoastpaper.com

Cell:(210)724-5272 Work:(210)225-2674 Fax:(210)229-9609



EMPLOYEE OWNED COMPANY
"Much More Than Paper"
www.gulfcoastpaper.com

"In the end, it's not the years in your life that count. It's the life in your years."

Colby Jay Kent 10-3-1987 - 6-23-2013