917/2013

Graffiti Gone Vandalism Mark Remover By: Questvapco Corp.

MATERIAL SAFETY DATA SHEET (SUBSTITUTES FOR OSHA FORM 174): May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200.

PRODUCT NUMBER: 2210 IDENTITY: GRAFFITI GONE Revision Date: 03/08/2010 Section I Manufacturer's Name: QUESTVAPCO CORPORATION Telephone Numbers: P.O. BOX 624 Address: Emergency: 800/255-3924 BRENHAM Information: State: TX Zip Code: 77834 713/896-8188 HMIS CODES: REACTIVITY: 1 FLAMMABILITY: 2 HEALTH: 2 PERSONAL PROTECT:B Section II: HAZARDOUS INGREDIENTS/IDENTITY INFORMATION (All of the ingredients contained in this product are listed on the TSCA inventory.) Name Cas No. OSHA PEL ACGIH TLV OTHER LIM 1000 ppm 500 ppm ACETONE 67-64-1 N/A 68476-86-8 N/A PROPANE/N-BUTANE 1000ppm N/A XYLENE (XYLOL) 1330-20-7 100 PPM 100 PPM N/A Comment: THIS PRODUCT CONTAINS THE TOXIC CHEMICALS MARKED WITH AN * SUBJECT TO THE REPORTING REQUIREMENTS OF SECTION 313 OF THE EMERGENCY PLANNING AND COMMUNITY RIGHT-TO-KNOW ACT OF 1986 AND OF 40CFR372.

Section III: PHYSICAL/CHEMICAL CHARACTERISTICS			
Boiling Point: Vapor Pressure(mm Hg)	>132F 77.3	Specific Gravity (water=1) Melting Point:	0.85 N/A
Vapor Density(AIR=1) Solubility in Water:	>1 <20	Evaporation Rate: (Butyl Acetate=1)	<1
Appearance and Odor:	CLEAR SPRAY,	AROMATIC SOLVENT ODOR	

Section IV: FIRE AND EXPLOSION HAZARD DATA

Flash Point(Method Used):65 F TCC Flammable Limits: LEL:N/A UEL: N/A Extinguishing Media: STANDARD CHEMICAL FIRE EXTINGUISHER Special Fire Fighting Procedures: SELF-CONTAINED BREATHING APPARATUS SHOULD BE USED WHENEVER CHEMICAL FIRES ARE PRESENT.

Unusual Fire and Explosion Hazards: FLAMMABLE. CONTENTS UNDER PRESSURE. EXPOSURE TO TEMPERATURES ABOVE 120 F MAY CAUSE BURSTING.

Section V: REACTIVITY DATA

PRODUCT NUMBER: 2210

Stability: Unstable:

<u>.</u>

Conditions to avoid:

Stable: X

TEMPERATURES ABOVE 120 F

Incompatability (Materials to Avoid): SOME PLASTICS. PRE-TEST PLASTICS TO BE SPRAYED BEFORE USING.

Hazardous Decomposition or Byproducts: OXIDES OF CARBON

Hazardous Polymerization: Conditions to Avoid: NONE May Occur:

Will Not Occur: X

Section VI: HEALTH HAZARD DATA

Routes of Entry:

Inhalation: YES

Indestion: YES

Health Hazards (Acute and Chronic):

INHALATION: WILL CAUSE DIZZINESS, ANESTHESIA AND POSSIBLY DEATH IF BREATHED DIRECTLY. EYES: CAUSES TEMPORARY CORNEAL OPACITY, CAUSE SEVERE IRRITATION. SKIN: LOCALIZED DEFATTING OF SKIN AND IRRITATION. INGESTION: SEE BELOW.

Carcinogenicity: NTP:NO

IARC Monographs:NO

OSHA Reg:NO

Skin: YES

Signs and Symptoms of Exposure: INGESTION: MAY CAUSE NAUSEA, VOMITING, DIARRHEA AND RESTLESSNESS. ASPIRATION INTO THE LUNGS CAN CAUSE SEVERE CHEMICAL PNEUMONITIS OR PULMONARY HEMORRHAGE, WHICH CAN BE FATAL.

Medical Conditions Generally Aggravated by Exposure: NONE

Emergency and First Aid Procedures: INHALATION: REMOVE TO FRESH AIR. EYES: FLUSH WITH WATER FOR 15 MINUTES & CONTACT PHYSICIAN. SKIN: WASH WITH SOAP & WATER. TREAT AFFECTED AREAS OF SKIN WITH MOISTURIZER & CONTACT PHYSICIAN. INGESTION: DO NOT INDUCE VOMITING. CONTACT PHYSICIAN IMMEDIATELY.

Section VII: PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to be Taken in Case Material is Released or Spilled: WIPE UP WITH RAG OR USE SOME ABSORBENT CLAY MATERIAL FOR LARGE SPILLS. DISPOSE OF RESIDUE IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL GUIDELINES.

Waste Disposal Method: WRAP CONTAINER IN OLD NEWSPAPER AND PLACE IN TRASH COLLECTION. DO NOT REUSE EMPTY CONTAINER.

Precautions to be Taken in Handling and Storing: DO NOT USE OR STORE NEAR HEAT, SPARKS, OR OPEN FLAME. EXPOSURE TO TEMPERATURES ABOVE 120 F MAY CAUSE BURSTING.

Other Precautions: DO NOT PUNCTURE OR INCINERATE CONTAINER.

Section VIII: CONTROL MEASURES

Respiratory Protection: NOT REQUIRED WITH NORMAL USE.

Ventilation:

Local Exhaust: SUFFICIENT

Mechanical: N/A Special: N/A Other: N/A

Protective Gloves: SOLVENT RESISTANT.

Eye Protection: SAFETY GLASSES ARE RECOMMENDED WHEN USING CHEMICAL PRODUCTS

Other Protective Clothing or Equipment:

N /A

Work/Hygienic Practices:

WASH HANDS AND ALL EQUIPMENT THROUGHLY, AFTER USE.