# SAFETY DATA SHEET

Version 5.5 Revision Date 09/23/2016 Print Date 10/06/2017

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product identifiers 1.1

Product name

Giemsa stain solution

**Product Number** 

12-0440

Brand

Katayama OEM Partner

CAS-No.

51811-82-6

Relevant identified uses of the substance or mixture and uses advised against 1.2

Identified uses

: Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company

Sigma-Aldrich

3050 Spruce Street

SAINT LOUIS MO 63103

USA

Telephone

+1 800-325-5832

Fax

+1 800-325-5052

1.4 **Emergency telephone number** 

Emergency Phone #

: +1-703-527-3887 (CHEMTREC)

### 2. HAZARDS IDENTIFICATION

#### Classification of the substance or mixture 2.1

### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 2), H225 Acute toxicity, Oral (Category 3), H301 Acute toxicity, Inhalation (Category 3), H331

Acute toxicity, Dermal (Category 3), H311

Specific target organ toxicity - single exposure (Category 1), H370

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 2.2 GHS Label elements, including precautionary statements

**Pictogram** 

Signal word

Danger

Hazard statement(s)

H225

Highly flammable liquid and vapour.

H301 + H311 + H331

Toxic if swallowed, in contact with skin or if inhaled

H370

Causes damage to organs.

Precautionary statement(s)

P210

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Keep container tightly closed. P233

Ground/bond container and receiving equipment. P240

Use explosion-proof electrical/ ventilating/ lighting/ equipment. P241

Use only non-sparking tools. P242

P243 P260	Take precautionary measures against static discharge.  Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
P264	Wash skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/ eye protection/ face protection.
P301 + P310 + P330	IF SWALLOWED: Immediately call a POISON CENTER/doctor. Rinse mouth.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304 + P340 + P311	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor.
P307 + P311	IF exposed: Call a POISON CENTER or doctor/ physician.
P362	Take off contaminated clothing and wash before reuse.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P403 + P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

### 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2 Mixtures

Synonyms

: Azure mixture sicc. Giemsa stain

Giemsa stain

Formula

: C14H14CIN3S

### **Hazardous components**

Component		Classification	Concentration
Methanol			
CAS-No.	67-56-1	Flam. Liq. 2; Acute Tox. 3;	>= 30 - < 50 %
EC-No.	200-659-6	STOT SE 1; H225, H301 +	
Index-No.	603-001-00-X	H311 + H331, H370	
Registration number	01-2119433307-44-XXXX		
Glycerol			
CAS-No.	56-81-5		>= 30 - < 50 %
EC-No.	200-289-5		

For the full text of the H-Statements mentioned in this Section, see Section 16.

### 4. FIRST AID MEASURES

### 4.1 Description of first aid measures

### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

### In case of eye contact

Flush eyes with water as a precaution.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

### 5. FIREFIGHTING MEASURES

### 5.1 Extinguishing media

### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

### 5.2 Special hazards arising from the substance or mixture

No data available

### 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### 5.4 Further information

Use water spray to cool unopened containers.

#### 6. ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

For personal protection see section 8.

### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

#### 6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

#### 6.4 Reference to other sections

For disposal see section 13.

### 7. HANDLING AND STORAGE

### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Use explosion-proof equipment. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.2.

# 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

Components with workplace control parameters

 Components with workplace control parameters				
Component	CAS-No.	Value	Control parameters	Basis
Methanol	67-56-1	TWA	200.000000 ppm	USA. ACGIH Threshold Limit Values (TLV)
	Remarks	Headache		

	Eye damage Substances f			
	Substances f			
		Substances for which there is a Biological Exposure Index or Indic		
·	(see BEI® section)  Danger of cutaneous absorption			
1	STEL	250.000000	USA. ACGIH Threshold Limit Values	
		ppm	(TLV)	
	Headache			
	Nausea			
[ ]	Dizziness			
	Eye damage			
	Substances f	or which there is a	a Biological Exposure Index or Indices	
_ [1	(see BEI® se	ection)		
	Danger of cu	taneous absorptio	n ,	
	TWA	200.000000	USA. NIOSH Recommended	
		ppm	Exposure Limits	
	.*	260.000000	,	
		mg/m3	· ·	
	Potential for	dermal absorption	<u> </u>	
		250.000000	USA. NIOSH Recommended	
·	ST			
		ppm	Exposure Limits	
. [		325.000000		
		mg/m3		
	Potential for	dermal absorption		
•	TWA	200.000000	USA. Occupational Exposure Limits	
		ppm	(OSHA) - Table Z-1 Limits for Air	
		260.000000	Contaminants	
		mg/m3		
	The value in	mg/m3 is approxir	nate.	
	TWA	200 ppm	USA. ACGIH Threshold Limit Values	
	••••	200 pp	(TLV)	
	Headache			
	Nausea			
·	Dizziness			
1 1	Eye damage	•		
		for which there is	a Biological Exposure Index or Indices	
			a biological Exposure fluex of fluices	
	(see BEI® se	•		
		taneous absorptio		
] ]	STEL	250 ppm	USA. ACGIH Threshold Limit Values	
	<del></del>		[(TLV)	
· I	Headache			
	Nausea			
· · · · · · · · · · · · · · · · · · ·	Dizziness			
	Eye damage			
	Substances t	for which there is a	a Biological Exposure Index or Indices	
	(see BEI® se	ection)		
	Danger of cu	taneous absorptio	n'	
	TWA	200 ppm	USA. NIOSH Recommended	
	-	260 mg/m3	Exposure Limits	
	Potential for	dermal absorption	<u> </u>	
	ST	250 ppm	USA. NIOSH Recommended	
	01		Exposure Limits	
	Data attal fa	325 mg/m3		
		dermal absorption		
	TWA	200 ppm	USA. Occupational Exposure Limits	
		260 mg/m3	(OSHA) - Table Z-1 Limits for Air	
			Contaminants	
	The value in	mg/m3 is approxi	mate	

			*		
	STEL	250 ppm	USA. OSHA - TABLE Z-1 Limits for		
		325 mg/m3	Air Contaminants - 1910.1000		
	Skin nota	tion			
	TWA	200 ppm	USA. OSHA - TABLE Z-1 Limits for		
			Air Contaminants - 1910.1000		
	Skin notat				
			California permissible exposure		
		1,000 ppiii	limits for chemical contaminants		
*			(Title 8, Article 107)		
	Skin		(Title 6, Article 107)		
		1000	California norminaible avenacura		
	PEL		California permissible exposure		
		260 mg/m3	limits for chemical contaminants		
			(Title 8, Article 107)		
	STEL		California permissible exposure		
		325 mg/m3	limits for chemical contaminants		
,			(Title 8, Article 107)		
	Skin				
56-81-5	TWA	10.000000	USA. ACGIH Threshold Limit Value		
		mg/m3	(TLV)		
	Upper Respiratory Tract irritation				
#III 41 #III .			USA. Occupational Exposure Limits		
	1		(OSHA) - Table Z-1 Limits for Air		
	,	Ing/ino	Contaminants		
	TN/A	5,000000	USA. Occupational Exposure Limits		
	1007		(OSHA) - Table Z-1 Limits for Air		
	;	Ing/ms	Contaminants		
	Sac Anna	ndiv D. Substance			
	IVVA		USA. Occupational Exposure Limits		
	i	mg/m3	(OSHA) - Table Z-1 Limits for Air		
			Contaminants		
	TWA		USA. Occupational Exposure Limits		
		mg/m3	(OSHA) - Table Z-1 Limits for Air		
			Contaminants		
	PEL	10 mg/m3	California permissible exposure		
			limits for chemical contaminants		
			(Title 8, Article 107)		
	PEL	5 mg/m3	California permissible exposure		
		3	limits for chemical contaminants		
			(Title 8, Article 107)		
	56-81-5	Skin nota C Skin PEL Skin STEL Skin STEL  Skin TWA  Upper Re TWA  TWA  TWA  TWA  TWA  PEL	Skin notation   TWA   200 ppm   260 mg/m3		

Biological occupational exposure limits

Component	CAS-No.	Parameters	Value	Biological specimen	Basis
Methanol	67-56-1	Methanol	15.0000 mg/l	Urine	ACGIH - Biological Exposure Indices (BEI)
	Remarks	End of shift (	As soon as p	ossible after expo	sure ceases)
		Methanol	15 mg/l	Urine	ACGIH - Biological Exposure Indices (BEI)
		End of shift (As soon as possible after exposure ceases)			sure ceases)

#### 8.2 **Exposure controls**

Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

### Personal protective equipment

### Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: butyl-rubber

Minimum layer thickness: 0.3 mm Break through time: 480 min

Material tested:Butoject® (KCL 897 / Aldrich Z677647, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.4 mm Break through time: 30 min

Material tested:Camatril® (KCL 730 / Aldrich Z677442, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method:

EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

### **Body Protection**

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

### Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

No data available

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

a)	Appearance	Form: liquid
b)	Odour	No data available
c)	Odour Threshold	No data available
d)	рН	No data available
e)	Melting point/freezing point	No data available
f)	Initial boiling point and boiling range	No data available
g)	Flash point	9.7 °C (49.5 °F)
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available

Upper/lower flammability or

		1
exp	losive	limits

k)	Vapour pressure	No data available
l)	Vapour density	No data available
m)	Relative density	No data available
n)	Water solubility	No data available
0)	Partition coefficient: n-octanol/water	No data available

p) Auto-ignition temperature

No data available

q) Decomposition

No data available

temperature
r) Viscosity

No data available

s) Explosive properties

No data available

t) Oxidizing properties

No data available

### 9.2 Other safety information

No data available

### 10. STABILITY AND REACTIVITY

### 10.1 Reactivity

No data available

### 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

Vapours may form explosive mixture with air.

### 10.4 Conditions to avoid

Heat, flames and sparks.

### 10.5 Incompatible materials

No data available

# 10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides Other decomposition products - No data available

In the event of fire: see section 5

### 11. TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

### **Acute toxicity**

No data available

Inhalation: No data available

Dermal: No data available

No data available

### Skin corrosion/irritation

No data available

### Serious eye damage/eye irritation

No data available

### Respiratory or skin sensitisation

No data available

### Germ cell mutagenicity

No data available

### Carcinogenicity

IARC:

No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

NTP:

No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA:

No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

### Reproductive toxicity

No data available No data available

### Specific target organ toxicity - single exposure

No data available

### Specific target organ toxicity - repeated exposure

No data available

## **Aspiration hazard**

No data available

#### **Additional Information**

RTECS: Not available

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Stomach - Irregularities - Based on Human Evidence

Kidney - Irregularities - Based on Human Evidence

Stomach - Irregularities - Based on Human Evidence (Methanol)

Kidney - Irregularities - Based on Human Evidence (Glycerol)

### 12. ECOLOGICAL INFORMATION

### 12.1 Toxicity

No data available

### 12.2 Persistence and degradability

No data available

### 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

### 12.6 Other adverse effects

No data available

### 13. DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods

#### Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

### Contaminated packaging

Dispose of as unused product.

### 14. TRANSPORT INFORMATION

DOT (US)

UN number: 1993

Class: 3

Packing group: II

Proper shipping name: Flammable liquids, n.o.s. (Methanol)

Reportable Quantity (RQ):

Poison Inhalation Hazard: No

**IMDG** 

UN number: 1993

Class: 3

Packing group: II

EMS-No: F-E, S-E

Proper shipping name: FLAMMABLE LIQUID, N.O.S. (Methanol)

IATA

UN number: 1993

Class: 3

Packing group: II

Proper shipping name: Flammable liquid, n.o.s. (Methanol)

### 15. REGULATORY INFORMATION

**SARA 302 Components** 

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313 Components** 

The following components are subject to reporting levels established by SARA Title III, Section 313:

CAS-No.

**Revision Date** 

Methanol

67-56-1

2007-07-01

SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

**Massachusetts Right To Know Components** 

67-56-1 56-81-5 2007-07-01 2007-03-01

Pennsylvania Right To Know Components

CAS-No.

CAS-No.

**Revision Date** 

**Revision Date** 

Methanol

Methanol

Glycerol

67-56-1

2007-07-01

Glycerol

56-81-5

2007-03-01

**New Jersey Right To Know Components** 

CAS-No.

Revision Date

Methanol Glycerol

67-56-1 56-81-5 2007-07-01 2007-03-01

California Prop. 65 Components

WARNING: This product contains a chemical known to the

CAS-No.

**Revision Date** 

State of California to cause birth defects or other reproductive

67-56-1

2012-03-16

harm. Methanol

## **16. OTHER INFORMATION**

### Full text of H-Statements referred to under sections 2 and 3.

Acute Tox.

Acute toxicity

Flam. Liq.

Flammable liquids

H225

Highly flammable liquid and vapour.

H301

Toxic if swallowed.

H301 + H311 + Toxic if swallowed, in contact with skin or if inhaled

H331

H311 Toxic in contact with skin.

H331 Toxic if inhaled.

H370 Causes damage to organs.

STOT SE Specific target organ toxicity - single exposure

**HMIS Rating** 

Health hazard: 2
Chronic Health Hazard: \*
Flammability: 3
Physical Hazard 0

**NFPA Rating** 

Health hazard: 2
Fire Hazard: 3
Reactivity Hazard: 0

### **Further information**

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

### **Preparation Information**

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 5.5

Revision Date: 09/23/2016

Print Date: 10/06/2017