

# Safety Data Sheet Spartan Chemical Company, Inc.

Sunny Side High

InterLock FLOOR

Finsh, Sparton

GLOSS Metal

Revision Date: 31-Jul-2015

A. PRODUCT/AND COMPANY IDENTIFICATION

Product Identifier

**Product Name:** 

SUNNY-SIDE 4045

Product Number:

Recommended Use: Uses Advised Against: Floor Finish

For Industrial and Institutional Use Only

Manufacturer/Supplier:

Spartan Chemical Company, Inc.

1110 Spartan Drive

Maumee, Ohio 43537 USA 800-537-8990 (Business hours) www.spartanchemical.com

24 Hour Emergency Phone Numbers:

Medical Emergency/information: 888-314-6171

Transportation/Spill/Leak:

CHEMTREC 800-424-9300

2/HAZARDS/IDEN/HIFICATION

**GHS Classification** 

**Not Classified** 

Not dangerous according to the Globally Harmonized System (GHS)

**GHS Label Elements** 

Signal Word:

No signal word

Symbols:

Hazard Statements:

No hazard statements

**Precautionary Statements:** 

Prevention:

Response:

Not Applicable

-Specific Treatment:

See Safety Data Sheet Section 4: "FIRST AID MEASURES" for additional information.

Storage:

Disposal:

Not Applicable

Not Applicable

Hazards Not Otherwise Classified:

Not Applicable

Other Information:

· May cause skin irritation.

May cause eye irritation.

May be harmful if swallowed.

· Inhalation of vapors or mist may cause respiratory irritation.

Keep out of reach of children.

# 43: COMPOSITION/INFORMATION:ON INGREDIENTS

Chemical Name		CAS No		Weight-%
water	.:	7732-18-5	-1,	60-100
acrylate copolymer		63744-68-3		10-30
diethylene glycol monoethyl ether		111-90-0		1-5
modified rosin ester		68152-55-6		1-5

Revision Date: 31-Jul-2015

tributoxyethyl phosphate 78-51-3

Specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

### 4. ERSTAID MEASURES

-Eye Contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

Wash with soap and water. If skin irritation occurs: Get medical attention. -Skin Contact:

-Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a

poison control center or physician if you feel unwell.

Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious -Ingestion:

person. Get medical attention if you feel unwell.

Note to Physicians: Treat symptomatically,

## 5 FIRE-FIGHTING MEASURES

Suitable Extinguishing Media: Product does not support combustion. Use extinguishing agent suitable for type of

surrounding fire

Specific Hazards Arising from the

Chemical:

Dried product is capable of burning. Combustion products are toxic.

**Hazardous Combustion Products:** May include Carbon monoxide Carbon dioxide and other toxic gases or vapors.

**Protective Equipment and** Precautions for Firefighters: Wear MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full

protective gear. Cool fire-exposed containers with water spray.

# 6 ACCIDENTAL RELEASE MEASURES

Personal Precautions: **Environmental Precautions:** Methods for Clean-Up:

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Do not rinse spill onto the ground, into storm sewers or bodies of water.

Prevent further leakage or spillage if safe to do so. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

#### \* 7 HANDLING AND STORAGE

Advice on Safe Handling: Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly

after handling.

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach Storage Conditions:

of children. Keep from freezing.

#### 8 EXPOSURE CONTROLS/PERSONAL PROTECTION.

Occupational Exposure Limits: None established.

**Engineering Controls:** Provide good general ventilation.

If work practices generate dust, fumes, gas, vapors or mists which expose workers to chemicals above the occupational exposure limits, local exhaust ventilation or other

engineering controls should be considered.

Personal Protective Equipment

**Eye/Face Protection:** Skin and Body Protection: Respiratory Protection:

Not required with expected use. Not required with expected use. Not required with expected use.

If occupational exposure limits are exceeded or respiratory irritation occurs, use of a NIOSH/MSHA approved respirator suitable for the use-conditions and chemicals in Section

3 should be considered.

**General Hygiene Considerations:** Wash hands and any exposed skin thoroughly after handling.

See 29 CFR 1910.132-138 for further guidance.

4045 - SUNNY-SIDE Revision Date: 31-Jul-2015

#### 9. PHYSICAL AND CHEMICAL PROPERTIES.

Appearance/Physical State:	Liquid
Color:	White emulsion
Odor:	Slight ammonia odor
рН:	8.7-9.1
Melting Point / Freezing Point:	No information available.
Boiling Point / Boiling Range:	100 °C / 212 °F
Flash Point:	> 99 °C / > 210 °F ASTM D56
Evaporation Rate:	< 1 (Butyl acetate = 1)
Flammability (solid, gas)	No information available.
Upper Flammability Limit:	No information available.
Lower Flammability Limit:	No information available
Vapor Pressure:	No information available.
Vapor Density:	No information available
Specific Gravity:	1.03
Solubility(ies):	Miscible in water
Partition Coefficient:	No information available.
Autoignition Temperature:	No information available.
Decomposition Temperature:	No information available.
/iscosity:	No information available.

Reactivity: This material is considered to be non-reactive under normal conditions of use.

Chemical Stability: Stable under normal conditions.

Possibility of Hazardous Reactions: Not expected to occur with normal handling and storage.

Conditions to Avoid: Extremes of temperature and direct sunlight. Incompatible Materials: Strong oxidizing agents. Strong acids.

May include carbon monoxide, carbon dioxide (CO2) and other toxic gases or vapors. Hazardous Decomposition

Products:

# PI-TOXICOLOGICAL INFORMATION

Likely Routes of Exposure: Eyes, Skin, Ingestion, Inhalation.

Symptoms of Exposure:

-Eye Contact: Pain and redness. -Skin Contact: Drying of the skin.

-inhalation: Nasal discomfort and coughing. -Indestion: Pain, nausea, vomiting and diarrhea.

Immediate, Delayed, Chronic Effects

**Product Information:** Data not available or insufficient for classification.

**Numerical Measures of Toxicity** 

The following acute toxicity estimates (ATE) are calculated based on the GHS document.

ATEmix (oral): 23153 mg/kg 40524 mg/kg ATEmix (dermal): ATEmix (inhalation-dust/mist): 45.9 mg/l

**Component Acute Toxicity Information** 

Chemical Name Oral LD50		Dermal LD50	Inhalation LC50	
water 7732-18-5	> 90 mL/kg (Rat)	Not Available	Not Available	
diethylene glycol monoethyl ether 111-90-0	= 1920 mg/kg (Rat)	= 4200 µL/kg (Rabbit) = 6 mL/kg ( Rat)	> 5240 mg/m³ (Rat) 4 h	
tributoxyethyl phosphate 78-51-3	= 3000 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	> 6.4 mg/L (Rat) 4 h	

4045 - SUNNY-SIDE Revision Date: 31-Jul-2015

Carcinogenicity: No components present at 0.1% or greater are listed as to being carcinogens by ACGIH, IARC, NTP or OSHA.

#### 2 ECOLOGIOALINEORMATION

**Ecotoxicity** 

Chemical Name	Algae/Aquatic Plants	Fish	Toxicity to Microorganisms	Crustacea
diethylene glycol monoethyl	Not Available	11400 - 15700: 96 h	Not Available	3940 - 4670: 48 h Daphnia
ether 111-90-0		Oncorhynchus mykiss mg/L LC50 flow-through 11600 -		magna mg/L EC50
		16700: 96 h Pimephales		
		promelas mg/L LC50 flow-through 10000: 96 h		
		Lepomis macrochirus mg/L LC50 static 19100 - 23900:		
		96 h Lepomis macrochirus		
		mg/L LC50 flow-through 13400: 96 h Salmo gairdneri		
		mg/L LC50 flow-through		
tributoxyethyl phosphate	Not Available	10.4 - 12.0: 96 h Pimephales	Not Available	Not Available
78-51-3		promelas mg/L LC50 flow-through		

Persistence and Degradability:

No information available.

Bioaccumulation:

No information available.

Other Adverse Effects:

No information available.

#### \* 16 DISPOSAL CONSIDERATIONS

Disposal of Wastes:

Dispose of in accordance with federal, state and local regulations.

Contaminated Packaging:

Dispose of in accordance with federal, state and local regulations.

#### 44. TRANSPORTINFORMATION

DOT:

Not Regulated

**Proper Shipping Name:** 

Non-Hazardous Products

Special Provisions:

Shipping descriptions may vary based on mode of transport, quantities, package size, and/or origin and destination. Check with a trained hazardous materials transportation.

expert for information specific to your situation.

IMDG:

Not Regulated

Proper Shipping Name:

Non-Hazardous Products

#### 4 15 REGULATORY INFORMATION --

TSCA Status: (Toxic Substance Control Act Section 8(b) inventory)

All chemical substances in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

#### **SARA 313**

This product contains the following listed substances:

diethylene glycol monoethyl ether

CAS No. 111-90-0 applies to R-(OCH2CH2)n-OR', where n = 1, 2, or 3, R=Alkyl C7 or less, or R = Phenyl or Alkyl substituted phenyl, R' = H or Alkyl C7 or less, or OR' consisting of Carboxylic acid ester, Sulfate, Phosphate, Nitrate, or Sulfonate, Chemical Category N230

#### SARA 311/312 Hazard Categories

Acute Health Hazard:
Chronic Health Hazard:
Fire Hazard:
Sudden release of pressure hazard:
No

4045 - SUNNY-SIDE

Revision Date: 31-Jul-2015

Reactive Hazard:

No

# California Proposition 65

This product is not subject to warning requirements under California Proposition 65.

# 16:30 THER INCORNATION

**NFPA** 

Health Hazards: 1

Flammability: 0

Instability: 0

HMIS

Health Hazards: 1

Flammability: 0

Physical Hazards: 0

Special: N/A

**Revision Date:** 

31-Jul-2015

Reasons for Revision:

Section 14 and 15

#### Disclaimer:

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**