8/23/2022

FORTECH PRODUCTS

SAFETY DATA SHEET

Issue Date 02-Mar-2018

Revision Date 02-Mar-2018

Version 1

1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Product Name

Disinfectant RTU™

Disinfectant RTU

Other means of identification

Product Code Synonyms 601-32 None Restroom Cleaner Quart size

Details of the supplier of the safety data sheet

Company Name

Fortech Products 4432 C St., NE Auburn, WA (800) 772-7005 By: Fortech products

Emergency telephone number

24 Hour Emergency Phone Number: (800) 228-5635 X059

Emergency Telephone

Chemtrec 1-800-424-9300

2 HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Not classified
Acute toxicity - Dermal	Not classified
Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1

Label elements

Emergency Overview

Danger

Hazard statements

Causes severe skin burns and eye damage



Appearance Clear Blue

Physical state Liquid

Odor Lemon

Precautionary Statements - Prevention

Do not breathe dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

Specific Treatment (See Section 4 on the SDS)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artifical respiration, preferable by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

IF SWALLOWED: Have a person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center. Do not give anything by mouth to an unconscious person. Call a poison control center or doctor immediately for treatment advice.

Precautionary Statements - Storage

Store in a dry place no lower in temperature than 50°F or higher than 120°F.

Precautionary Statements - Disposal

Disposal should be in accordance with applicable regional, national and local laws and regulations

Hazards not otherwise classified (HNOC)

Other Information

- · Harmful to aquatic life with long lasting effects
- · Harmful to aquatic life

Unknown Acute Toxicity

0.09% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%	Trade Secret
2-(2-butoxyethoxy)ethanol	112-34-5	5-10	*
Tetrasodium EDTA	64-02-8	1-5	*
Alkyl dimethyl ethylbenzyl ammonium chloride	85409-23-0	.1-1	*
Alkyl dimethyl benzyl ammonium chloride	68391-01-5	.1-1	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Eiret	aid	meas	IIFOC
rirst	. aiq	meas	ures

General advice Immediate medical attention is required. Have the product container or label with you when

calling a poison control center or doctor, or going for treatment.

Skin Contact Immediate medical attention is required. Wash off immediately with soap and plenty of

water while removing all contaminated clothes and shoes.

Eye contact Immediate medical attention is required. Rinse immediately with plenty of water, also under

the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected

area.

Inhalation Remove to fresh air. Call a physician or poison control center immediately. If not breathing,

give artificial respiration. If breathing is difficult, give oxygen.

Immediate medical attention is required. Do NOT induce vomiting. Drink plenty of water.

Never give anything by mouth to an unconscious person. Remove from exposure, lie down. Clean mouth with water and drink afterwards plenty of water. Call a physician or poison

control center immediately.

Self-protection of the first aider

Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Most important symptoms and effects, both acute and delayed

Symptoms

Any additional important symptoms and effects are described in Section 11: Toxicology

Information.

Indication of any immediate medical attention and special treatment needed

Note to physicians

Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating and toxic gases and vapors. In the event of fire and/or explosion do not breathe fumes.

Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions

Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation, especially in confined areas. Local authorities should be advised if significant spillages cannot be contained. Use personal protection recommended in Section 8.

Environmental precautions

Environmental precautions

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other water unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. Do not discharge effluent containing this product to sewer systems withour previously notifying the local sewage treatment plant authority. For guidance, conatct your State water board or Regional office of the EPA.

Methods and material for containment and cleaning up

Methods for containment

Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Large Spills: Dike or dam spill. Cover liquid spill with sand, earth or other non-combustible absorbent material. Take up with inert, damp, non-combustible material using clean non-sparking tools and place into loosely covered plastic containers for later disposal. Prevent product from entering drains. Following product recovery, flush area with water. Small Spills: Soak up with inert absorbent material. Clean surface thoroughly to remove residual contamination.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling

Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation, especially in confined areas. In case of insufficient ventilation, wear suitable respiratory equipment. Use only with adequate ventilation and in closed systems.

Conditions for safe storage, including any incompatibilities

Storage Conditions

DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL. PESTICIDE STORAGE: Store in a dry place no lower than 50°F or higher than 120°F. Store in original tightly closed container. Store away from incompatible materials.

Incompatible materials

Incompatible with strong acids and bases. Incompatible with oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
2-(2-butoxyethoxy)ethanol	TWA: 10 ppm inhalable fraction	-	•
112-34-5	and vapor	TA(A: 1000	IDLLI, 2200 nnm
Ethanol	STEL: 1000 ppm	TWA: 1000 ppm	IDLH: 3300 ppm
6 4 -17-5		TWA: 1900 mg/m³	TWA: 1000 ppm
		(vacated) TWA: 1000 ppm	TWA: 1900 mg/m ³
		(vacated) TWA: 1900 mg/m³	
Sodium Hydroxide	Ceiling: 2 mg/m ³	TWA: 2 mg/m ³	IDLH: 10 mg/m ³
1310-73-2		(vacated) Ceiling: 2 mg/m³	Ceiling: 2 mg/m ³

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Appropriate engineering controls

Engineering Controls

Showers, Eyewash stations & Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear safety glasses with side shields (or goggles).

Skin and body protection

Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls,

as appropriate, to prevent skin contact.

Respiratory protection

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

General Hygiene

Handle in accordance with good industrial hygiene and safety practice. Wash face, hands and any exposed skin thoroughly after handling. When using do not eat, drink or smoke. Regular cleaning of equipment, work area and clothing is recommended.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state

Liquid

Appearance

Clear Blue

Color

Blue Lemon

Odor threshold

No Information available

Property Values 11.5 - 12.0 pН

Specific Gravity 1.006

Viscosity < 25 cP @ 25°C No Information available

Melting point/freezing point

Flash point Boiling point / boiling range

Evaporation rate Flammability (solid, gas) Flammability Limits in Air

Upper flammability limit: Lower flammability limit: Vapor pressure Vapor density

Water solubility Partition coefficient Autoignition temperature

Decomposition temperature

Remarks • Method

< 212 °F No Information available

No data available

No Information available No Information available No Information available No Information available

Complete

> 212 °F

No Information available No Information available No Information available

Other Information

Density Lbs/Gal VOC Content (%) 8.38 8.01

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Exposure to air or moisture over prolonged periods.

Incompatible materials

Incompatible with strong acids and bases. Incompatible with oxidizing agents.

Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation Avoid breathing vapors or mists. Inhalation of dust in high concentration may cause irritation

of respiratory system.

Avoid contact with eyes. Corrosive. Causes severe eye damage. Eye contact

Skin Contact The product causes burns of eyes, skin and mucous membranes. Avoid contact with skin.

Corrosive. Contact with skin may cause severe irritation and burns.

Ingestion Do not taste or swallow. Ingestion causes acute irritation and burns to the mucous

membranes of the mouth, trachea, esophagus and stomach.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
2-(2-butoxyethoxy)ethanol	= 5660 mg/kg (Rat)	= 2700 mg/kg (Rabbit)	-

112-34-5			
Tetrasodium EDTA 64-02-8	= 1658 mg/kg (Rat) = 10 g/kg (Rat)		-
Alkyl dimethyl ethylbenzyl ammonium chloride 85409-23-0	= 250 mg/kg (Rat)	= 3400 mg/kg (Rabbit)	= 86 mg/L (Rat) 4 h
Alkyl dimethyl benzyl ammonium chloride 68391-01-5	= 500 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	-

Information on toxicological effects

Symptoms

No Information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Corrosivity

Causes burns. Extremely corrosive and destructive to tissue. Risk of serious damage to

Sensitization

No Information available. No Information available.

Germ cell mutagenicity Carcinogenicity

Ethanol has been shown to be carcinogenic in long-term studies only when consumed as

alcoholic beverage.

Reproductive toxicity STOT - single exposure STOT - repeated exposure

No Information available. No Information available.

Chronic toxicity

No Information available.

Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by jaw necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen. Ethanol has been shown to be a reproductive toxin only when consumed as an alcoholic beverage. Ethanol has been shown to be carcinogenic in long-term studies only when consumed as alcoholic beverage.

Avoid repeated exposure. Possible risk of irreversible effects.

Aspiration hazard

No Information available.

Numerical measures of toxicity - Product Information

Unknown Acute Toxicity

0.09% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral)

21,289.00

ATEmix (dermal)

33,750.00

12. ECOLOGICAL INFORMATION

Ecotoxicity

0.72% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
2-(2-butoxyethoxy)ethanol 112-34-5	100: 96 h Desmodesmus subspicatus mg/L EC50	1300: 96 h Lepomis macrochirus mg/L LC50 static	2850: 24 h Daphnia magna mg/L EC50 100: 48 h Daphnia magna
112-04-0	subspicatus ffig/L LC50	mg/L LOSO static	mg/L EC50
Tetrasodium EDTA	1.01: 72 h Desmodesmus	59.8: 96 h Pimephales promelas	610: 24 h Daphnia magna mg/L
64-02-8	subspicatus mg/L EC50	mg/L LC50 static 41: 96 h Lepomis	EC50
		macrochirus mg/L LC50 static	
Sodium Metasilicate	<u>.</u>	210: 96 h Brachydanio rerio mg/L	216: 96 h Daphnia magna mg/L
6834-92-0		LC50 semi-static 210: 96 h	EC50
		Brachydanio rerio mg/L LC50	
Alkyl dimethyl benzyl ammonium	-	1.3: 96 h Poecilia reticulata mg/L	-
chloride		LC50 semi-static 0.823 - 1.61: 96 h	
68391-01-5		Oncorhynchus mykiss mg/L LC50	
		static 2.4: 96 h Oryzias latipes mg/L	
		LC50 semi-static 0.223 - 0.46: 96 h	
		Lepomis macrochirus mg/L LC50	
		static	
Ethanol	-	12.0 - 16.0: 96 h Oncorhynchus	9268 - 14221: 48 h Daphnia magna
64-17-5		mykiss mL/L LC50 static 100: 96 h	
		Pimephales promelas mg/L LC50	magna mg/L EC50 2: 48 h Daphnia

		static 13400 - 15100: 96 h	magna mg/L EC50 Static
		Pimephales promelas mg/L LC50	
		flow-through	
Trisodium nitrilotriacetate	560 - 1000: 96 h Chlorella vulgaris	93 - 170: 96 h Pimephales promelas	560 - 1000: 48 h Daphnia magna
5064-31-3	mg/L EC50	mg/L LC50 flow-through 252: 96 h	mg/L LC50
		Lepomis macrochirus mg/L LC50	
		560 - 1000: 96 h Oryzias latipes	
		mg/L LC50 semi-static 72 - 133: 96	
		h Oncorhynchus mykiss mg/L LC50	
		static 560 - 1000: 96 h Poecilia	
		reticulata mg/L LC50 560 - 1000: 96	
		h Poecilia reticulata mg/L LC50	
		semi-static 470: 96 h Pimephales	
		promelas mg/L LC50 static 175 -	
		225: 96 h Lepomis macrochirus	
		mg/L LC50 static 560 - 1000: 96 h	
		Oryzias latipes mg/L LC50 114: 96	
		h Pimephales promelas mg/L LC50	
Sodium Hydroxide	-	45.4: 96 h Oncorhynchus mykiss	-
1310-73-2		mg/L LC50 static	

Persistence and degradability

No Information available.

Bioaccumulation

No Information available.

Other adverse effects

This product is toxic to fish.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes can not be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

14. TRANSPORT INFORMATION

The basic description below is specific to the container size. This information is provided for at a glance DOT information. Please refer to the container and/or shipping papers for the appropriate shipping description before tendering this material for shipment. For additional information, please contact the distributor listed in section 1 of this SDS.

DOT

Not regulated

TDG

Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA DSL/NDSL Complies Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %	
2-(2-butoxyethoxy)ethanol - 112-34-5	1.0	
SARA 311/312 Hazard Categories		
Acute health hazard	Yes	
Chronic Health Hazard	Yes	
Fire hazard	No	
Sudden release of pressure hazard	No	
Reactive Hazard	No	

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

WARNING: This product can expose you to chemicals including Ethylene Oxide . which is known to the state of California to cause cancer, or birth defects or other reproductive harm. For More Information go to www.P65Warnings.ca.gov.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
2-(2-butoxyethoxy)ethanol 112-34-5	X	-	X
Ethanol 64-17-5	Х	Х	X
Sodium Hydroxide 1310-73-2	Х	X	X
Trisodium nitrilotriacetate 5064-31-3	-	X	-

U.S. EPA Label Information

EPA Pesticide Registration Number 1839-83-54412

EPA Statement

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. See the product label for the FIFRA hazard information as required on the pesticide label.

16. OTHER INFORMATION

NFPA

Health hazards 3

Flammability 0

Instability 0

Physical and Chemical

Properties -

HMIS

Health hazards 3

Flammability 0

Physical hazards 0

Personal protection B

Issue Date

02-Mar-2018 02-Mar-2018

Revision Date Revision Note

No Information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet