FLINN SCIENTIFIC, INC. Safety Data Sheet (SDS)

SDS #: 309.00

Revision Date: September 22, 2014

SECTION 1 — CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

1,4-Dioxane

Flinn Scientific, Inc. P.O. Box 219, Batavia, IL 60510 (800) 452-1261

CHEMTREC Emergency Phone Number: (800) 424-9300

Signal Word

DANGER

Pictograms

SECTION 2 — HAZARDS IDENTIFICATION

Hazard class: Flammable liquids (Category 2). Highly flammable liquid and vapor (H225). Keep away from heat, sparks, open flames, and hot surfaces (P210).

Hazard class: Acute toxicity, oral (Category 5) and inhalation (Category 5). May be harmful if swallowed or inhaled (H303+333).

Hazard class: Serious eye damage or irritation (Category 2A). Causes serious eye irritation (H319).

Hazard class: Specific target organ toxicity, single exposure; Respiratory tract irritation (Category 3). May cause respiratory irritation (H335). Avoid breathing vapors, mist or spray (P261).

Hazard class: Carcinogenicity (Category 2). Suspected of causing cancer (H351). Obtain special instructions before use (P201). Do not handle until all safety precautions have been read and understood (P202). Use personal protective equipment as required (P281).

Possible human carcinogen (IARC-2B).





SECTION 3 — COMPOSITION, INFORMATION ON INGREDIENTS

Component Name	CAS Number	Formula	Formula Weight	Concentration
1,4-Dioxane	123-91-1	$C_4H_8O_2$	88.10	
Synonyms: Diethylene dioxide; Diethylene ether				

SECTION 4 — FIRST AID MEASURES

If exposed or concerned: Get medical advice or attention (P308+P313).

If inhaled: Remove victim to fresh air and keep at rest in a position comfortable for breathing (P304+P340).

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do so. Continue rinsing (P305+P351+P338). **If eye irritation persists:** Get medical advice or attention (P337+P313).

If on skin: Immediately remove all contaminated clothing. Rinse skin with water (P303+P361+P353).

If swallowed: Rinse mouth. Call a POISON CENTER or physician if you feel unwell.

SECTION 5 — FIRE FIGHTING MEASURES

Class IB flammable liquid.	NFPA CODE
Flash point: 12 °C Flammable limits: Lower: 2.0% Upper: 22% Autoignition Temperature: 180 °C	H-2
When heated to decomposition, may emit toxic fumes.	F-3
Substance may develop peroxides; potential explosive.	R-1

SECTION 6 — ACCIDENTAL RELEASE MEASURES

In case of fire: Use a tri-class dry chemical fire extinguisher.

Remove all ignition sources and ventilate area. Contain the spill with sand or absorbent material and deposit in a sealed bag or container. See Sections 8 and 13 for further information.

SDS #: 309.00

Revision Date: September 22, 2014

SECTION 7 — HANDLING AND STORAGE

Flinn Suggested Chemical Storage Pattern: Organic #4. Store with ethers, ketones, and halogenated hydrocarbons. Store in a dedicated flammables cabinet. If a flammables cabinet is not available, store in Flinn Saf-StorTM can. Store in a cool, dry place. Keep container tightly closed (P233). Keep cool (P235). Use only in a hood or well-ventilated area (P271). Take precautionary measures against static discharge (P243).

SECTION 8 — EXPOSURE CONTROLS, PERSONAL PROTECTION

Wear protective gloves, protective clothing, and eye protection (P280). Wash hands thoroughly after handling (P264). Use only in a hood or well-ventilated area (P271).

Exposure guidelines: PEL 100 ppm (OSHA), 20 ppm (ACGIH) Readily absorbed through the skin.

SECTION 9 — PHYSICAL AND CHEMICAL PROPERTIES

Colorless liquid. Ethereal odor. Specific gravity: 1.0356

Soluble: Miscible with water and most organic solvents.

SECTION 10 — STABILITY AND REACTIVITY

This material develops explosive peroxides with age.

Avoid contact with strong oxidizers, decaborane, triethynyl aluminum, and SO₃.

Shelf life: Poor. See Section 7 for further information.

SECTION 11 — TOXICOLOGICAL INFORMATION

Acute effects: Irritant, nausea, dizziness, headache. ORL-RAT LD₅₀: 4200 mg/kg Chronic effects: Possible carcinogen, mutagen. IHL-RAT LC₅₀: $46 \text{ g/m}^3/2\text{H}$ Target organs: Liver, kidneys, central nervous system. SKN-RBT LD₅₀: 7600 mg/kg

N.A. = Not available, not all health aspects of this substance have been fully investigated.

SECTION 12 — ECOLOGICAL INFORMATION

Data not yet available.

SECTION 13 — DISPOSAL CONSIDERATIONS

Please review all federal, state and local regulations that may apply before proceeding.

Flinn Suggested Disposal Method #15 is one option.

SECTION 14 — TRANSPORT INFORMATION

Shipping name: Dioxane. Hazard class: 3, Flammable liquid. UN number: UN1165.

N/A = Not applicable

SECTION 15 — REGULATORY INFORMATION

TSCA-listed, EINECS-listed (204-661-8), RCRA code U108.

SECTION 16 — OTHER INFORMATION

This Safety Data Sheet (SDS) is for guidance and is based upon information and tests believed to be reliable. Flinn Scientific, Inc. makes no guarantee of the accuracy or completeness of the data and shall not be liable for any damages relating thereto. The data is offered solely for your consideration, investigation, and verification. The data should not be confused with local, state, federal or insurance mandates, regulations, or requirements and CONSTITUTE NO WARRANTY. Any use of this data and information must be determined by the science instructor to be in accordance with applicable local, state or federal laws and regulations. The conditions or methods of handling, storage, use and disposal of the product(s) described are beyond the control of Flinn Scientific, Inc. and may be beyond our knowledge. FOR THIS AND OTHER REASONS, WE DO NOT ASSUME RESPONSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR LOSS, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH THE HANDLING, STORAGE, USE OR DISPOSAL OF THIS PRODUCT(S).

Consult your copy of the Flinn Science Catalog/Reference Manual for additional information about laboratory chemicals.

Revision Date: September 22, 2014