

SAFETY DATA SHEET

Napa Lith-Ease White Lithium Grease #765-1391

Issuing Date 02-Feb-2016

Revision Date 02-Feb-2016

Revision Number 0

12/3/2018

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

GHS product identifier

Product Name

Lith-Ease White Lithium Grease- WL-2BK (765-1391), WLC-1, WL-35, WL-1H, WL-1,

WLB-1

Other means of identification

Product Code(s)

WL-2BK (765-1391), WLC-1, WL-35, WL-1H, WL-1, WLB-1

Synonyms

Lith-Ease White Lithium Grease

Recommended use of the chemical and restrictions on use

Recommended Use

LITH-EASE is a high-quality, multi-purpose white lithium grease for automotive, marine, shop, farm, and home use. It is a long-lasting lubricant with excellent water and heat resistance, rust and corrosion protection, and high film strength. Won't melt, freeze, gum, or

run off. Provides superior performance in all weather and all temps.

Uses advised against

No information available

Supplier's details

Supplier Address AGS Company P.O. Box 729 Muskegon, MI 49443

TEL: 800-253-0403

Emergency telephone number

Emergency Telephone Number

800-255-3924

2. HAZARDS IDENTIFICATION

Classification

This product is considered hazardous by the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200).

Skin Sensitization

Category 1

GHS Label elements, including precautionary statements

Emergency Overview

Signal Word

Warning

Hazard Statements

May cause an allergic skin reaction



Appearance White.

Physical State Solid (compressed).

Odor Petroleum.

Precautionary Statements

Prevention

- · Avoid breathing dust/fume/gas/mist/vapors/spray.
- · Contaminated work clothing should not be allowed out of the workplace.
- · Wear protective gloves.

General Advice

Specific treatment (see supplemental instructions on the administration of antidotes on this label)

Skin

- IF ON SKIN: Wash with plenty of soap and water.
- If skin irritation or rash occurs: Get medical advice/attention.
- · Wash contaminated clothing before reuse.

Storage

None

Disposal

• Dispose of contents/container to an approved waste disposal plant.

Hazard Not Otherwise Classified (HNOC)

Not applicable.

Other information

Toxic to aquatic life with long lasting effects.

2.7% of the mixture consists of ingredient(s) of unknown toxicity.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Synonyms

Lith-Ease White Lithium Grease

Chemical Name	CAS-No	Weight %	Trade secret
Zinc oxide	1314-13-2	3 -7	*
Titanium dioxide	13463-67-7	1-5	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of necessary first-aid measures

Eye Contact

Rinse thoroughly with plenty of water, also under the eyelids. Keep eye wide open while rinsing. If symptoms persist, call a physician.

WPS-AGS-043 - Lith-Ease White Lithium Grease- WL-2BK (765-1391), WLC-1. WL-35, WL-1H, WL-1, WLB-1

Skin Contact

Wash off immediately with soap and plenty of water removing all contaminated clothes and

shoes. May cause an allergic skin reaction. In the case of skin irritation or allergic reactions

see a physician.

Inhalation

Move to fresh air.

Ingestion

Clean mouth with water and afterwards drink plenty of water.

Most important symptoms/effects, acute and delayed

Most Important Symptoms/Effects No information available.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to Physician

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media No information available.

Specific Hazards Arising from the Chemical

May cause sensitization by skin contact.

Explosion Data

Sensitivity to Mechanical Impact Sensitivity to Static Discharge

None. None.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions

Ensure adequate ventilation.

Environmental Precautions

Environmental Precautions

Avoid release to the environment. Dispose of contents/container to an approved waste disposal plant. Collect spillage. See Section 12 for additional Ecological Information.

Methods and materials for containment and cleaning up

Methods for Containment

Prevent further leakage or spillage if safe to do so.

Methods for Cleaning Up

Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling

Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage

Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible Products

None known based on information supplied.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Zinc oxide	STEL: 10 mg/m ³ respirable	TWA: 5 mg/m³ fume	IDLH: 500 mg/m ³
1314-13-2	fraction	TWA: 15 mg/m³ total dust	Ceiling: 15 mg/m³ dust
	TWA: 2 mg/m³ respirable fraction	TWA: 5 mg/m³ respirable fraction	TWA: 5 mg/m³ dust and fume
		(vacated) TWA: 5 mg/m³ fume	STEL: 10 mg/m³ fume
1		(vacated) TWA: 10 mg/m³ total	
		dust	
	(vacated) TWA: 5 mg/m ³		
		respirable fraction	
		(vacated) STEL: 10 mg/m³ fume	
Titanium dioxide	TWA: 10 mg/m ³	TWA: 15 mg/m³ total dust	IDLH: 5000 mg/m ³
13463-67-7		(vacated) TWA: 10 mg/m³ total	_
		dust	

Appropriate engineering controls

Engineering Measures

Showers

Eyewash stations

Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/Face Protection Skin and Body Protection Respiratory Protection None required for consumer use. Risk of contact, wear: Safety glasses with side-shields. None required for consumer use. Repeated or prolonged contact: Gloves should be worn. If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Odor	Solid (compressed). Petroleum.	Appearance Odor Threshold	White. No information available.
Property	<u>Values</u>	<u>Remarks/ - Me</u> None known	<u>thod</u>
pH Melting Point/Range	No data available No data available	None known	
Boiling Point/Boiling Range	No data available	None known	
Flash Point	No data available No data available	None known	
Evaporation rate	No data available	None known	
Flammability (solid, gas)	No data available	None known	
Flammability Limits in Air	No data avallable	None known	
upper flammability limit	No data available		
lower flammability limit	No data available		
Vapor Pressure	No data available	None known	
Vapor Density	No data available	None known	
Specific Gravity	0.9	None known	
Water Solubility	Insoluble in water.	None known	
Solubility in other solvents	No data available	None known	
Partition coefficient: n-octano		None known	
Autoignition Temperature	No data available	None known	
		None known	
•			
tiooonly	140 data avallable	TTOTIO KITOWIT	
Decomposition Temperature Viscosity	No data available No data available	None known None known	

Page 53
WPS-AGS-043 - Lith-Ease White Lithium Grease- WL-2BK (765-1391), WLC-1,

WL-35, WL-1H, WL-1, WLB-1

Flammable Properties

Not flammable

Explosive Properties Oxidizing Properties

No data available No data available

Other information

VOC Content (%)

No data available

10. STABILITY AND REACTIVITY

Reactivity

No data available.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to avoid

None known based on information supplied.

Incompatible materials

None known based on information supplied.

Hazardous decomposition products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation
Eye Contact
Skin Contact
Ingestion

There is no data available for this product There is no data available for this product.

May cause temporary eye irritation.
May cause allergic skin reaction

There is no data available for this product.

	Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
1	Titanium dioxide	> 10000 mg/kg (Rat)	-	> 6820 mg/m ³

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms

No information available.

Delayed and immediate effects and also chronic effects from short and long term exposure

Sensitization

May cause sensitization by skin contact.

Mutagenic Effects

No information available.

Page 53 BK (765-1391), WLC-1,

WPS-AGS-043 - Lith-Ease White Lithium Grease- WL-2BK (765-1391), WLC-1, WL-35, WL-1H, WL-1, WLB-1

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen. This product contains titanium dioxide in a non-respirable form. Inhalation of titanium dioxide is unlikely to occur from exposure to this product.

Chemical Name	ACGIH	IARC	NTP	OSHA
Titanium dioxide		Group 2B		Х

IARC: (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

Reproductive Toxicity STOT - single exposure

No information available. No information available.

STOT - repeated exposure Aspiration Hazard

No information available. No information available.

Numerical measures of toxicity - Product

Acute Toxicity

2.7% of the mixture consists of ingredient(s) of unknown toxicity.

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Zinc oxide	Selenastrum capricornutum	Oncorhynchus mykiss		Daphnia magna
1314-13-2	72-hour EC50: 0.14 mg/l	96-hour LC50: 0.14 mg/l		48-hour EC50: 0.07 mg/l

Persistence and Degradability

No information available.

Bioaccumulation

No information available.

Other Adverse Effects
No information available.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods

This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

Contaminated Packaging

Do not re-use empty containers.

14. TRANSPORT INFORMATION

<u>DOT</u>

Not regulated

<u>ICAO</u>

Not regulated.

<u>IATA</u>

Not regulated

IMDG/IMO

Not regulated

15. REGULATORY INFORMATION

International Inventories

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372;

or chemicals which are subject to the reporting requi	rements of the Act and Titl	e 40 of the Code of Federa	i Negulations, i art or z.
Chemical Name	CAS-No	Weight %	SARA 313 - Threshold Values %
Zinc oxide	1314-13-2	5	1.0

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Zinc oxide		X		

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

U.S. State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:

Chemical Name	CAS-No	California Prop. 65
Titanium dioxide	13463-67-7	Carcinogen

U.S. State Right-to-Know Regulations

ſ	Chemical Name	New Jersey	Massachusetts	Pennsylvania	Illinois	Rhode Island
ſ	Zinc oxide	Х	X	X		

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

- Ballanda		16. OTHER INFORM	IATION	1 m - 1 m -
NFPA_	Health Hazard 1	Flammability 0	Instability 0	Physical and Chemical Hazards -
HMIS	Health Hazard 1	Flammability 0	Physical Hazard 0	Personal Protection X

WPS-AGS-043 - Lith-Ease White Lithium Grease- WL-2BK (765-1391), WLC-1, WL-35, WL-1H, WL-1, WLB-1

Prepared By

Product Stewardship

23 British American Blvd.

Latham, NY 12110

1-800-572-6501

Issuing Date Revision Date 02-Feb-2016

Revision Date Revision Note 02-Feb-2016 Initial Release.

General Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet