Tulip Soft Fabric paint



Safety Data Sheet



1. COMPANY AND PRODUCT IDENTIFICATION

iLoveToCreate

A Duncan Enterprises Company 5673 East Shields Avenue Fresno, CA 93727 559-291-4444 559-291-9444 (Fax)

EMERGENCY TELEPHONE NUMBERS

Health Emergencies:

559-291-4444 7:00 am - 3:30 pm Pacific Std. Time

Spill and Off-Hour Health Emergencies:

800-424-9300 U.S. and Canada

703-527-3887 Outside U.S. and Canada (Collect)

Product Name:

TULIP SOFT FABRIC PAINT

Product Description:

Brush - On Fabric Paint

2. HAZARDS IDENTIFICATION

HMIS Hazard Ratings for Product		Rating Scale:
Blockton of the Control of the		0 = Minimal
		1 = Slight
Reactivity	0	2 = Moderate
Personal Protection	See	3 = Serious
	Section 8	4 = Severe
		* = Chronic Effects

3. COMPOSITION / INGREDIENT INFORMATION

The ingredients in this formulation are a trade secret. All ingredients in the formula are nonhazardous, unless specified in Sections 2 and 15.

4. FIRST AID MEASURES

Eye

Flush eyes with large amounts of water until irritation subsides. Consult a

Contact: physician if irritation persists.

Skin

Wash affected skin areas thoroughly with soap and water. Consult a physician if

Contact:

irritation persists.

Inhalation:

Move subject to fresh air.

Ingestion:

If swallowed, give two glasses of water to drink. Consult a physician. Never give

anything by mouth to an unconscious person.

5. FIRE FIGHTING MEASURES

Autoignition Temperature:

Unknown

Flash Point:

Not Applicable

Upper Explosive Limit (%):

Not Applicable

Lower Explosive Limit (%):

Not Applicable

Extinguisher Media:

CO₂, Dry Chemical, Foam - Use extinguishing

media appropriate for surrounding fire

Special Firefighting Procedures:

Not Applicable

Fire & Explosion Hazards:

Not Applicable

NFPA Flammability Hazard Class:

0 = Insignificant

6. ACCIDENTAL RELEASE MEASURES

Spill or Leak **Procedures:**

Spills should be taken up with suitable absorbent material and placed in containers. Spill areas can be washed with water; collect wash water for

approved disposal. Do not flush to storm sewer or waterway.

For safety and environmental precautions, please review entire Safety Data Sheet for necessary information.

7. HANDLING AND STORAGE

Storage Temperature:

40° - 100°F

Handling / Storage:

Protect from freezing; keep container sealed when not in use.

Ventilation Requirements:

General

8. EXPOSURE CONTROL AND PERSONAL PROTECTION

Conditions Under Which Personal

Protective Equipment Required:

Normal work conditions, maintenance / repair.

Eye Protection Requirements:

Wear safety glasses with side shields.

Glove Requirements:

Gloves not normally required for foreseeable conditions

of use.

Clothing Requirements:

Protective clothing is normally not necessary for

foreseeable conditions of use.

Change / Removal of Clothing:

Wash Requirements:

None required None

Respirator Requirements:

None required under normal handling conditions.

Ventilation Requirements: General

9. PHYSICAL AND CHEMICAL PROPERTIES

Pure Material or Mixture:

Mixture

Physical Form:

Viscous liquid

Appearance / Physical Description:

Colored viscous liquid; slight odor

:Ha

7.5 - 8.5

Boiling Point:

> 212°F

Melting / Freezing Point:

< 32°F

Odor Threshold:

Not Applicable

Solubility in Water:

Miscible

Partition Coefficient (n-octanol/water):

Not Applicable

Specific Gravity (Water = 1):

0.9 - 1.27.5 - 10.0 lb / gal

Bulk Density:

Volatiles:

>50% / wt

Vapor Pressure:

17.5 mm Hg @ 20°C (68°F)

Evaporation Rate (Water = 1):

0.62

Vapor Density (Air = 1):

Volatile Organic Compounds:

211 g/I Unknown

Autoignition Temperature: Flash Point:

Not Applicable

Oxidizing Properties:

Not Applicable

10. STABILITY AND REACTIVITY

Stability:

Stable

Incompatibilities:

Materials that react with water

NFPA Reactivity Hazard Class:

0 = Insignificant

Hazardous Decomposition Products:

Carbon monoxide, carbon dioxide

Hazardous Polymerization:

Will not occur

11. TOXICOLOGICAL INFORMATION

Acute (Short-Term) Effects of Exposure

Route of Entry

Acute Effects - Eye:

Slight, transient

Acute Effects - Skin Contact:

No hazard in normal industrial use No hazard in normal industrial use

Acute Effects - Inhalation: Acute Effects - Ingestion:

No hazard in normal industrial use

Chronic (Long-Term) Effects of Exposure

Effect of Chronic

This product should be considered non - hazardous and has no

Exposure:

known chronic effects. Not applicable

Target Organs: Carcinogenicity:

None

12. ECOLOGICAL INFORMATION

No Applicable Data

13. DISPOSAL CONSIDERATIONS

Waste Disposal

Methods:

Waste disposal should be in accordance with existing Federal, State, and Local environmental regulations.

Empty Container Warnings:

Empty containers may contain product residue; follow SDS and label

warnings even after they have been emptied.

14. TRANSPORT INFORMATION

U.S. Department of Transportation Information

DOT Shipping Name:

Paints or Stains 149980 Sub. 2

DOT Hazard Class:

Non-hazardous

DOT Reportable Quantity: None

United Nations Information

U.N. Number:

None

U.N. Class:

None

15. REGULATORY INFORMATION

TSCA: All components are on the TSCA Inventory

FDA: 21CFR175.105

SARA/Title III: This product contains no substances at or above the reported threshold under

Section 313, based on available data.

OSHA

SARA

ppm

SDS

STEL

Products bearing the Nontoxic Product Seal are certified in a program of toxicological evaluation by a nationally recognized toxicologist to contain no materials in sufficient quantities to be toxic or injurious to humans or to cause acute or chronic health problems. These products are certified to be labeled in accordance with the voluntary chronic hazard labeling standard ASTM D-4236. In addition, there is no physical hazard as defined within 29 CFR Part 1910.1200(c).

16. OTHER INFORMATION

Table of Abbreviations ACGIH American Conference of Governmental Industrial Hygienists ANSI American National Standards Institute **ASTM** American Society for Testing Materials °C **Degrees Centigrade** CAS Chemical Abstract Service CERCLA Comprehensive Environmental Response, Compensation and Liability Act Code of Federal Regulations **CFR CPR** Controlled Products Regulations DOT Department of Transportation **EPA Environmental Protection Agency** ٥F Degrees Fahrenheit **FDA** Food & Drug Administration g/I Grams per liter DOT **Department of Transportation EPA Environmental Protection Agency** ۰F Degrees Fahrenheit **FDA** Food & Drug Administration Grams per liter g/I Mercury Hg **HMIS** Hazardous Materials Identification System **IARC** International Agency for Research on Cancer LD Lethal Dose mg/kg Milligram per kilogram Millimeter mm Mine Safety and Health Administration **MSHA** N/A Not Applicable **NFPA National Fire Protection Association** NIOSH National Institute for Occupational Safety and Health NTP National Toxicology Program

Occupational Safety and Health Administration

Superfund Amendment and Reauthorization Act

Parts per million

Safety Data Sheet

Short-Term Exposure Limit

16. OTHER INFORMATION (Continued)

	Table of Abbreviations (Continued)	-
TSCA	Toxic Substances Control Act	
TWA	Time - Weighted Average	
U.N.	United Nations	
WHMIS	Workplace Hazardous Materials Information System	ı
>	Greater Than	
<	Less Than	

Creation Date: 01/00
Revision Date: 01/21/13
Technical Contact: Frank Peters
Research & Development Manager
iLoveToCreate
A Duncan Enterprises Company
5673 East Shields Avenue
Fresno, CA 93727
559-291-4444
559-291-9444 (Fax)

Disclaimer

The information given and the recommendations made herein apply to our product(s) alone and not combined with any other product(s). Such are based on our research and on data from other reliable sources and are believed to be accurate. No guarantee of accuracy is made. It is the purchaser's responsibility before using any product to verify this data under their own operating conditions and to determine whether the product is suitable for their purposes.