

# SAFETY DATA SHEET



1. Product and Company Identification

**Product identifier** 

Sani-Cloth Plus Germicidal Disposable Cloth

SDS0002-00

Other means of identification

Recommended use

Manufacturer

Recommended restrictions

Not available

Disinfectant

For Professional and Hospital Use Not for use on skin Not a baby wipe.

Professional Disposables International, Inc.

Two Nice-Pak Park, Orangeburg, NY 10962-1376

or Distributed By:

Professional Disposables International, LTD

Vaughan, Ontario L4L 4K9 Canada

Phone: (USA) 1-845-365-1700 (M-F 9am - 5pm)

Phone: (CANADA) 1-800-263-7067 Emergency Phone: 1-800-999-6423 Sani-Cloth Plus Germicidal Disposable Cloth

### 2. Hazards Identification

Physical hazards

Flammable solids

Category 1

**Health hazards** 

Serious eye damage/eye irritation

Category 2B

**Environmental hazards** 

Not determined.

**OSHA** defined hazards

None additional.

Label elements



Signal word

Hazard statement

Flammable solid. Causes eye irritation.

**Precautionary statement** 

Prevention

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Wash thoroughly after

Response

If in eyes: Rinse cautiously with water for 15 - 20 minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

In case of fire: Use appropriate media to extinguish.

Storage

Store away from incompatible materials.

Disposal

Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information

Not applicable.

## 3. Composition/Information on Ingredients

Mixture				
Chemical name	Common name and synonyms	CAS number	%	
Isopropanol		67-63-0	14.85	
Benzyl-C12-18-alkyldimethyl ammonium chlorides		68391-01-5	0.125	
Quaternary ammonium compounds, C12-18-alkyl [(ethylphenyl) methyl] dimethyl, chlorides		68956-79-6	0.125	

### Composition comments

Composition shown on this Safety Data Sheet may contain information additional to that on the product label. This is due to different label requirements in different countries.

#### 4. First Aid Measures

Inhalation

Not a normal route of exposure. If inhaled, remove to fresh air. Get medical attention if symptoms develop.

Eye contact Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. Ingestion Not a likely route of exposure. If ingestion does occur, call a poison control center or doctor for treatment advice. Most important Symptoms may include stinging, tearing, redness, swelling, and blurred vision. symptoms/effects, acute and delayed Indication of immediate Treat patient symptomatically. medical attention and special treatment needed General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Avoid contact with eyes. 5. Fire Fighting Measures Suitable extinguishing media Water. Water Fog. Dry chemical powder. Carbon dioxide (CO2). Unsuitable extinguishing None known. media Specific hazards arising from During fire, gases hazardous to health may be formed. the chemical Special protective equipment Firefighters must use standard protective equipment including flame retardant coat, helmet with and precautions for firefighters face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Structural firefighters protective clothing will only provide limited protection. Fire-fighting In case of fire and/or explosion do not breathe fumes. In the event of fire, cool product with water equipment/instructions spray. Move product from fire area if you can do so without risk. Specific methods Use standard firefighting procedures and consider the hazards of other involved materials. Move products from fire area if you can do so without risk. In the event of fire and/or explosion do not breathe fumes. General fire hazards Flammable solid Hazardous combustion May include and are not limited to: Oxides of nitrogen. Oxides of carbon. Chloride compounds products **Explosion data** Sensitivity to mechanical Not available. impact Sensitivity to static Not available. discharge 6. Accidental Release Measures Personal precautions, Wear appropriate protective equipment and clothing during clean-up. protective equipment and For personal protection, see section 8 of the SDS. emergency procedures Methods and materials for Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Pick up containment and cleaning up and discard towelette. For waste disposal, see section 13 of the SDS. **Environmental precautions** Avoid discharge into drains, water courses or onto the ground. 7. Handling and Storage Precautions for safe handling Do not use or store near heat or open flame. Use according to package label instructions. Use good industrial hygiene practices in handling this material. Wear appropriate personal protective equipment. Wash thoroughly after handling. When using do not eat or drink. Conditions for safe storage, Do not contaminate water, food or feed by storage and disposal. When not in use keep center cap of lid closed to prevent moisture loss. including any incompatibilities Keep out of reach of children. Store away from incompatible materials (see Section 10 of the SDS). 8. Exposure Controls/Personal Protection Occupational exposure limits US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910,1000) Components Type Value Isopropanol (CAS 67-63-0) PEL 980 mg/m3

If irritation develops, get medical attention.

Skin contact

Туре	Value	
	400 ppm	
3		
Туре	Value	
STEL	400 ppm	
TWA	200 ppm	
ical Hazards		
Туре	Value	
	Type  Type  STEL  TWA  sical Hazards	Type Value  STEL 400 ppm  TWA 200 ppm

#### **Biological limit values**

ACGIH Biological Expose	ure Indices
-------------------------	-------------

Components	Value	Determinant	Specimen	Sampling Time
Isopropanol (CAS 67-63	i-0) 40 mg/l	Acetone	Urine	*

<sup>\* -</sup> For sampling details, please see the source document.

**Exposure guidelines** 

Chemicals listed in section 3 that are not listed here do not have established limit values for

500 ppm

980 mg/m3 400 ppm

ACGIH or OSHA PEL.

Appropriate engineering

Ensure adequate ventilation.

TWA

controls

## Individual protection measures, such as personal protective equipment

Eye/face protection

Not needed under normal use conditions.

Follow label directions carefully.

Wear gear as needed.

Skin protection

Hand protection

Not usually needed.

Follow label directions carefully.

Other

Follow label directions carefully.

Respiratory protection

Where exposure guideline levels may be exceeded, use an approved NIOSH respirator.

Thermal hazards

Not available.

General hygiene considerations

Wash hands before breaks and immediately after handling the product. Handle in accordance with good industrial hygiene and safety practice. When using do not smoke. When using do not eat or

drink.

## 9. Physical and Chemical Properties

Appearance	Liquid saturated on wipe
Physical state	Solid.
Form	Pre-moistened towelette.
Color	White
Odor	Mild alcohol.
Odor threshold	Not available.
pH	11 - 12 (liquid)
Melting point/freezing point	Not available.

Initial boiling point and boiling

Not available.

range

Not available.

Pour point Specific gravity

0.97 (liquid) (H2O = 1)

Partition coefficient (n-octanol/water)

Not available.

Flash point

95.0 °F (35.0 °C) Tag Closed Cup (Liquid)

**Evaporation rate** 

Not available.

Flammability (solid, gas)

Flammable solid.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

Flammability limit - upper

Not available.

(%)

Explosive limit - lower (%)

Not available.

Explosive limit - upper (%)

Not available.

Vapor pressure

Not available.

Vapor density

Not available.

Relative density

Not available.

Solubility(ies)

Towel is not soluble in water

Auto-ignition temperature

Not available.

**Decomposition temperature** 

Not available.

**Viscosity** 

Not available.

Other information

Flash point class

Flammable IC

## 10. Stability and Reactivity

Reactivity

Do not mix with incompatible materials.

Possibility of hazardous

Hazardous polymerization does not occur.

reactions

Chemical stability Conditions to avoid Stable under recommended storage conditions.

Contact with incompatible materials. Do not mix with other chemicals. Avoid high temperatures.

Heat, flames and sparks.

Incompatible materials

Do not use on natural marble, windows, unpainted wood or brass, clear plastic or colored grout.

Oxidizing agents. Acids. Anionic surfactants. Soaps. Bleach solutions.

Hazardous decomposition

products

May include and are not limited to: Chloride compounds Hydrogen chloride. Oxides of nitrogen.

Oxides of carbon.

## 11. Toxicological Information

Routes of exposure

Eye, Skin contact, Skin absorption, Inhalation, Ingestion.

Information on likely routes of exposure

Ingestion

Health injuries are not known or expected under normal use.

Inhalation

Health injuries are not known or expected under normal use.

Skin contact Eye contact

Mildly irritating to eyes based on test data.

Non-irritating based on test data.

Symptoms related to the physical, chemical and

toxicological characteristics

Exposed individuals may experience eye tearing, redness, and discomfort.

Information on toxicological effects

Acute toxicity

Product

**Species** 

**Test Results** 

Sani-Cloth Plus Germicidal Disposable Cloth

Acute

Dermal

LD50

Rabbit

> 2000 mg/kg, Based on OPPTS Test data

Inhalation

LC50

Rat

> 2 mg/l/4h, Based on OPPTS Test data

Oral

LD50

Rat

> 5000 mg/kg, Based on OPPTS Test data

Components	Species	Test Results	
Benzyl-C12-18-alkyldimethyl amn	nonium chlorides (CAS 68391-01-5)		
Acute	·		
Dermal			
LD50	Rat	2000 mg/kg	
		1420 mg/kg	
Inhalation			
LC50	Not available		
Oral			
LD50	Mouse	150 mg/kg	
	Rat	240 mg/kg	
Isopropanol (CAS 67-63-0)			
Acute			
Dermal			
LD50	Rabbit	12800 mg/kg	
Inhalation			
LC50	Rat	16970 mg/l/4h	
Oral	_		
LD50	Dog	4797 mg/kg	
	Mouse	3600 mg/kg	
	Rabbit	5030 mg/kg	
	Rat	4396 mg/kg	
Quaternary ammonium compound	s, C12-18-alkyl [(ethylphenyl) methyl] dimethyl, chlorid	es (CAS 68956-79-6)	
Acute	•		
Dermal			
LD50	Not available		
Inhalation			
LC50	Not available		
Oral			
LD50	Rat	250 mg/kg	
Skin corrosion/irritation	Non-irritating based on test data. Toxicity Category IV Skin Irritation Study. Classified based on OPP/GHS Comparison.	V according to the OPPTS 870.2500 Acute Classification Criteria and Labeling	
Exposure minutes	Not available.		
Erythema value	Not available.		
Oedema value	Not available.		
Serious eye damage/eye	Causes eye irritation. Toxicity Category III according	to the OPPTS 870.2500 Acute Eye Irritation	
irritation	Study. Classified based on OPP/GHS Classification (	Criteria and Labeling Comparison.	
Corneal opacity value	Not available.		
iris lesion value	Not available.		
Conjunctival reddening value	Not available.		
Conjunctival oedema value	Not available.		
Recover days	Not available.		
Respiratory or skin sensitization			
Respiratory sensitization	Not available.		
Skin sensitization	Not a skin sensitizer based on test data.		
Germ cell mutagenicity	Non-hazardous by WHMIS/OSHA criteria.		
Mutagenicity	Non-hazardous by WHMIS/OSHA criteria.		
Carcinogenicity	Non-hazardous by WHMIS/OSHA criteria.		
Reproductive toxicity	Non-hazardous by WHMIS/OSHA criteria.		
Teratogenicity	Non-hazardous by WHMIS/OSHA criteria.		
Specific target organ toxicity - single exposure	Not classified.		
O			

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard

Not classified.

**Chronic effects** 

Non-hazardous by WHMIS/OSHA criteria.

**Further information** 

Not available.

Name of Toxicologically Synergistic Products

Not available.

## 12. Ecological Information

**Ecotoxicity** 

Components of this product have been identified as having potential environmental concerns. See

below

Components

**Species** 

**Test Results** 

Isopropanol (CAS 67-63-0)

Algae

IC50

Algae

1000 mg/L, 72 Hours

Crustacea

EC50

Daphnia

13299 mg/L, 48 Hours

Aquatic

Fish

LC50

Bluegill (Lepomis macrochirus)

> 1400 mg/l, 96 hours

Persistence and degradability

No data is available on the degradability of this product.

Bioaccumulative potential Mobility in soil

No data available. No data available.

Assign as required.

Mobility in general

Not available.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

## 13. Disposal Considerations

Disposal instructions

Dispose of contents/container in accordance with local/regional/national/international regulations. Dispose of used towelette in accordance with local regulations for infectious waste disposal. Follow container label directions carefully. Do not reuse towelette. Dispose of used towelette in trash. Do not flush in toilet. Nonrefillable container. Do not resue or refill this container. Triple rinse and offer for recycling. If recycling is not available, put in trash collection.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

Waste from residues / unused

products

Empty containers or liners may retain some product residues. This material and its container must

be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied.

## 14. Transport Information

### U.S. Department of Transportation (DOT) and IMDG

Basic shipping requirements:

**UN** number

Proper shipping name

Solids containing flammable liquid, n.o.s. (Isopropanol)

Hazard class

4.1

Packing group

11

Packaging exceptions <1kg - limited quantity (par. 173.151) Transportation of Dangerous Goods (TDG - Canada)

Basic shipping requirements:

**UN** number

UN3175


Proper shipping name

SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Isopropanol)

Hazard class

Packing group Packaging exceptions

<1kg limited quantity



## 15. Regulatory Information

Canadian federal regulations

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

Canada NPRI VOCs with Additional Reporting Requirements: Mass reporting threshold/Identification Number

Isopropanol (CAS 67-63-0)

1 TONNES

Canada WHMIS Ingredient Disclosure: Threshold limits

Isopropanol (CAS 67-63-0)

1 %

WHMIS classification

Exempt - Registered product - (DIN 02242608)

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910,1200.

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.

PRECAUTIONARY STATEMENTS:

Hazards to humans and Domestic animals.

CAUTION: Causes moderate eye irritation. Avoid contact with eyes and clothing. Wash thoroughly with soap and water after handling and before eating and drinking, chewing gum, using tobacco or using toilet.

EPA Reg. # 9480-6

US EPCRA (SARA Title III) Section 313 - Toxic Chemical: De minimis concentration

Isopropanol (CAS 67-63-0)

1.0 %

US EPCRA (SARA Title III) Section 313 - Toxic Chemical: Listed substance

Isopropanol (CAS 67-63-0)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Isopropanol (CAS 67-63-0)

Listed

US CAA Section 111 Volatile Organic Compounds: Listed substance

Isopropanol (CAS 67-63-0)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

**Hazard categories** 

Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No

**SARA 302 Extremely** 

hazardous substance

No

SARA 311/312 Hazardous

No

chemical

#### SARA 313 (TRI reporting)

Chemical name **CAS** number % by wt. Isopropanol 67-63-0 14.85

Other federal regulations

Safe Drinking Water Act

Not regulated.

(SDWA)

Food and Drug

Not regulated.

Administration (FDA) US state regulations

This product is not subject to warning labeling under the California Proposition 65 regulation.

US - California Hazardous Substances (Director's): Listed substance

Isopropanol (CAS 67-63-0)

Listed

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

Not listed

US - Illinois Chemical Safety Act: Listed substance

Isopropanol (CAS 67-63-0)

Listed.

US - Louisiana Spill Reporting: Listed substance

Isopropanol (CAS 67-63-0)

Listed.

US - Minnesota Haz Subs: Listed substance

Isopropanol (CAS 67-63-0)

Listed.

US - New Jersey RTK - Substances: Listed substance

Isopropanol (CAS 67-63-0)

Listed.

US - Texas Effects Screening Levels: Listed substance

Benzyl-C12-18-alkyldimethyl ammonium chlorides (CAS 68391-01-5)

Listed.

Isopropanol (CAS 67-63-0) US. Massachusetts RTK - Substance List Listed.

Isopropanol (CAS 67-63-0)

Listed.

US. Pennsylvania RTK - Hazardous Substances

Isopropanol (CAS 67-63-0)

Listed.

**US. Rhode Island RTK** Isopropanol (CAS 67-63-0)

Listed.

#### Inventory status

Country(s) or region

Inventory name

On inventory (yes/no)\*

Canada

Domestic Substances List (DSL)

Yes

Canada United States & Puerto Rico Non-Domestic Substances List (NDSL)

Toxic Substances Control Act (TSCA) Inventory


No Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

#### 16. Other Information

LEGEN	ND
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0

HEALTH FLAMMABILITY PERSONAL PROTECTION



Disclaimer

The information in the sheet was written based on the best knowledge and experience currently available. Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

Issue date Effective date **Expiry date** 

12-June-2015 12-June-2015

12-June-2018

#### **Further information**

For any questions surrounding this SDS, please contact the supplier/manufacturer listed on the first page of the document.

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Not for use on skin. Not a baby wipe. For use on hard surfaces only.

Do not use on natural marble, windows, unpainted wood, brass, clear plastic or coloured grout.

Revision 1. Added "and IMDG" to section 14 (ARegalado) Bulk Liquid # 4BQ89001.

## Prepared by Other information

Professional Disposables International,Inc Phone: 1-845-365-1700

This Safety Data Sheet was prepared to comply with the current OSHA Hazard Communication Standard (HCS) adoption of the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

This SDS conforms to the ANSI Z400.1/Z129.1-2010 Standard.