GOJO® SUPRO MAX™ Hand Cleaner



Version 2.0

Revision Date: 03/22/2016

SDS Number: 66483-00006

Date of last issue: 05/29/2015 Date of first issue: 02/26/2015

SECTION 1. IDENTIFICATION

Gojo SUPRO MAX Hand Cleaver

Product name

GOJO® SUPRO MAX™ Hand Cleaner

Manufacturer or supplier's details

Company name of supplier

GOJO Industries, Inc.

Address

One GOJO Plaza, Suite 500

Akron OH 44311

Telephone

1 (330) 255-6000

Emergency telephone

1-800-424-9300 CHEMTREC

Recommended use of the chemical and restrictions on use

Recommended use

Skin-care

Restrictions on use

This is a personal care or cosmetic product that is safe for consumers and other users under normal and reasonably foreseeable use. Cosmetics and consumer products, specifically defined by regulations around the world, are exempt from the requirement of an SDS for the consumer. While this material is not considered hazardous, this SDS contains valuable information critical to the safe handling and proper use of the product for industrial workplace conditions as well as unusual and unintended exposures such as large spills. This SDS should be retained and available for employees and other users of this product. For specific intended-use guidance, please refer to the information provided on the package or instruction sheet.

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Serious eye damage

Category 1

GHS label elements

Hazard pictograms

Signal Word

Danger

Hazard Statements

H318 Causes serious eye damage.

Precautionary Statements

Prevention:

P280 Wear eye protection/ face protection.

GOJO® SUPRO MAX™ Hand Cleaner



Version 2.0

Revision Date: 03/22/2016

SDS Number: 66483-00006

Date of last issue: 05/29/2015 Date of first issue: 02/26/2015

Response:

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON

CENTER/doctor.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

Mixture

Hazardous ingredients

Chemical name	CAS-No.	Concentration (% w/w)
Distillates (petroleum), hydrotreated light	64742-47-8	>= 10 - < 20
Alcohols, C10-16, ethoxylated, sulfates, sodium salts	68585-34-2	>= 5 - < 10
Cocoamidopropyl betaine	61789-40-0	>= 1 - < 5
Titanium dioxide	13463-67-7	>=1 -<5

SECTION 4. FIRST AID MEASURES

General advice

In the case of accident or if you feel unwell, seek medical

advice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled

If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

In case of skin contact

Wash with water and soap as a precaution. Get medical attention if symptoms occur.

In case of eye contact

In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Get medical attention immediately.

If swallowed

: If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur.

Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and

delayed

Causes serious eye damage.

Protection of first-aiders

First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment

when the potential for exposure exists.

Notes to physician

Treat symptomatically and supportively.

GOJO® SUPRO MAX™ Hand Cleaner



Version 2.0

Revision Date: 03/22/2016

SDS Number: 66483-00006

Date of last issue: 05/29/2015 Date of first issue: 02/26/2015

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire

fighting

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod-

ucts

Carbon oxides Sulfur oxides Metal oxides

Nitrogen oxides (NOx) Chlorine compounds

Specific extinguishing

methods

Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.
Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment:

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

: Use personal protective equipment.

Follow safe handling advice and personal protective

equipment recommendations.

Environmental precautions

Discharge into the environment must be avoided.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material.

For large spills, provide diking or other appropriate

containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate

container.

Clean up remaining materials from spill with suitable

absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items

GOJO® SUPRO MAX™ Hand Cleaner



Version 2.0

Revision Date: 03/22/2016

SDS Number: 66483-00006

Date of last issue: 05/29/2015 Date of first issue: 02/26/2015

employed in the cleanup of releases. You will need to

determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures

: See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation

Use only with adequate ventilation.

Advice on safe handling

Avoid inhalation of vapor or mist.

Do not swallow. Do not get in eyes.

Avoid prolonged or repeated contact with skin.

Handle in accordance with good industrial hygiene and safety

practice.

Keep container tightly closed.

Take care to prevent spills, waste and minimize release to the

environment.

Conditions for safe storage

Keep in properly labeled containers.

Keep tightly closed.

Store in accordance with the particular national regulations.

Materials to avoid

Do not store with the following product types:

Strong oxidizing agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Ingredients	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Distillates (petroleum), hydrotreated light	64742-47-8	TWA (Mist)	5 mg/m³	OSHA Z-1
		TWA (Mist)	5 mg/m³	NIOSH REL
		ST (Mist)	10 mg/m ³	NIOSH REL
Titanium dioxide	13463-67-7	TWA (total dust)	15 mg/m³	OSHA Z-1
		TWA	10 mg/m³ (Titanium dioxide)	ACGIH

Hazardous components without workplace control parameters

Ingredients	CAS-No.
Alcohols, C10-16, ethoxylated,	68585-34-2
sulfates, sodium salts	
Cocoamidopropyl betaine	61789-40-0

Engineering measures

Ensure adequate ventilation, especially in confined areas.

Minimize workplace exposure concentrations.

GOJO® SUPRO MAX™ Hand Cleaner



Version 2.0

Revision Date: 03/22/2016

SDS Number: 66483-00006

Date of last issue: 05/29/2015 Date of first issue: 02/26/2015

Dust formation may be relevant in the processing of this product. In addition to substance-specific OELs, general limitations of concentrations of particulates in the air at workplaces have to be considered in workplace risk assessment. Relevant limits include: OSHA PEL for Particulates Not Otherwise Regulated of 15 mg/m3 - total dust, 5 mg/m3 - respirable fraction; and ACGIH TWA for Particles (insoluble or poorly soluble) Not Otherwise Specified of 3 mg/m3 - respirable particles, 10 mg/m3 - inhalable particles.

Personal protective equipment

Respiratory protection

General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

Hand protection Material

Chemical-resistant gloves

Remarks

Choose gloves to protect hands against chemicals depending on the concentration specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Eye protection

Wear the following personal protective equipment: Chemical resistant goggles must be worn. If splashes are likely to occur, wear:

Face-shield

Skin and body protection

Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.

Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).

Hygiene measures

Ensure that eye flushing systems and safety showers are located close to the working place.
When using do not eat, drink or smoke.
Wash contaminated clothing before re-use.

GOJO® SUPRO MAX™ Hand Cleaner



Version 2.0

Revision Date: 03/22/2016

SDS Number: 66483-00006

Date of last issue: 05/29/2015 Date of first issue: 02/26/2015

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

liquid

Color

tan, opaque

Odor

pleasant

Odor Threshold

No data available

рΗ

4.5 - 8.0

Melting point/freezing point

No data available

Solidification / Setting point

13.7 °C

Initial boiling point and boiling

97 °C

range

Flash point

> 100 °C

Evaporation rate

No data available

Flammability (solid, gas)

Not applicable

Upper explosion limit

No data available

Lower explosion limit

No data available

Vapor pressure

No data available

Relative vapor density

No data available

Density

1.00 g/cm³

Solubility(ies)

Water solubility

soluble

Partition coefficient: n-

octanol/water

Not applicable

Autoignition temperature

No data available

Decomposition temperature

The substance or mixture is not classified self-reactive.

Viscosity

Viscosity, kinematic

12000 - 40000 mm²/s (20 °C)

Explosive properties

: Not explosive

Oxidizing properties

The substance or mixture is not classified as oxidizing.

SECTION 10. STABILITY AND REACTIVITY

GOJO® SUPRO MAX™ Hand Cleaner



Version 2.0

Revision Date: 03/22/2016

SDS Number: 66483-00006

Date of last issue: 05/29/2015 Date of first issue: 02/26/2015

Reactivity

: Not classified as a reactivity hazard.

Chemical stability

Stable under normal conditions.

Possibility of hazardous reac-

tions

Can react with strong oxidizing agents.

Conditions to avoid

None known.

Incompatible materials

Oxidizing agents

Hazardous decomposition

products

No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity

Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

Ingredients:

Distillates (petroleum), hydrotreated light:

Acute oral toxicity

: LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity

LC50 (Rat): > 5.3 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute

inhalation toxicity

Remarks: Based on data from similar materials

Acute dermal toxicity

LD50 (Rabbit): > 3,160 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

Alcohols, C10-16, ethoxylated, sulfates, sodium salts:

Acute oral toxicity

LD50 (Rat): > 2,000 mg/kg

Assessment: The substance or mixture has no acute oral

toxicity

Cocoamidopropyl betaine:

Acute oral toxicity

LD50 (Rat): 2,335 mg/kg

Method: OECD Test Guideline 401

GOJO® SUPRO MAX™ Hand Cleaner



Version 2.0

Revision Date: 03/22/2016

SDS Number: 66483-00006

Date of last issue: 05/29/2015 Date of first issue: 02/26/2015

...

Remarks: Based on data from similar materials

Titanium dioxide:

Acute oral toxicity

LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity

LC50 (Rat): > 6.82 mg/l Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute

inhalation toxicity

Skin corrosion/irritation

Not classified based on available information.

Product:

Result: No skin irritation

Ingredients:

Distillates (petroleum), hydrotreated light:

Assessment: Repeated exposure may cause skin dryness or cracking.

Alcohols, C10-16, ethoxylated, sulfates, sodium salts:

Result: Skin irritation

Cocoamidopropyl betaine:

Species: Rabbit

Method: OECD Test Guideline 404

Result: No skin irritation

Titanium dioxide:

Species: Rabbit

Result: No skin irritation

Serious eye damage/eye irritation

Causes serious eye damage.

Ingredients:

Distillates (petroleum), hydrotreated light:

Species: Rabbit

Result: No eye irritation

Alcohols, C10-16, ethoxylated, sulfates, sodium salts:

Result: Irreversible effects on the eye

Cocoamidopropyl betaine:

Species: Rabbit

Result: Irreversible effects on the eye

GOJO® SUPRO MAX™ Hand Cleaner



Version 2.0

Revision Date: 03/22/2016

SDS Number: 66483-00006

Date of last issue: 05/29/2015 Date of first issue: 02/26/2015

Method: OECD Test Guideline 405

Titanium dioxide:

Species: Rabbit

Result: No eye irritation

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Product:

Assessment: Does not cause skin sensitization.

Ingredients:

Distillates (petroleum), hydrotreated light:

Test Type: Maximization Test Routes of exposure: Skin contact

Species: Guinea pig Result: negative

Remarks: Based on data from similar materials

Cocoamidopropyl betaine:

Test Type: Maximization Test Routes of exposure: Skin contact

Species: Guinea pig

Method: OECD Test Guideline 406

Result: negative

Remarks: Based on data from similar materials

Titanium dioxide:

Test Type: Local lymph node assay (LLNA)

Routes of exposure: Skin contact

Species: Mouse Result: negative

Germ cell mutagenicity

Not classified based on available information.

Ingredients:

Distillates (petroleum), hydrotreated light:

Genotoxicity in vitro :

Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Genotoxicity in vivo

Test Type: Chromosomal aberration

Species: Rat

Application Route: Intraperitoneal injection

GOJO® SUPRO MAX™ Hand Cleaner



Version 2.0

Revision Date: 03/22/2016

SDS Number: 66483-00006

Date of last issue: 05/29/2015 Date of first issue: 02/26/2015

Result: negative

Remarks: Based on data from similar materials

Cocoamidopropyl betaine:

Genotoxicity in vitro

Test Type: Bacterial reverse mutation assay (AMES) Method: Directive 67/548/EEC, Annex V, B.13/14.

Result: negative

Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

Genotoxicity in vivo

Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Intraperitoneal injection

Result: negative

Remarks: Based on data from similar materials

Titanium dioxide:

Genotoxicity in vitro

Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Genotoxicity in vivo

Test Type: In vivo micronucleus test

Species: Mouse Result: negative

Carcinogenicity

Not classified based on available information.

Ingredients:

Titanium dioxide:

Species: Rat

Application Route: inhalation (dust/mist/fume)

Exposure time: 24 Months

Method: OECD Test Guideline 453

Result: positive

Remarks: The mechanism or mode of action may not be relevant in humans.

The substance is inextricably bound in the product and therefore does not contribute to a dust

inhalation hazard.

Carcinogenicity - Assess-

ment

: Limited evidence of carcinogenicity in inhalation studies with

animals.

IARC

Group 2B: Possibly carcinogenic to humans

Titanium dioxide

13463-67-7

OSHA

No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by OSHA.

GOJO® SUPRO MAX™ Hand Cleaner



Version 2.0

Revision Date:

03/22/2016

SDS Number: 66483-00006

Date of last issue: 05/29/2015

Date of first issue: 02/26/2015

NTP

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

Reproductive toxicity

Not classified based on available information.

Ingredients:

Distillates (petroleum), hydrotreated light:

Effects on fertility

Test Type: One-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials

Effects on fetal development

Test Type: Embryo-fetal development

Species: Rat

Application Route: Ingestion

Result: negative

Cocoamidopropyl betaine:

Effects on fetal development

Test Type: Embryo-fetal development

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 414

Result: negative

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Repeated dose toxicity

Ingredients:

Distillates (petroleum), hydrotreated light:

Species: Rat

NOAEL: > 10.4 mg/l

Application Route: inhalation (vapor)

Exposure time: 90 Days

Remarks: Based on data from similar materials

Cocoamidopropyl betaine:

Species: Rat

NOAEL: 300 mg/kg

Application Route: Ingestion Exposure time: 90 Days

Method: OECD Test Guideline 408

GOJO® SUPRO MAX™ Hand Cleaner



Version 2.0

Revision Date: 03/22/2016

SDS Number: 66483-00006

Date of last issue: 05/29/2015 Date of first issue: 02/26/2015

Titanium dioxide:

Species: Rat

NOAEL: 24,000 mg/kg Application Route: Ingestion Exposure time: 28 Days

Species: Rat NOAEL: 10 mg/m³

Application Route: inhalation (dust/mist/fume)

Exposure time: 2 y

Remarks: The substance is inextricably bound in the product and therefore does not contribute

to a dust inhalation hazard.

Aspiration toxicity

Not classified based on available information.

Product:

No aspiration toxicity classification

Ingredients:

Distillates (petroleum), hydrotreated light:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Ingredients:

Distillates (petroleum), hydrotreated light:

Toxicity to fish

: LL50 (Danio rerio (zebra fish)): > 250 mg/l

Exposure time: 96 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EL50 (Acartia tonsa): > 3,193 mg/l

Exposure time: 48 h

Test substance: Water Accommodated Fraction

Toxicity to algae

EL50 (Skeletonema costatum (marine diatom)): > 3,200 mg/l

Exposure time: 72 h

Test substance: Water Accommodated Fraction

NOELR (Skeletonema costatum (marine diatom)): 993 mg/l

Exposure time: 72 h

Test substance: Water Accommodated Fraction

Toxicity to daphnia and other :

aquatic invertebrates

Chronic toxicity)

NOELR (Ceriodaphnia dubia (water flea)): > 70 mg/l

Exposure time: 8 d

Test substance: Water Accommodated Fraction

GOJO® SUPRO MAX™ Hand Cleaner



Version 2.0

Revision Date: 03/22/2016

SDS Number: 66483-00006

Date of last issue: 05/29/2015 Date of first issue: 02/26/2015

Toxicity to bacteria

EC50: > 100 mg/l Exposure time: 3 h

Alcohols, C10-16, ethoxylated, sulfates, sodium salts:

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l

Exposure time: 48 h

Cocoamidopropyl betaine:

Toxicity to fish

LC50 (Pimephales promelas (fathead minnow)): 1.1 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 6.5 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae

EC50 (Desmodesmus subspicatus (Scenedesmus

subspicatus)): 14.7 mg/l Exposure time: 72 h

Method: OECD Test Guideline 201

EC10 (Desmodesmus subspicatus (Scenedesmus

subspicatus)): 2.1 mg/l Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to fish (Chronic

toxicity)

NOEC (Oncorhynchus mykiss (rainbow trout)): 0.135 mg/l

Exposure time: 37 d

Method: OECD Test Guideline 210

Toxicity to daphnia and other :

aquatic invertebrates

(Chronic toxicity)

NOEC (Daphnia magna (Water flea)): 0.932 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

Toxicity to bacteria

EC0 (Pseudomonas putida): 3,000 mg/l

Exposure time: 16 h

Remarks: Based on data from similar materials

Titanium dioxide:

Toxicity to fish

LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Toxicity to algae

: EC50 (Skeletonema costatum (marine diatom)): > 10,000 mg/l

Exposure time: 72 h

Toxicity to bacteria

EC50: > 1,000 mg/l

Exposure time: 3 h

GOJO® SUPRO MAX™ Hand Cleaner



Version 2.0

Revision Date: 03/22/2016

SDS Number: 66483-00006

Date of last issue: 05/29/2015 Date of first issue: 02/26/2015

Method: OECD Test Guideline 209

Persistence and degradability

Ingredients:

Distillates (petroleum), hydrotreated light:

Biodegradability

Result: Readily biodegradable.

Biodegradation: '82 % Exposure time: 24 d

Method: OECD Test Guideline 301F

Alcohols, C10-16, ethoxylated, sulfates, sodium salts:

Biodegradability

Result: Readily biodegradable.

Cocoamidopropyl betaine:

Biodegradability

Result: Readily biodegradable.

Biodegradation: 91.6 % Exposure time: 28 d

Method: OECD Test Guideline 301B

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues

Dispose of in accordance with local regulations.

Contaminated packaging

Empty containers should be taken to an approved waste

handling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulation

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good





Version 2.0

Revision Date:

03/22/2016

SDS Number: 66483-00006

Date of last issue: 05/29/2015 Date of first issue: 02/26/2015

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards

: Acute Health Hazard

SARA 302

: No chemicals in this material are subject to the reporting

requirements of SARA Title III, Section 302.

SARA 313

This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations

Pennsylvania Right To Know

Water 7732-18-5
Distillates (petroleum), hydrotreated light 64742-47-8
Walnut seed extract 84012-43-1
Alcohols, C10-16, ethoxylated, sulfates, 68585-34-2

sodium salts
Castor oil, sulfated 8002-33-3
Titanium dioxide 13463-67-7
2-Phenoxyethanol 122-99-6

California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other

reproductive defects.

California List of Hazardous Substances

Distillates (petroleum), hydrotreated light 64742-47-8

California Permissible Exposure Limits for Chemical Contaminants

Distillates (petroleum), hydrotreated light 64742-47-8 Titanium dioxide 13463-67-7

GOJO® SUPRO MAX™ Hand Cleaner



Version 2.0

Revision Date: 03/22/2016


SDS Number: 66483-00006

Date of last issue: 05/29/2015 Date of first issue: 02/26/2015

SECTION 16. OTHER INFORMATION

Further information

NFPA:



Special hazard.

HMIS III:

HEA	LTH		3
			1
PHY	STOPALERANZ	ARD	0

0 = not significant, 1 = Slight, 2 = Moderate, 3 = High 4 = Extreme, * = Chronic

Full text of other abbreviations

ACGIH

NIOSH REL

OSHA Z-1

USA. ACGIH Threshold Limit Values (TLV)
USA. NIOSH Recommended Exposure Limits

: USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim-

its for Air Contaminants

ACGIH / TWA

NIOSH REL / TWA

: 8-hour, time-weighted average

Time-weighted average concentration for up to a 10-hour

workday during a 40-hour workweek

NIOSH REL / ST

: STEL - 15-minute TWA exposure that should not be exceeded

at any time during a workday

OSHA Z-1 / TWA

: 8-hour time weighted average

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR -No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development;

GOJO® SUPRO MAX™ Hand Cleaner



Version 2.0

Revision Date: 03/22/2016

SDS Number: 66483-00006

Date of last issue: 05/29/2015 Date of first issue: 02/26/2015

OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety Data Sheet

 Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/

Revision Date

: 03/22/2016

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8