

Safety Data Sheet Spartan Chemical Company, Inc.

Revision Date: 14-Aug-2015

Product Identifier

Product Name:

STERIPHENE II BRAND DISINFECTANT DEODORANT SPRING

BREEZE FRAGRANCE

Product Number:

Recommended Use:

Uses Advised Against:

Disinfectant

For Industrial and Institutional Use Only

Steriphene 2

Brand Disinfectant

Manufacturer/Supplier:

Spartan Chemical Company, Inc.

1110 Spartan Drive Maumee, Ohio 43537 USA

800-537-8990 (Business hours) www.spartanchemical.com

Deodorant, Sparton

24 Hour Emergency Phone Numbers:

Medical Emergency/Information: 888-314-6171

Transportation/Spill/Leak:

CHEMTREC 800-424-9300

GHS Classification

Flammable Aerosofs Gases Under Pressure

Category 1 Liquefied gas

GHS Label Elements

Signal Word:

Symbols:

Danger



Hazard Statements:

Extremely flammable aerosol.

Contains gas under pressure; may explode if heated

Precautionary Statements:

Prevention:

Keep away from heat/sparks/open flames/hot surfaces. -- No smoking

Do not spray on an open flame or other ignition source

Pressurized container: Do not pierce or burn, even after use

Intentional misuse by deliberately concentrating and inhaling contents may be harmful or

fatal.

Response:

-Specific Treatment:

See Safety Data Sheet Section 4: "FIRST AID MEASURES" for additional information.

Storage:

Protect from sunlight. Do not expose to temperatures exceeding 122°F (50°C) Store in a

well-ventilated place

Disposal:

Not Applicable

Hazards Not Otherwise Classified: Not Applicable

Other Information:

- · May be harmful if swallowed.
- · May cause eye irritation.
- May cause skin irritation.
- · Inhalation of vapors or mist may cause respiratory irritation.
- · Keep out of reach of children.

0.00384% of the mixture consists of ingredient(s) of unknown toxicity.

ESTREBULION/INFORMATION/GRUPEOSINES

Chemical Name	CAS No	Weight-%
ethanol	64-17-5	40-70
water	7732-18-5	10-30
propane .	74-98-6	7-13
N-butane	106-97-8	5-10
a-benzyl-p-chlorophenol	120-32-1	<0.1
o-phenylphenol	90-43-7	<0.1

Specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

A FIRST AID MEASURES TO BE

-Eye Contact:

Rinse cautiously with water for several minutes. Remove contact lenses, if present and

Revision Date: 14-Aug-2015

-Skin Contact:

easy to do. Continue rinsing. If eye irritation persists: Get medical attention. Wash with soap and water. If skin irritation occurs: Get medical attention.

-Inhalation:

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a

poison control center or physician if you feel unwell.

-Ingestion:

Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious

person. Get medical attention if you feel unwell.

Note to Physicians:

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric

'lavage.

Suitable Extinguishing Media:

Specific Hazards Arising from the

Chemical:

Hazardous Combustion Products:

Water spray (fog), Foam

Extremely flammable aerosol. Exposure to high temperature may cause containers to burst.

Bursting aerosol containers may be propelled from fire at high speed.

May include Carbon monoxide Carbon dioxide and other toxic gases or vapors.

Protective Equipment and Precautions for Firefighters:

Water may be used to cool closed containers to prevent pressure build-up and possible

auto ignition or explosion when exposed to extreme heat.

S AGGIDENHAVERELEASEMBASURES

Personal Precautions: Environmental Precautions: Methods for Clean-Up: Use personal protective equipment as required. Remove all sources of ignition. Do not rinse spill onto the ground, into storm sewers or bodies of water.

Prevent further leakage or spillage if safe to do so. Contain and collect spillage with

non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

CARLANTOTE INTERVALLARY STATES IN PARTY

Advice on Safe Handling:

Handle in accordance with good industrial hygiene and safety practice. Intentional misuse by deliberately concentrating and inhaling contents may be harmful or fatal. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Wash thoroughly after handling.

Storage Conditions:

NFPA 30B Level 2 Aerosol. Do not store in direct sunlight or above 122 F° / 50 C°.

Exposure to high temperature may cause containers to burst. Keep out of the reach of

Revision Date: 14-Aug-2015

children.

ENERGY OF THE PROPERTY OF THE

Occupational Exposure Limits: None established

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH
ethanol 64-17-5	STEL: 1000 ppm	TWA: 1000 ppm TWA: 1900 mg/m³ (vacated) TWA: 1000 ppm (vacated) TWA: 1900 mg/m³	IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m³
propane 74-98-6	TWA: 1000 ppm	TWA: 1000 ppm TWA: 1800 mg/m³ (vacated) TWA: 1000 ppm (vacated) TWA: 1800 mg/m³	IDLH: 2100 ppm TWA: 1000 ppm TWA: 1800 mg/m³
N-butane 106-97-8	TWA: 1000 ppm	(vacated) TWA: 800 ppm (vacated) TWA: 1900 mg/m³	TWA: 800 ppm TWA: 1900 mg/m ³

Engineering Controls:

Provide good general ventilation.

If work practices generate dust, fumes, gas, vapors or mists which expose workers to chemicals above the occupational exposure limits, local exhaust ventilation or other

engineering controls should be considered.

Personal Protective Equipment

Eye/Face Protection:

Wear splash goggles.

Skin and Body Protection: Respiratory Protection:

Wear rubber or other chemical-resistant gloves.

Not required with expected use.

If occupational exposure limits are exceeded or respiratory irritation occurs, use of a NIOSH/MSHA approved respirator suitable for the use-conditions and chemicals in Section

3 should be considered.

General Hygiene Considerations:

Wash hands and any exposed skin thoroughly after handling.

See 29 CFR 1910.132-138 for further guidance.

HEEMSTEAL VANDOS EMIOVATA EKO ESERTES EM S

Appearance/Physical State:	Aerosol	
Color:	Light yellow	
Odor:	Floral fragrance	
pH:	8.0-9.0	
Melting Point / Freezing Point:	No information available.	
Boiling Point / Bolling Range:	74 °C / 165 °F (Product without propellant)	
Flash Point:	< -18 °C / < 0 °F (Propellant-estimated)	
Evaporation Rate:	1.5 (Butyl acetate = 1)	
Flammability (solid, gas)	No information available.	
Upper Flammability Limit:	No information available.	
Lower Flammability Limit:	No information available.	
Vapor Pressure:	No information available.	
Vapor Density:	No information available.	
Specific Gravity:	0.84 (Product without propellant)	
Solubility(les):	Soluble in water	
Partition Coefficient:	No information available.	
Autoignition Temperature:	No information available.	
Decomposition Temperature:	No information available.	
Viscosity:	No information available.	

Reactivity: Chemical Stability: This material is considered to be non-reactive under normal conditions of use.

Stable under normal conditions.

6075 - STERIPHENE II BRAND DISINFECTANT DEODORANT SPRING BREEZE FRAGRANCE

Possibility of Hazardous Reactions: Not expected to occur with normal handling and storage.

Conditions to Avoid: incompatible Materials: Extremes of temperature and direct sunlight.

Hazardous Decomposition

Strong oxidizing agents. Strong acids.

Products:

May include carbon monoxide, carbon dioxide (CO2) and other toxic gases or vapors.

Revision Date: 14-Aug-2015

Likely Routes of Exposure:

Eyes, Skin, Ingestion, Inhalation.

Symptoms of Exposure: Eve Contact:

Pain and redness.

-Skin Contact:

Drying of the skin.

-inhalation:

Nasal discomfort and coughing. Intentional misuse by deliberately concentrating and

inhaling contents may be harmful or fatal.

Pain, nausea, vomiting and diarrhea. May cause central nervous system depression. May

-Ingestion:

cause drowsiness or dizziness.

Immediate, Delayed, Chronic Effects

Product Information:

Data not available or insufficient for classification.

Target Organ Effects:

Blood. Central nervous system. -Eyes. Liver. Reproductive System. Respiratory System.

-Skin.

Numerical Measures of Toxicity

The following acute toxicity estimates (ATE) are calculated based on the GHS document.

ATEmix (oral):

9273 mg/kg

ATEmix (inhalation-gas):

1576708 mg/l

ATEmix (inhalation-dust/mist):

195.1 mg/l

Component Acute Toxicity Information

Chemical Name	Oral LD50	Dermal LD50	inhalation LC50
ethanol 64-17-5	= 7060 mg/kg (Rat)	Not Available	= 124.7 mg/L (Rat) 4 h
water 7732-18-5	> 90 mL/kg (Rat)	Not Available	Not Available
propane 74-98-6	Not Available	Not Available	= 658 mg/L (Rat) 4 h
N-butane 106-97-8	Not Available	Not Available	= 658 mg/L (Rat) 4 h
o-phenylphenol 90-43-7	= 1049 mg/kg (Rat)	> 2000 mg/kg (Rat)	> 0.949 mg/L (Rat) 1 h

Carcinogenicity: No components present at 0.1% or greater are listed as to being carcinogens by ACGIH, IARC, NTP or OSHA.

PROPERTY OF THE PROPERTY OF TH

Ecotoxicity Toxicity to Crustacea Chemical Name Algae/Aquatic Plants Fish Microorganisms 9268 - 14221: 48 h Daphnia 12.0 - 16.0: 96 h Not Available ethanol Not Available magna mg/L LC50 10800: Oncorhynchus mykiss mL/L 64-17-5 LC50 static 100: 96 h 24 h Daphnia magna mg/L Pimephales promelas mg/L EC50 2: 48 h Daphnia LC50 static 13400 - 15100: 96 h Pimephales promelas magna mg/L EC50 Static mg/L LC50 flow-through 1 - 2.5: 48 h Daphnia magna 0.85: 72 h Desmodesmus 3.4: 96 h Pimephales Not Available o-phenylphenol prometas mg/L LC50 mg/L EC50 Static 90-43-7 subspicatus mg/L EC50 flow-through 2.74: 96 h Lepomis macrochirus mg/L LC50 2,75: 96 h Oncorhynchus mykiss mg/L LC50 5.8: 96 h Poecilia reticulata mg/L LC50 static

6075 - STERIPHENE II BRAND DISINFECTANT DEODORANT SPRING BREEZE FRAGRANCE

Revision Date: 14-Aug-2015

Persistence and Degradability:

Bloaccumulation:

No information available. No information available.

Other Adverse Effects:

No information available.

KANDISE OSVIETO ON SIDERVOI ONS

Disposal of Wastes:

Dispose of in accordance with federal, state and local regulations.

Contaminated Packaging:

Pressurized container: Do not pierce or burn, even after use. Dispose of in accordance with

federal, state and local regulations.

A STATE ANSPORTANTO RIVATION PROPERTY

DOT:

UN/ID No:

UN1950

Proper Shipping Name:

Aerosols

Hazard Class:

2.1

Special Provisions:

This product meets the exception requirements of section 49 CFR 173.306 as a limited

quantity and may be shipped as a limited quantity.

Shipping descriptions may vary based on mode of transport, quantities, package size, and/or origin and destination. Check with a trained hazardous materials transportation

expert for information specific to your situation.

IMDG:

UN/ID No:

UN1950

Proper Shipping Name:

Aerosols

Hazard Class:

2.1

Additional information:

Limited Quantity

MISTRECTURATION WINEORWANION

TSCA Status: (Toxic Substance Control Act Section 8(b) Inventory)

All chemical substances in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

SARA 313

This product does not contain listed substances above the "de minimus" level

SARA 311/312 Hazard Categories

Acute Health Hazard: Chronic Health Hazard: Yes

Chronic Health Haz Fire Hazard: No

Fire Hazaro:

Yes

Sudden release of pressure hazard: Reactive Hazard:

No No

California Proposition 65

This product is not subject to warning requirements under California Proposition 65.

EPA Pesticide Registration Number: 5741-22

EPA Statement:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

EPA Posticide Label:

Warning. Causes substantial but temporary eye injury. Harmful if absorbed through the skin. Do not get in eyes or on clothing. Avoid contact with skin. Wash hands before eating, drinking, chewing gum, using tobacco or using the tollet. Remove contaminated clothing and wash clothing before reuse.

MEST TEST NESS TO VIEW

6075 - STERIPHENE II BRAND DISINFECTANT DEODORANT SPRING BREEZE FRAGRANCE

NFPA Health Hazards: 1

Flammability: 4 Health Hazards: 1

Instability: 0

Special: N/A

Revision Date: 14-Aug-2015

HMIS

Flammability: 3

Physical Hazards: 2

Revision Date: Reasons for Revision: 14-Aug-2015 Section 11

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet