

Crew Tile & Grout Rejuvenator

Version Number: 2

Diversey

Preparation date: 2016-01-21

1. IDENTIFICATION

Product name:

Crew Tile & Grout Rejuvenator

Product Code:

904550 MS0800269

SDS #:

Recommended use:

 Industrial/Institutional · Tile and grout restorer

This product is intended to be used neat.

Uses advised against:

Uses other than those identified are not recommended

Canadian Headquarters

Phone: 1-800-668-7171

Mississauga, Ontario L5L 0B3

Sealed Air - Canada 3755 Laird Road

Manufacturer, importer, supplier:

US Headquarters

Sealed Air 8215 Forest Point Blvd.

Charlotte, NC 28273-5509

Phone: 1-888-352-2249

SDS Internet Address: https://sds.sealedair.com

Emergency telephone number:

1-800-851-7145 (U.S.); 1-651-917-6133 (Int'I)

2. HAZARDS IDENTIFICATION

Classification for the undiluted product

Skin corrosion/irritation

Serious eye damage/eye irritation

Category 2 Category 1



Signal Word:

Danger.

Precautionary Statements

CAUSES SKIN IRRITATION. CAUSES SERIOUS EYE DAMAGE.

Causes burns/ serious damage to mouth, throat and stomach. Avoid contact with eyes, skin and clothing. Keep container tightly closed. Wash affected areas thoroughly after handling. Wear chemical-splash goggles and chemical-resistant gloves. IF SWALLOWED: Rinse mouth. DO NOT induce vomiting unless directed to do so by medical personnel. Drink a cupful of milk or water. IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice or attention. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Immediately call a Poison Center (1-800-851-7145) or physician. Take off contaminated clothing and wash it before reuse. Dispose of in accordance with all federal, state and local applicable regulations. SUPPLEMENTAL INFORMATION:. Mix only with water. DO NOT MIX WITH ACIDS, TOLIET BOWL CLEANER, AMMONIA OR ANY OTHER CHEMICAL. Can react to release hazardous gases.

Health hazards not otherwise classified (HHNOC) - Not applicable Physical hazards not otherwise classified (PHNOC) - Not applicable

Crew Tile & Grout Rejuvenator

1 of 5



Classification for the diluted product @ RTU

This product is intended to be used neat

Precautionary Statements
See undiluted product information above.

3 COMPOSITION/INFORMATION ON INGREDIENTS

Classified Ingredients

Ingredient(s)	CAS#	Weight %
Sodium hypochlorite	7681-52-9	1% - < 3%
Sodium chloride	7647-14-5	1% - < 3%
Sodium hydroxide	1310-73-2	1% - < 3%

^{*}Exact percentages are being withheld as trade secret information

4 FIRST AID MEASURES

Undiluted Product:

Eyes: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes.

Skin: IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention.

Inhalation: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Ingestion: IF SWALLOWED: Rinse mouth. DO NOT induce vomiting unless directed to do so by medical personnel. Drink a cupful of milk or water.

Most Important Symptoms/Effects: No information available.

Immediate medical attention and special treatment needed Not applicable.

Aggravated Medical Conditions: Persons with pre-existing skin disorders may be more susceptible to irritating effects, Individuals with chronic respiratory disorders such as asthma, chronic bronchitis, emphysema, etc., may be more susceptible to irritating effects.

Diluted Product:

This product is intended to be used neat.

Eyes: See undiluted product information above Skin: See undiluted product information above. Inhalation: See undiluted product information above. Ingestion: See undiluted product information above.

5. FIRE FIGHTING MEASURES

Specific methods:

No special methods required

Suitable extinguishing media: Specific hazards:

The product is not flammable. Extinguish fire using agent suitable for surrounding fire.

Thermal decomposition can lead to release of irritating gases and vapors.

Special protective equipment for firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Extinguishing media which must not be used for safety reasons: No information available.

6 ACCIDENTAL RELEASE MEASURES

Personal precautions: Environmental precautions and clean-up methods: Put on appropriate personal protective equipment (see Section 8.).

Clean-up methods - large spillage. Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container. Use a water rinse for final clean-up.

7. HANDLING AND STORAGE

Handling: Avoid contact with skin, eyes and clothing. Do not taste or swallow. Avoid breathing vapors or mists. Use only with adequate ventilation. Wash thoroughly after handling. Remove and wash contaminated clothing before re-use. DO NOT MIX WITH ACIDS, TOILET BOWL CLEANERS, AMMONIA, OR ANY OTHER CHEMICAL. May vigorously react with acids resulting in spattering and excessive heat. Can react to release

hazardous gases. Product residue may remain on/in empty containers. All precautions for handling the product must be used in handling the empty container and residue. FOR COMMERCIAL AND INDUSTRIAL USE ONLY.

Storage: Protect from freezing. Keep tightly closed in a dry, cool and well-ventilated place. KEEP OUT OF REACH OF CHILDREN.

Aerosol Level (if applicable): Not applicable

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines:

. [Ingredient(s)	CAS#	ACGIH	OSHA
ſ	Sodium hypochlorite	7681-52-9		10 <u>- 10 10 10 10 10 10 10 10 10 10 10 10 10 </u>
•	Sodium chloride	7647-14-5	<u>-</u>	
ı	Sodium hydroxide	1310-73-2	2 mg/m³ (Ceiling)	2 mg/m³ (TWA)

Undiluted Product:

Engineering measures to reduce exposure:

No special ventilation requirements General room ventilation is adequate

Personal Protective Equipment

Eye protection:

Chemical-splash goggles.

Hand protection:

Chemical-resistant gloves.

Skin and body protection:

If major exposure is possible, wear suitable protective clothing and footwear.

Respiratory protection:

In case of insufficient ventilation wear suitable respiratory equipment. A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed whenever

workplace conditions warrant a respirator's use.

Hygiene measures:

Handle in accordance with good industrial hygiene and safety practice.

Diluted Product:

This productlis intended to be used neat.

Engineering measures to reduce exposure. No special ventilation requirements General room ventilation is adequate

Personal Protective Equipment

Eye protection:

Chemical-splash goggles

Hand protection Chemical-resistant gloves.

Skin and body protection: Respiratory protection:

If major exposure is possible, wear suitable protective clothing and footwear

In case of insufficient ventilation wear suitable respiratory equipment. A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88-2 requirements must be followed whenever

workplace conditions warrant a respirator's use.

Hygiene measures:

Handle in accordance with good industrial hygiene and safety practice

9 PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid

Evaporation Rate: No information available Odor threshold: No information available.

Melting point/range: Not determined

Autoignition temperature: No information available Solubility in other solvents: No information available

Density: 8.72 lbs/gal 1.046 Kg/L Bulk density: No information available

Dilution pH: 13.1 @ RTU

Flash point: > 200 °F > 93.3 °C
Dilution Flash Point: > 200 °F >

Elemental Phosphorus: 0.00 % by wt. pH: 13.1

Metal Corrosion: Not determined

Explosion limits: - upper: Not determined - lower: Not determined

Solubility: Completely Soluble Relative Density (relative to water): 1.046 Vapor density: No information available

Color: Clear, Light, Yellow

Odor: Chlorine Medicinal Boiling point/range: Not determined

Vapor pressure: No information available.

Decomposition temperature: Not determined

Partition coefficient (n-octanol/water): No information available

Viscosity: No information available

VOC: 0 % *

VOC % by wt. at use dilution 0 % *

Flammability (Solid or Gas): Not applicable

* - Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94508

10. STABILITY AND REACTIVITY

Reactivity:

Not Applicable

Stability:

The product is stable

Possibility of hazardous reactions: Hazardous decomposition products: May vigorously react with acids resulting in spattering and excessive heat. None reasonably foreseeable.

Materials to avoid:

Do not mix with any other product or chemical. Acids. Ammonia

Crew Tile & Grout Rejuvenator

3 of 5

Conditions to avoid:

No information available.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure:

Skin contact, Inhalation, Ingestion, Eye contact

Delayed, immediate, or chronic effects and symptoms from short and long-term exposure

Skin contact: Causes skin irritation. Symptoms may include pain (which may be delayed), redness, and/or discomfort.

Eye contact: Corrosive. Causes serious eye damage. Symptoms may include pain, burning sensation, redness, watering, blurred vision or loss of vision.

Ingestion: Causes burns/ serious damage to mouth, throat and stomach. Symptoms may include stomach pain and nausea.

Inhalation: May cause irritation and corrosive effects to nose, throat and respiratory tract. Symptoms may include coughing and

difficulty breathing.

Sensitization: No known effects. Target Organs (SE): None known Target Organs (RE): None known

Numerical measures of toxicity

ATE - Oral (mg/kg):

>5000

12. ECOLOGICAL INFORMATION

Ecotoxicity: No information available.

Persistence and Degradability: No information available.

Bioaccumulation: No information available.

13. DISPOSAL CONSIDERATIONS

Waste from residues / unused products: The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation

Contaminated Packaging: Do not re-use empty containers.

RCRA Hazard Class (undiluted product): D002 Corrosive Waste

RCRA Hazard Class (diluted product): Not Applicable

14. TRANSPORT INFORMATION

<u>DOT/TDG/IMDG:</u> Proper shipping descriptions can vary by pack size. Please refer to the Diversey HazMat Library, **only available through** Internet Explorer, http://naextranet.diversey.com/dot/, for up to date shipping information.

DOT (Ground) Bill of Lading Description: CLEANING, WASHING, BUFFING, OR POLISHING COMPOUNDS LIQUID

IMDG (Ocean) Bill of Lading Description: CLEANING, WASHING, BUFFING, OR POLISHING COMPOUNDS LIQUID

15, REGULATORY INFORMATION

International Inventories at CAS# Level

All components of this product are listed on the following inventories: U.S.A. (TSCA), Canada (DSL/NDSL).

U.S. Regulations

California Proposition 65: This product is not subject to the reporting requirements under California's Proposition 65.

Crew Tile & Grout Rejuvenator

RIGHT TO KNOW (RTK)

Ingredient(s)	CAS#	MARTK:	NJRTK:	PARTK:	RIRTK:
Water	7732-18-5		-		
Sodium hypochlorite	7681-52-9	X	X	X	Х
Sodium chloride	7647-14-5	_	-	-	
Sodium hydroxide	1310-73-2	X	X	X	Х
Lauryl dimethyl amine oxide	1643-20-5		-	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · ·

CERCLA/ SARA

Ingredient(s)	CAS#	Weight %	CERCLA/SARA RQ (lbs)	Section 302 TPQ (lbs)	Section 313
Sodium hypochlorite	7681-52-9	1% - < 3%	100		
Sodium hydroxide	1310-73-2	1% - < 3%	1000		

SARA 311/312 Hazard Categories

Immediate: Delayed: Fire: Reactivity: Sudden Release of Pressure:

Canadian Regulations

16. OTHER INFORMATION

NFPA (National Fire Protection Association)

Rating Scale: (Low Hazard) 0 - 4 (Extreme Hazard)

Health 3 Flammability 0 Instability 0

Version Number: 2

Preparation date: 2016-01-21

Reason for revision:

Not applicable

Prepared by: NAPRAC

Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.