AIR-KONTROL FILTER MFG CO -- AIR KONTROL FILTER SPRAY -- 6840-00N014418

Product Identification

Product ID: AIR KONTROL FILTER SPRAY

MSDS Date:02/26/1987

FSC:6840

NIIN:00N014418

MSDS Number: BKNHN

=== Responsible Party ===

Company Name: AIR-KONTROL FILTER MFG CO

Address:221 PEARSON ST

Box:597

City: BATESVILLE

State:MS

ZIP:38606

Country:US

Info Phone Num: 601-563-4736

CAGE: AIRKO

=== Contractor Identification ===

Company Name: AIR-KONTROL FILTER MFG CO

Address:221 PEARSON ST

Box:597

City: BATESVILLE

State: MS

ZIP:38606

Country:US

Phone: 601-563-4736

CAGE: AIRKO

AIR-Kontrol Filter Plus Winter Green Improves Filter Efficiency

Composition/Information on Ingredients =======

Ingred Name: ISOPROPYL ALCOHOL (SARA III)

CAS:67-63-0

RTECS #:NT8050000

OSHA PEL:400 PPM/500 STEL

ACGIH TLV:400 PPM/500STEL;9192

Ingred Name: PROPANE, 2-METHYL- (ISOBUTANE)

CAS:75-28-5

RTECS #:TZ4300000

Fraction by Wt: 85%

OSHA PEL:1000 PPM (MFR)

ACGIH TLV:1000 PPM (MFR)

Ingred Name: PROPANE

CAS:74-98-6

RTECS #:TX2275000

Fraction by Wt: 15%

OSHA PEL:1000 PPM

ACGIH TLV: ASPHYXIANT; 9192

Ingred Name:ING 3:MINIMAL OXYGEN CONTENT SHOULD BE 10% BY VOLUME UNDER NORMAL ATMOSPHERIC PRESSURE.

RTECS #:9999992Z

Hazards Identification

LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER.

	Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:NONE SPECIFIED BY MANUFACTURER. Explanation of Carcinogenicity:ISOPROPYL:IARC-GROUP 3. Effects of Overexposure:NONE KNOWN.
	Medical Cond Aggravated by Exposure: NONE SPECIFIED BY MANUFACTURER.
	First Aid:SKIN:WASH W/SOAP AND WATER. EYES:WASH REPEATEDLY W/COLD WATER FOR AT LEAST 15 MINUTES. INHAL:REMOVE TO FRESH AIR. INGEST:DO NOT INDUCE VOMITING; CALL MD.
	Fire Fighting Measures ====================================
	Extinguishing Media:DRY CHEMICAL. Fire Fighting Procedures:KEEP CNTNRS COOL. USE EQUIP/SHIELDING TO PROTECT PERSONNEL AGAINST VENTING, BURSTING OR RUPTURING CNTNTRS. WEAR NIOSH/MSHA APPRVD SCBA & FULL PROT EQUIP. Unusual Fire/Explosion Hazard:AT TEMPERATURE ABOVE 130F, CONTAINER MAY RUPTURE. DO NOT PUNCTURE OR INCINERATE.
	Accidental Release Measures
	Spill Release Procedures: REMOVE IGNITION SOURCES. SOAK UP SPILL MATERIAL W/ABSORBENT MATERIAL. VENTILATE AREA. Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.
	Handling and Storage
	Handling and Storage Precautions: DO NOT STORE ABOVE 130F. DO NOT STORE NEAR OPEN FLAME. Other Precautions: READ AND FOLLOW DIRECTIONS ON PRODUCT LABEL. DO NOT SPRAY TOWARDS FACE. AVOID SKIN CONTACT.
5	Exposure Controls/Personal Protection =========
7	Respiratory Protection: NONE REQUIRED WHEN USED ACCORDING TO DIRECTIONS. AVOID INHALATION OF VAPORS. IF NEEDED, USE NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN. Protective Gloves: IMPERVIOUS GLOVES.
E	Ye Protection:CHEMICAL WORKERS GOGGLES
V	Jork Hygienic Practices: NONE SPECIFIED BY MANUFACTURER. Supplemental Safety and Health
N	ONE SPECIFIED BY MANUFACTURER.
=	Physical/Chemical Properties
V	CC:V3 apor Pres:56 PSIG pec Gravity:1.018
E	vaporation Rate & Reference:1.0
A	olubility in Water:MISCIBLE ppearance and Odor:MILKY WHITE EMULSION, PERFUME ODOR.
	ercent Volatiles by Volume:80+
	beautiffy and Reactivity Data ==================================
51	tability Indicator/Materials to Avoid:YES

NONE KNOWN.

Stability Condition to Avoid: HIGH TEMPERATURES IN EXCESS OF 130F. Hazardous Decomposition Products: NONE KNOWN.

Disposal Considerations

Waste Disposal Methods: DO NOT PUNCTURE OR INCINERATE. EMPTY, LEAKING OR FULL CONTAINERS SHOULD BE GIVEN TO DISPOSAL SERVICE EQUIPPED TO DISPOSE OF PRESSURIZED CONTAINERS. DISPOSE OF I/A/W FEDERAL, STATE AND LOCAL REGULATION S.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.