

Champion Sprayon Disinfectant spray, Chase

Safety Data Sheet

Issue date 09-Jun-2015

Version 1

Identification of the Substance/Ptevaration and of the Company/Undertaking

Product Identifier

Product name Chemical name CHAMPION SPRAYON SPRAY DISINFECTANT FORMULA 3

7-9761-1

Other means of identification

Product code

FG 438-5157-5

Synonyms

Registration number(s)

Disinfectant Spray

498-179

Recommended use of the chemical and restrictions on use

Recommended Use Uses advised against For disinfection of hard, non-porous, inanimate surfaces.

Do not spray on varnished, painted or plastic surfaces.

Details of the supplier of the safety data sheet

Supplier Address

Chase Products Co. 2727 Gardner Road Broadview, IL 60155

708-273-1121

Emergency Telephone Number

Company Phone Number

24 Hour Emergency Phone Number 1-800-255-3924

Emergency telephone

708-865-1000

ChemTel 1-800-255-3924

Manufacturer Address

Chase Products Co. 2727 Gardner Road Broadview, IL 60155 708-273-1121

Classification

Serious eye damage/eye irritation	Category 2A
FLAMMABLE AEROSOLS	Category 2
Gases Under Pressure	liquefied gas

Label Elements

EMERGENCY OVERVIEW

Warning

hazard statements

Causes serious eye irritation

Flammable Aerosol

Contains gas under pressure; may explode if heated



Appearance Hazy, yellow liquid

Physical State Aerosol

Odor Perfumed.

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves, protective clothing, eye protection and face protection.

Keep away from heat, sparks, open flames and hot surfaces. - No smoking

Pressurized container: Do not pierce or burn, even after use

Do not spray on an open flame or other ignition source

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

Precautionary Statements - Storage

Protect from sunlight. Store in a well-ventilated place Do not expose to temperatures exceeding 122 °F (50 °C)

Hazards not otherwise classified (HNOC)

Other Information

· Toxic to aquatic life with long lasting effects

0.69% of the mixture consists of ingredient(s) of unknown toxicity

6. Composition/information on ingredients

Synonyms

Disinfectant Spray.

Chemical Family

MIXTURES. 7-9761-1

Formula Chemical nature

Aqueous solution of alcohol and other active ingredients.

Chemical name	CAS No	weight-%	Trade secret
Water	7732-18-5	45-50	*
Ethyl alcohol	64-17-5	30-35	*
N-Butane	106-97-8	10-15	*
Propane	74-98-6	1-5	*

Chemical Additions

de Elfestein meaen ves

FIRST AID MEASURES

Eye Contact

Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control

center or doctor for treatment advice.

Skin contact

Wash with soap and water. If irritation develops, consult a physician .

inhalation

If overcome by vapor, move person to fresh air.

INGESTION

Ingestion from an aerosol product is unlikely to occur.

Most important symptoms and effects, both acute and delayed

Symptoms

Acute, Deliberate inhalation of concentrated vapor or mist may cause headaches. Prolonged and repeated contact with the eyes may cause mild irritation.

Indication of any immediate medical attention and special treatment needed

Note to physicians

None needed.

See label for active ingredients information.

^{*} The exact percentage (concentration) of composition has been withheld as a trade secret.

Suitable extinguishing media

Dry chemical, CO2 or water spray.

Unsuitable extinguishing media Use water spray or fog; do not use straight streams.

Specific hazards arising from the chemical

Containers are under pressure. Temperatures above 130 °F may cause cans to burst.

Hazardous combustion products Thermal decomposition may yield gases like carbon monoxide and carbon dioxide.

Explosion data

Sensitivity to Mechanical Impact Contents under pressure, keep away from heat and open flame.

Sensitivity to Static Discharge

Keep away from heat, sparks, flame, and other sources of ignition (i.e., pilot lights, electric

motors and static electricity).

Protective equipment and precautions for firefighters

Use personal protective equipment as required.

6 Aggldental felease measures

Personal precautions, protective equipment and emergency procedures

Personal precautions

CONTENTS UNDER PRESSURE. Do not puncture or incinerate cans.

Other Information

Keep out of reach of children.

Environmental Precautions

Environmental Precautions

See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for Containment

Provide adequate ventilation to area being treated. Soak up spills with chemically inert,

absorbent material.

Methods for cleaning up

Clean contaminated surface thoroughly.

Wellerice English Storetor

Precautions for safe handling

Advice on safe handling

Avoid getting spray into eyes. Keep out of reach of children.

Conditions for safe storage, including any incompatibilities

Storage Conditions

Store in a cool, dry place away from heat and open flame. Avoid storing at below-freezing

temperatures. AEROSOL STORAGE LEVEL I (NFPA-30B).

Incompatible Materials

Avoid heat, open flame and contact with strong oxidizers.

Che Extractive and introductions are a south a contact of the cont

Control parameters

Exposure guidelines

See occupational exposure limits listed below.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethyl alcohol	STEL: 1000 ppm	TWA: 1000 ppm	IDLH: 3300 ppm
64-17-5		TWA: 1900 mg/m ³	TWA: 1000 ppm
		(vacated) TWA: 1000 ppm	TVVA: 1900 mg/m ³

		(vacated) TWA: 1900 mg/m ³	
N-Butane 106-97-8	STEL: 1000 ppm	(vacated) TWA: 800 ppm (vacated) TWA: 1900 mg/m³	TWA: 800 ppm TWA: 1900 mg/m³
Propane 74-98-6	TWA: 1000 ppm	TWA: 1000 ppm TWA: 1800 mg/m³ (vacated) TWA: 1000 ppm (vacated) TWA: 1800 mg/m³	IDLH: 2100 ppm TWA: 1000 ppm TWA: 1800 mg/m³

Appropriate engineering controls

Engineering controls

Use with adequate general or local exhaust ventilation.

Individual protection measures, such as personal protective equipment

Eye/face Protection

Conventional eyeglasses to guard against splashing.

Skin and Body Protection

Household type gloves, if desired.

Respiratory protection

None required if used in a well-ventilated area.

General hygiene considerations

None required.

9, Physical and Chemical Properties

Information on basic physical and chemical properties

Physical State

Appearance Color

Aerosol

Hazy, yellow liquid

clear

Odor

Perfumed.

Odor threshold No information available

Remarks • Method

No information available

Property

pН Melting point/freezing point Boiling point/boiling range

Flash Point

<u>Values</u> 10.5 +/- 0.5

NA

212 °F/100 °C

Faster than butyl acetate

Not avaliable. This is an aerosol product for which Flame Projection is

6-8 inches without flashback.

Temperatures above 120 F may cause

cans to burst.

Evaporation Rate Flammability (solid, gas)

Flammability Limits in Air

Upper flammability limits **Lower Flammability Limit**

Vapor pressure Vapor Density

Relative Density Water solubility

Solubility in other solvents Partition coefficient **Autoignition Temperature**

Decomposition temperature Kinematic viscosity

Dynamic viscosity **Explosive properties**

Oxidizing properties

Not available Not available

Not available

0.92 concentrate

completely soluble

No information available No information available

Other Information

Softening point Molecular weight VOC content (%)

Density

No information available No information available

51.32%

No information available

No information available

No information available No information available No information available

No information available No information available No information available No information available No information available No information available

Bulk Density

8.33 Lb/gal

10. Stability and Readily ty

Reactivity

Not applicable no data available

Chemical stability

Stable.

Possibility of hazardous reactions

Temperatures above 130 °F may cause cans to burst with force.

hazardous polymerization

Hazardous polymerization does not occur.

Conditions to Avoid

Temperatures above 122 °F (50 °C).

Incompatible Materials

Avoid heat, open flame and contact with strong oxidizers.

Hazardous decomposition products

Thermal decomposition may yield gases like carbon monoxide and carbon dioxide.

11. Toxicological information

Information on likely routes of exposure

Product Information

Acute: Prolonged inhalation of concentrated vapor or mist may cause headaches, dizziness and nausea. Prolonged and repeated contact with skin may cause irritation and reddening.

Contact with eyes causes irritation.

inhalation

See data below.

Eye Contact

no data available.

Skin contact

no data available.

INGESTION

This is an aerosol product, ingestion is unlikely to occur. MAY BE HARMFUL IF

SWALLOWED.

Chemical name	Oral LD50	dermal LD50	Inhalation LC50
Water 7732-18-5	> 90 mL/kg (Rat)	<u>-</u>	-
Ethyl alcohol 64-17-5	= 7060 mg/kg (Rat)	-	= 124.7 mg/L. (Rat) 4 h
N-Butane 106-97-8	-	-	= 658 g/m³(Rat)4 h
Propane 74-98-6		-	= 658 mg/L (Rat) 4 h

Information on toxicological effects

Symptoms

See information above.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

sensitization

No information available.

Germ Cell Mutagenicity

No information available.

carcinogenicity

Not known chronic effects based on available information.

Reproductive Toxicity STOT - single exposure STOT - repeated exposure Aspiration Hazard No information available. No information available. No information available. No information available.

Numerical measures of toxicity - Product Information

Unknown acute toxicity

0.69% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (inhalation-gas)

10000000

ATEmix (inhalation-vapor)

16447.4 mg/l

s 12, Febleteller Intermati

ecotoxicity

20.99% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical name	Algae/aquatic plants	Fish	Toxicity to Microorganisms	Crustacea
Ethyl alcohol		12.0 - 16.0: 96 h	EC50 = 34634 mg/L 30 min	9268 - 14221: 48 h Daphnia
64-17-5		Oncorhynchus mykiss mL/L	EC50 = 35470 mg/L 5 min	magna mg/L LC50 2: 48 h
•	*	LC50 static 100: 96 h		Daphnia magna mg/L EC50
		Pimephales promelas mg/L		Static 10800: 24 h Daphnia
	1	LC50 static 13400 - 15100:		magna mg/L EC50
	İ	96 h Pimephales promelas		
		mg/L LC50 flow-through	_	

Persistence and degradability

No information available.

Bioaccumulation

See information below.

Chemical name	Partition coefficient
Ethyl alcohol 64-17-5	-0.32
N-Butane 106-97-8	2.89
Propane 74-98-6	2.3

Other adverse effects

No information available

13. Disposal Considerations

Waste treatment methods

Disposal of wastes

Do not puncture or incinerate container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions.

Contaminated packaging

Pressurized container: Do not pierce or burn, even after use.

Chemical name	California Hazardous Waste Status
Ethyl alcohol	Toxic
64-17-5	Ignitable

4. Transport Mormation *** *** ***

Note:

The following information is for aerosols with less than 17 oz net weight when shipped by road.

DOT

Consumer Commodity UN/ID no Limited Quantity Consumer Commodity

Proper Shipping Name

Hazard Class

ORM-D

ICAO (air)

The following information is for aerosols less than 17 oz net weight when shipped by air.

UN/ID no

ID8000

Proper Shipping Name

Consumer Commodity or Limited Quantity

Hazard Class

9 (packaging instructions Y963)

International Inventories

TSCA

All ingredients of this product are listed or are excluded from listing under the U.S. Toxic

Subtances Control Act (TSCA) Chemical Substance Inventory.

DSL

Legend:

All ingredients are listed or are excluded from listing on the DSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

This product does not contain toxic chemicals (above the de minimis level) subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 and of 40 CFR 372.

SARA 311/312 Hazard Categories

Acute Health Hazard	yes
Chronic Health Hazard	No
Fire Hazard	yes
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Water 7732-18-5			Х
Ethyl alcohol 64-17-5	Х	X	X
N-Butane 106-97-8	X	Х	X
Propane 74-98-6	X	Х	X

U.S. EPA Label information

EPA Pesticide registration number 498-179

EPA Statement

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label: CAUTION: May cause eye irritation. Avoid contact with the eyes and skin. Avoid breathing of spray mist. Avoid contamination of foodstuff.

NFPA	Health Hazards 1	Flammability 1	Instability 1	Physical and chemical properties Not
<u>HMIS</u>	Health Hazards 1	Flammability 2	Physical Hazards 1	applicable Personal Protection A - Eyes protection

Prepared by Issue date

Regulatory Department

09-Jun-2015

Revision note
This SDS supersedes a previous MSDS dated January 17, 2011.

<u>Disclaimer</u>

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet