SAFETY DATA SHEET

Version 6.13 Revision Date 09/13/2017 Print Date 01/01/2018

1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name

Sodium azide

Product Number

S2002

Brand Index-No.

Sigma-Aldrich 011-004-00-7

CAS-No.

26628-22-8

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company

Sigma-Aldrich

3050 Spruce Street

SAINT LOUIS MO 63103

USA

Telephone

+1 800-325-5832

Fax

+1 800-325-5052

1.4 Emergency telephone number

Emergency Phone #

+1-703-527-3887 (CHEMTREC)

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 2), H300

Acute toxicity, Dermal (Category 1), H310

Specific target organ toxicity - repeated exposure, Oral (Category 2), Brain, H373

Acute aquatic toxicity (Category 1), H400 Chronic aquatic toxicity (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word

Danger

Hazard statement(s)

H300 + H310

Fatal if swallowed or in contact with skin

H373

May cause damage to organs (Brain) through prolonged or repeated

exposure if swallowed.

H410

Very toxic to aquatic life with long lasting effects.

Precautionary statement(s)

P260

Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

P262 P264 Do not get in eyes, on skin, or on clothing.

F204

Wash skin thoroughly after handling.

P270

Do not eat, drink or smoke when using this product.

P273	Avoid release to the environment.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P301 + P310 + P330	IF SWALLOWED: Immediately call a POISON CENTER/doctor. Rinse mouth.
P302 + P350 + P310	IF ON SKIN: Gently wash with plenty of soap and water. Immediately call a POISON CENTER or doctor/ physician.
P314	Get medical advice/ attention if you feel unwell.
P362	Take off contaminated clothing and wash before reuse.
P391	Collect spillage.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

Contact with acids liberates very toxic gas.

Sodium Azide may react with lead and copper plumbing to form highly explosive metal azides., Rapidly absorbed through skin.

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Formula : N₃Na

Molecular weight : 65.01 g/mol CAS-No. : 26628-22-8 EC-No. : 247-852-1

Index-No.

Hazardous components

Component	Classification	Concentration
Sodium azide		
	Acute Tox. 2; Acute Tox. 1; STOT RE 2; Aquatic Acute 1; Aquatic Chronic 1; H300 + H310, H373, H410	90 - 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

: 011-004-00-7

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Dry powder

5.2 Special hazards arising from the substance or mixture

No data available

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

No data available

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Do not flush with water. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs.

Provide appropriate exhaust ventilation at places where dust is formed.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Never allow product to get in contact with water during storage. Do not store near acids.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

Component			Control	Basis
Gamponem	CAS-NO.	value	parameters	Dasis in the second sec
Sodium azide	26628-22-8	С	0.100000 ppm	USA. NIOSH Recommended Exposure Limits
	Remarks	Potential for dermal absorption		
		С	0.300000 mg/m3	USA. NIOSH Recommended Exposure Limits
		Potential for dermal absorption		
		С	0.110000 ppm	USA. ACGIH Threshold Limit Values (TLV)
		Lung damage		

	1	Cardiac imp	pairment		
		Not classifiable as a human carcinogen			
		C	0.290000 mg/m3	USA. ACGIH Threshold Limit Values (TLV)	
	<u> </u>	Lung damag		1(150)	
		Cardiac imp			
	-		ible as a human ca	arcinogen	
		С	0.110000 ppm	USA. ACGIH Threshold Limit Values (TLV)	
		Lung damag	ge		
		Cardiac impairment Not classifiable as a human carcinogen			
				arcinogen	
		С	0.290000 mg/m3	USA. ACGIH Threshold Limit Values (TLV)	
		Lung damag			
		Cardiac imp			
		Not classifiable as a human carcinogen			
		С	0.1 ppm	USA. NIOSH Recommended	
		,	'.'	Exposure Limits	
		Potential for dermal absorption		n .	
		С	0.1 ppm	USA. OSHA - TABLE Z-1 Limits for	
			''	Air Contaminants - 1910.1000	
	-	Skin notatio	n		
		С	0.3 mg/m3	USA. OSHA - TABLE Z-1 Limits for	
				Air Contaminants - 1910.1000	
		Skin notatio	n		
		С	0.29 mg/m3	USA. ACGIH Threshold Limit Values (TLV)	
		Lung damag	je		
	* .	Cardiac impairment Not classifiable as a human carcinogen			
				arcinogen	
		С	0.11 ppm	USA. ACGIH Threshold Limit Values (TLV)	
		Lung damag	ge		
		Cardiac impairment			
		Not classifiable as a human carcinogen			
		С	0.3 mg/m3	USA. NIOSH Recommended	
				Exposure Limits	
		Potential for	dermal absorption		
		С	0.1 ppm	California permissible exposure	
		1	0.3 mg/m3	limits for chemical contaminants	
				(Title 8, Article 107)	
		Skin	, •		

8.2 Exposure controls

Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

a)	Appearance	Form: crystalline
		Colour: white

b) Odour No data available

c) Odour Threshold No data available

d) pH 10 at 65 g/l at 25 °C (77 °F)

e) Melting point/freezing 275 °C (527 °F)

f) Initial boiling point and No data available boiling range

g) Flash pointh) Evaporation rateNo data available

i) Flammability (solid, gas) The product is not flammable. - Flammability (solids)

j) Upper/lower No data available flammability or

explosive limits

k) Vapour pressure

0.01 hPa (0.01 mmHg) at 20 °C (68 °F)

I) Vapour density No data availablem) Relative density 1.850 g/cm3

n) Water solubility 65 g/l at 20 °C (68 °F) - completely soluble

o) Partition coefficient: n- No data available octanol/water

p) Auto-ignition 309 °C (588 °F) at 1,013 hPa (760 mmHg) temperature

Decomposition temperature

300 °C (572 °F) -

Viscosity

No data available

s) Explosive properties

Not explosive

Oxidizing properties

No data available

9.2 Other safety information

Bulk density

0.8 kg/m3

10. STABILITY AND REACTIVITY

10.1 Reactivity

No data available

10.2 **Chemical stability**

Stable under recommended storage conditions.

Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

An explosion occurred when a mixture of sodium azide, methylene chloride, dimethyl sulfoxide, and sulfuric acid were being concentrated on a rotary evaporator.

10.5 Incompatible materials

Halogenated hydrocarbon, Metals, Acids, Acid chlorides, Hydrazine, Dimethyl sulfate, Inorganic acid chlorides

Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Sodium oxides

Other decomposition products - No data available

In the event of fire: see section 5

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - 27 mg/kg

Inhalation: No data available

Dermal: No data available

No data available

Skin corrosion/irritation

Skin - reconstructed human epidermis (RhE)

Result: No skin irritation - 15 min

Serious eye damage/eye irritation

Eyes - Bovine cornea

Result: No eye irritation - 4 h

(OECD Test Guideline 437)

Respiratory or skin sensitisation

in vivo assay - Mouse

Result: Does not cause skin sensitisation.

(OECD Test Guideline 429)

Germ cell mutagenicity

No data available

Carcinogenicity

Carcinogenicity - Rat - male and female - Oral

No significant adverse effects were reported

IARC:

No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

NTP:

No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA:

No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

No data available

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

Oral - May cause damage to organs through prolonged or repeated exposure. - Brain

Aspiration hazard

No data available

Additional Information

Repeated dose

Rat - male and female - Oral - LOAEL: 5 mg/kg

toxicity

RTECS: VY8050000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Nausea, Headache, Vomiting, Laboratory experiments in animals have shown sodium azide to produce a profound hypotensive effect, demyelination of myelinated nerve fibers in the central nervous system, testicular damage, blindness, attacks of rigidity, and hepatic and cerebral effects., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

12. ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish

mortality LC50 - Pimephales promelas (fathead minnow) - 5.46 mg/l - 96 h

(OECD Test Guideline 203)

Toxicity to algae

static test EC50 - Pseudokirchneriella subcapitata - 0.35 mg/l - 96 h

(OECD Test Guideline 201)

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Very toxic to aquatic life with long lasting effects.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN number: 1687

Class: 6.1

Packing group: II

Proper shipping name: Sodium azide Reportable Quantity (RQ): 1000 lbs

Poison Inhalation Hazard: No

IMDG

UN number: 1687

Class: 6.1

Packing group: II

EMS-No: F-A, S-A

Marine pollutant:yes

IATA

UN number: 1687

Class: 6.1

Packing group: II

Proper shipping name: Sodium azide

Proper shipping name: SODIUM AZIDE

15. REGULATORY INFORMATION

SARA 302 Components

The following components are subject to reporting levels established by SARA Title III, Section 302:

CAS-No.

Revision Date

Sodium azide

26628-22-8

2007-07-01

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

CAS-No.

Revision Date

Sodium azide

26628-22-8

2007-07-01

SARA 311/312 Hazards

Acute Health Hazard

Massachusetts Right To Know Components

CAS-No.

Revision Date

Sodium azide

26628-22-8

2007-07-01

Pennsylvania Right To Know Components

CAS-No.

Revision Date

Sodium azide

26628-22-8

2007-07-01

New Jersey Right To Know Components

CAS-No.

Revision Date

Sodium azide

26628-22-8

2007-07-01

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

Acute Tox.

Acute toxicity

Aquatic Acute

Acute aquatic toxicity Chronic aquatic toxicity

Aquatic Chronic H300

Fatal if swallowed.

H300 + H310

Fatal if swallowed or in contact with skin

H310

Fatal in contact with skin.

H373

May cause damage to organs through prolonged or repeated exposure if swallowed.

H400

Very toxic to aquatic life.

HMIS Rating

Health hazard: 4
Chronic Health Hazard: Flammability: 0
Physical Hazard 0

NFPA Rating

Health hazard: 4
Fire Hazard: 0
Reactivity Hazard: 3

Further information

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Preparation Information

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 6.13

Revision Date: 09/13/2017

Print Date: 01/01/2018