AlumaseaL

Safety Data Sheet



Section 1: Identification

Product identifier

Product Name

Cooling System Sealer, AlumaSeal Liquid

Synonyms

• 590227

Product Code

ASLC16; CS10P; CS55

Relevant identified uses of the substance or mixture and uses advised against

Recommended use

· Read label for use directions and claims

Restrictions on use

· Read and follow label directions only

Details of the supplier of the safety data sheet

Manufacturer

· Gold Eagle Co.

4400 S. Kildare Avenue Chicago, IL 60632-4372

United States

http://www.goldeagle.com/

Telephone (General) • 773-376-4400

Emergency telephone number

Manufacturer

1-800-535-5053 - (INFOTRAC #22283)

Section 2: Hazard Identification

United States (US)

According to: OSHA 29 CFR 1910.1200 HCS

Classification of the substance or mixture

OSHA HCS 2012

Not classified

Label elements

OSHA HCS 2012

WARNING

Hazard statements · Causes mild skin irritation Causes eye irritation No label element(s) required

Precautionary statements

Prevention •

Do not handle until all safety precautions have been read and understood. Do not breathe mists, vapours, and/or spray.

Wear protective gloves/protective clothing/eye protection/face protection.

Response • IF exposed or concerned: Get medical advice/attention. Get medical advice/attention if you feel unwell.

Storage/Disposal . Store locked up.

Dispose of content and/or container in accordance with local, regional, national, and/or


international regulations.

Other hazards

OSHA HCS 2012

No data available

Other information



Section 3 - Composition/Information on Ingredients

Substances

Product formulation does not contain any hazardous components.

 Material does not meet the criteria of a substance. Product formulation is considered non-hazardous.

Mixtures

Section 4: First-Aid Measures

Description of first aid measures

Inhalation

 Move victim to fresh air. Administer oxygen if breathing is difficult. Give artificial respiration if victim is not breathing. If signs/symptoms continue, get medical attention.

Skin

 Wash skin with soap and water. Take off contaminated clothing and wash before reuse. If irritation develops and persists, get medical attention.

Eye

• In case of contact with substance, immediately flush eyes with running water for at least 20 minutes. If eye irritation persists: Get medical advice/attention.

Ingestion

• Do NOT induce vomiting. Obtain medical attention immediately if ingested.

Most important symptoms and effects, both acute and delayed

· Refer to Section 11 - Toxicological Information.

Indication of any immediate medical attention and special treatment needed

Notes to Physician

All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred.

Section 5: Fire-Fighting Measures

Extinguishing media

Suitable Extinguishing Media • Use carbon dioxide, dry chemical, foam and/or water fog.

Unsuitable Extinguishing Media

No data available.

Special hazards arising from the substance or mixture

Unusual Fire and Explosion Hazards

Poses no unusual fire or explosion hazard.

Preparation Date: 14/August/2015 Revision Date: 01/July/2016

Hazardous Combustion Products

Advice for firefighters

No data available.

Structural firefighters' protective clothing provides limited protection in fire situations ONLY; it is not effective in spill situations where direct contact with the substance is

possible.
Wear chemical protective clothing that is specifically recommended by the manufacturer. It may provide little or no thermal protection.

Wear positive pressure self-contained breathing apparatus (SCBA). LARGE FIRES: Cool containers with flooding quantities of water until well after fire is out.

Section 6 - Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Personal Precautions

 Ventilate enclosed areas. Do not walk through spilled material. Use appropriate Personal Protective Equipment (PPE) Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

Emergency Procedures

· As an immediate precautionary measure, isolate spill or leak area for at least 50 meters (150 feet) in all directions. Stay upwind. Keep unauthorized personnel away.

Environmental precautions

· Avoid run off to waterways and sewers.

Methods and material for containment and cleaning up

Containment/Clean-up Measures

· Stop leak if you can do it without risk. SMALL SPILLS: Take up with sand or other non-combustible absorbent material and place into containers for later disposal. LARGE SPILLS: Dike far ahead of spill for later disposal.

Section 7 - Handling and Storage

Precautions for safe handling

Handling

· Use only with adequate ventilation. Wear appropriate personal protective equipment, avoid direct contact. Do not breathe mist, vapours and/or spray. Avoid contact with skin, eyes, and clothing. Wash thoroughly with soap and water after handling and before eating, drinking, or using tobacco.

Conditions for safe storage, including any incompatibilities

Storage

 Keep container closed. Store in a cool, dry, well-ventilated place. Do not store in unmarked containers or storage devices.

Section 8 - Exposure Controls/Personal Protection

Control parameters

Exposure controls

Engineering Measures/Controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Personal Protective Equipment Pictograms





Respiratory

Eye/Face Skin/Body

- In case of insufficient ventilation, wear suitable respiratory equipment. Follow the OSHA respirator regulations found in 29 CFR 1910.134. Use a NIOSH/MSHA approved respirator if exposure limits are exceeded or symptoms are experienced.
- · Wear chemical splash safety goggles.
- · Wear appropriate gloves.
- Controls should be engineered to prevent release to the environment, including
 procedures to prevent spills, atmospheric release and release to waterways. Follow
 best practice for site management and disposal of waste.

Environmental Exposure Controls

Key to abbreviations

ACGIH = American Conference of Governmental Industrial Hygiene

NIOSH = National Institute of Occupational Safety and Health

OSHA = Occupational Safety and Health Administration

TWA = Time-Weighted Averages are based on 8h/day, 40h/week exposures

Section 9 - Physical and Chemical Properties

Information on Physical and Chemical Properties

Material Description			
Physical Form	Liquid	quid Appearance/Description	
Color	Water white, slightly hazy.	Odor	Brown opaque granular liquid. No data available
Odor Threshold	No data available		
General Properties			
Boiling Point	212 °F(100 °C)	Melting Point/Freezing Point	No data available
Decomposition Temperature	No data available	рН	8 to 9 @ 60 °F(15.5556 °C)
Specific Gravity/Relative Density	= 1.08 Water=1	Water Solubility	Soluble 100 %
Viscosity	3 Centistoke (cSt, cS) or mm2/sec @ 40 °C(104 °F)		
Volatility	<u> </u>		
Vapor Pressure	No data available	Vapor Density	< 1 Air=1
Evaporation Rate	No data available		
Flammability			
Flash Point	Water based	UEL	No data available
LEL	No data available	Autoignition	No data available
Flammability (solid, gas)	No data available		

Section 10: Stability and Reactivity

Reactivity

· No dangerous reaction known under conditions of normal use.

Chemical stability

· Stable under normal temperatures and pressures.

Possibility of hazardous reactions

· Hazardous polymerization will not occur.

Conditions to avoid

None

Incompatible materials

Preparation Date: 14/August/2015 Revision Date: 01/July/2016 · Strong acids.

Hazardous decomposition products

None

Section 11 - Toxicological Information

Information on toxicological effects

GHS Properties	Classification	
Acute toxicity	OSHA HCS 2012 • No data available	
Skin corrosion/Irritation	OSHA HCS 2012 • Classification criteria not met	
Serious eye damage/Irritation	OSHA HCS 2012 • No data available	
Skin sensitization	OSHA HCS 2012 • No data available	
Respiratory sensitization	OSHA HCS 2012 • No data available	
Aspiration Hazard	OSHA HCS 2012 • No data available	
Carcinogenicity	OSHA HCS 2012 • No data available	
Germ Cell Mutagenicity	OSHA HCS 2012 • No data available	
Toxicity for Reproduction	OSHA HCS 2012 • No data available	
STOT-SE	OSHA HCS 2012 • No data available	
STOT-RE	OSHA HCS 2012 • No data available	

Potential Health Effects

Inhalation

Acute (Immediate)

Chronic (Delayed)

· Under normal conditions of use, no health effects are expected.

No data available.

Skin

Acute (Immediate)

Chronic (Delayed)

Under normal conditions of use, no health effects are expected.

· No data available.

Eye

Acute (Immediate)

Chronic (Delayed)

• Under normal conditions of use, no health effects are expected.

· No data available.

Ingestion

Acute (Immediate)

Chronic (Delayed)

Under normal conditions of use, no health effects are expected.

No data available.

Other

Chronic (Delayed)

In experiments with rats, Ethylene glycol monobutyl ether causes severe acute hemolytic anemia resulting in significant increase in the concentration of free plasma hemoglobin.

Reproductive Effects

Key to abbreviations

LC = Lethal Concentration

LD = Lethal Dose

TC = Toxic Concentration

TD = Toxic Dose

Animal tests for components have shown adverse reproductive effects.

Preparation Date: 14/August/2015 Revision Date: 01/July/2016

Format: GHS Language: English (US)

Page 5 of 7

Section 12 - Ecological Information

Toxicity

· Non-mandatory section - information about this substance not complied for this reason.

Persistence and degradability

 Non-mandatory section - information about this substance not complied for this reason.

Bioaccumulative potential

Non-mandatory section - information about this substance not complied for this reason.

Mobility in Soil

Non-mandatory section - information about this substance not complied for this reason.

Other adverse effects

 Non-mandatory section - information about this substance not complied for this reason.

Section 13 - Disposal Considerations

Waste treatment methods

Product waste

Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Packaging waste

Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Section 14 - Transport Information

	UN number	UN proper shipping name	Transport hazard class(es)	Packing group	Environmental hazards
DOT	NDA	Not Regulated	NDA	NDA	NDA

Special precautions for user • None specified.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No data available

Section 15 - Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture SARA Hazard Classifications • Chronic

United States

Labor

U.S. - OSHA - Process Safety Management - Highly Hazardous Chemicals

U.S. - OSHA - Specifically Regulated Chemicals

Not Listed

Preparation Date: 14/August/2015 Revision Date: 01/July/2016

Format: GHS Language: English (US) OSHA HCS 2012

Environment

U.S. - CAA (Clean Air Act) - 1990 Hazardous Air Pollutants

Not Listed

U.S. - CAA (Clean Air Act) - Accidental Release Prevention - Flammable Substances

Not Listed

U.S. - CAA (Clean Air Act) - Accidental Release Prevention - Toxic Substances

Not Listed

U.S. - CERCLA/SARA - Hazardous Substances and their Reportable Quantities

Not Listed

U.S. - CERCLA/SARA - Section 302 Extremely Hazardous Substances EPCRA RQs

Not Listed

U.S. - CERCLA/SARA - Section 302 Extremely Hazardous Substances TPQs

Not Listed

U.S. - CERCLA/SARA - Section 313 - Emission Reporting

Not Listed

U.S. - CERCLA/SARA - Section 313 - PBT Chemical Listing

Not Listed

U.S. - CWA (Clean Water Act) - Hazardous Substances

Not Listed

U.S. - CWA (Clean Water Act) - Toxic Pollutants

Not Listed

United States - California

Environment

U.S. - California - Proposition 65 - Carcinogens List

Not Listed

U.S. - California - Proposition 65 - Developmental Toxicity

Not Listed

U.S. - California - Proposition 65 - Maximum Allowable Dose Levels (MADL)

Not Listed

U.S. - California - Proposition 65 - No Significant Risk Levels (NSRL)

Not Listed

U.S. - California - Proposition 65 - Reproductive Toxicity - Female

Not Listed

U.S. - California - Proposition 65 - Reproductive Toxicity - Male

Not Listed

Section 16 - Other Information

Revision Date

Preparation Date

Other Information

Disclaimer/Statement of Liability

01/July/2016

• 14/August/2015

Schedule B Number 3824.90.1900.

Information presented herein is believed to be factual, as it has been derived from the
works and opinions of persons believed to be qualified experts. However, nothing
contained in this information is to be taken as warranty or representation for which the
Gold Eagle Co. bears legal responsibility. The user should review any
recommendations in the specific context of the intended use to determine whether

they are appropriate.

Key to abbreviations NDA = No Data Available

Preparation Date: 14/August/2015

Revision Date: 01/July/2016

Format: GHS Language: English (US)
OSHA HCS 2012