

# **SAFETY DATA SHEET**

Permatex Fast Setting I Minute Epoxy

84160

Version 5

### Revision Date 27-Jul-2018

#### 1. IDENTIFICATION

Product identifier

**Product Name** 

84160 FAST CURE 60 SECOND EPOXY (RESIN)

Other means of identification

**Product Code** 

202002Z

Recommended use of the chemical and restrictions on use

**Recommended Use** 

Resin

Uses advised against

No information available

Details of the supplier of the safety data sheet

**Manufacturer Address** 

ITW Permatex

6875 Parkland Blvd.

Solon, OH 44139 USA

May Also Be Distributed by: ITW Permatex Canada

101-2360 Bristol Circle

Oakville, ON Canada L6H 6M5

Telephone: (800) 924-6994

24-hour emergency phone number

Chem-Tel: 800-255-3924 International Emergency: 00+1+ 813-248-0585

Contract Number: MIS0003453

E-mail address: mail@permatex.com

### 2. HAZARDS IDENTIFICATION

#### Classification

**OSHA Regulatory Status** 

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2
Skin sensitization	Category 1

#### Label elements

**Emergency Overview** 

Signal word Warning

Causes skin irritation Causes serious eye irritation May cause an allergic skin reaction



Appearance Blue

Physical state Viscous liquid

Odor Slight

#### **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing should not be allowed out of the workplace

#### **Precautionary Statements - Response**

Specific treatment (see supplemental first aid instructions on this label)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention

IF ON SKIN: Wash with plenty of soap and water

Take off contaminated clothing and wash before reuse

If skin irritation or rash occurs: Get medical advice/attention

### **Precautionary Statements - Storage**

Store in a well-ventilated place. Keep container tightly closed

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

Not applicable

#### Other Information

- Contains epoxy constituents with an average molecular weight of <= 700

Unknown acute toxicity

20 % of the mixture consists of ingredient(s) of unknown toxicity

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Substance(s)

Chemical Name	CAS No	Weight-%
BIS[4-(2,3-EPOXYPROPOXY)PHENY	1675-54-3	60 - 100
L]PROPANE		

#### 4. FIRST AID MEASURES

#### **Description of first aid measures**

General advice

Get medical advice/attention if you feel unwell.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice/attention.

Skin contact

IF ON SKIN:. Wash with soap and water. If skin irritation or rash occurs: Get medical

advice/attention. Wash contaminated clothing before reuse.

**202002Z - 84160 FAST CURE 60 SECOND EPOXY** (RESIN)

Revision Date 27-Jul-2018

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing. If symptoms persist, call a physician.

Ingestion

IF SWALLOWED:. Do NOT induce vomiting. Never give anything by mouth to an

unconscious person. Call a physician.

Self-protection of the first aider

Ensure that medical personnel are aware of the material(s) involved and take precautions to

protect themselves.

### Most important symptoms and effects, both acute and delayed

**Symptoms** 

May cause redness and tearing of the eyes. May cause allergic skin reaction.

### Indication of any immediate medical attention and special treatment needed

Note to physicians

Treat symptomatically.

### 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Carbon dioxide (CO2), Dry chemical, Foam

#### Unsuitable extinguishing media

None

### Specific hazards arising from the chemical

None in particular.

**Explosion data** 

Sensitivity to Mechanical Impact Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

Personal precautions

Ensure adequate ventilation, especially in confined areas. Avoid contact with eyes and skin.

Use personal protective equipment as required.

Environmental precautions

**Environmental precautions** 

See Section 12 for additional Ecological Information.

### Methods and material for containment and cleaning up

Methods for containment

Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Ensure adequate ventilation. Soak up with inert absorbent material. Sweep up and shovel

into suitable containers for disposal.

Prevention of secondary hazards

Clean contaminated objects and areas thoroughly observing environmental regulations.

### 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on safe handling

Handle in accordance with good industrial hygiene and safety practice. Avoid breathing

vapors or mists. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Wash contaminated clothing before reuse. Use personal protective equipment as required.

### Conditions for safe storage, including any incompatibilities

**Storage Conditions** 

Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible materials

Strong oxidizing agents, Bases, Amines

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

#### Appropriate engineering controls

**Engineering Controls** 

Showers

Eyewash stations Ventilation systems

### Individual protection measures, such as personal protective equipment

Eye/face protection

Wear safety glasses with side shields (or goggles).

Skin and body protection

Wear protective natural rubber, nitrile rubber, Neoprene™ or PVC gloves.

Respiratory protection

Use NIOSH-approved air-purifying respirator with organic vapor cartridge or canister, as

appropriate.

**General Hygiene Considerations** 

Handle in accordance with good industrial hygiene and safety practice. Regular cleaning of

equipment, work area and clothing is recommended.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical state

Viscous liquid

Appearance

Blue

Odor

Sliaht

**Odor threshold** 

No information available

**Property** 

Flash point **Evaporation rate**  Values

Remarks • Method

Air = 1

рΗ Melting point / freezing point Boiling point / boiling range

No information available No information available > 260 °C / >500 °F > 204 °C / > 399 °F No information available

Flammability (solid, gas)

No information available

Flammability Limit in Air

Upper flammability limit: No information available Lower flammability limit: No information available Vapor pressure 0.03 mmHg @ 171°F >1

Vapor density Relative density

1.16 Water solubility

Solubility in other solvents Partition coefficient Autoignition temperature **Decomposition temperature** No information available Kinematic viscosity **Dynamic viscosity Explosive properties** 

No information available No information available No information available No information available

No information available No information available No information available **Oxidizing properties** 

No information available

**Other Information** 

Softening point Molecular weight No information available No information available

VOC Content (%)

Density Bulk density No information available

No information available

### 10. STABILITY AND REACTIVITY

#### Reactivity

Stable under normal conditions

#### Chemical stability

Stable under recommended storage conditions

#### Possibility of Hazardous Reactions

None under normal processing.

#### Conditions to avoid

Excessive heat.

#### Incompatible materials

Strong oxidizing agents, Bases, Amines

#### **Hazardous Decomposition Products**

Carbon oxides

#### 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

Inhalation

May cause irritation of respiratory tract.

Eye contact

Contact with eyes may cause irritation. May cause redness and tearing of the eyes.

Skin contact

May cause skin irritation and/or dermatitis. May cause sensitization by skin contact.

Ingestion

Ingestion may cause irritation to mucous membranes.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
BIS[4-(2,3-EPOXYPROPOXY)PHE NYL]PROPANE 1675-54-3	= 11300 μL/kg (Rat)	= 20 g/kg(Rabbit)	-

### Information on toxicological effects

**Symptoms** 

No information available.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization

No information available.

Germ cell mutagenicity

No information available.

 Carcinogenicity
 The table below indicates whether each agency has listed any ingredient as a carcinogen.

 Chemical Name
 ACGIH
 IARC
 NTP
 OSHA

BIS[4-(2,3-EPOXYPROPOX Y)PHENYL]PROPANE 1675-54-3

- Group 3

IARC (International Agency for Research on Cancer) Not classifiable as a human carcinogen The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral)

11400 mg/kg

#### 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

20 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

#### Persistence and degradability

No information available.

#### **Bioaccumulation**

No information available.

#### **Mobility**

No information available.

#### Other adverse effects

No information available

#### 13. DISPOSAL CONSIDERATIONS

#### Waste treatment methods

Disposal of wastes

Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging

Do not reuse container.

**US EPA Waste Number** 

Not applicable

### 14. TRANSPORT INFORMATION

DOT

Proper shipping name:

Not regulated

IATA

Proper shipping name:

Not regulated

**IMDG** 

Proper shipping name:

Not regulated

### 15. REGULATORY INFORMATION

International Inventories

TSCA

Complies

DSL/NDSL

Complies

**EINECS/ELINCS** 

Not determined

ENCS

Not determined

**IECSC** 

Not determined

KECL

Not determined

**PICCS** 

Not determined

AICS

Not determined

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

#### **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

#### SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

#### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

#### **US State Regulations**

#### California Proposition 65

This product is not known to contain any chemicals listed as carcinogens or reproductive toxins

U.S. State Right-to-Know Regulations

U.S. EPA Label Information

**EPA Pesticide Registration Number** Not applicable

### **WHMIS Hazard Class**

D2B - Toxic materials

### 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA

Health hazards 2

Flammability 1

Instability 0

HMIS

Health hazards 2

Flammability 1

Physical hazards 0

Personal protection B

NFPA (National Fire Protection Association)
HMIS (Hazardous Material Information System)

Tivilo (Tazardous Material Information

**Revision Date** 

27-Jul-2018

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet** 



# SAFETY DATA SHEET

Revision Date 27-Jul-2018

Version 8

### 1. IDENTIFICATION

Product identifier

**Product Name** 

84160 FAST CURE 60 SECOND EPOXY (HARDENER)

Other means of identification

**Product Code** 

1007A

Recommended use of the chemical and restrictions on use

Recommended Use

Epoxy curing agent

Uses advised against

No information available

Details of the supplier of the safety data sheet

**Manufacturer Address** 

ITW Permatex 6875 Parkland Blvd.

Solon, OH 44139 USA

Soion, OH 44139 USA

May Also Be Distributed by:

ITW Permatex Canada 101-2360 Bristol Circle

Oakville, ON Canada L6H 6M5 Telephone: (800) 924-6994

24-hour emergency phone number

Chem-Tel: 800-255-3924 International Emergency: 00+1+ 813-248-0585

Contract Number: MIS0003453

Sontract (validot). Milototo3433

E-mail address: mail@permatex.com

2. HAZARDS IDENTIFICATION

#### Classification

**OSHA Regulatory Status** 

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 1 Sub-category A
Serious eye damage/eye irritation	Category 1

#### Label elements

**Emergency Overview** 

Signal word Danger

Causes severe skin burns and eye damage



Appearance Clear

Physical state Liquid

Odor Mercaptan

#### **Precautionary Statements - Prevention**

Do not breathe dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

Do not eat, drink or smoke when using this product

#### **Precautionary Statements - Response**

Specific treatment (see supplemental first aid instructions on this label)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Call a POISON CENTER or doctor/physician if you feel unwell

Remove/Take off immediately all contaminated clothing

Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Immediately call a POISON CENTER or doctor/physician

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

Rinse mouth

#### **Precautionary Statements - Storage**

Store locked up

### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

Not applicable

#### Other Information

- Not applicable

Unknown acute toxicity

97 % of the mixture consists of ingredient(s) of unknown toxicity

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Substance(s)

Chemical Name	CAS No	Weight-%
POLYAMINE-POLYMERCAPTAN BLEND		60 - 100
2,2-OXYBIS (N,N-DIMETHYLETHANAMINE)	3033-62-3	1 - 5
SUBSTITUTED AMIDINE	6674-22-2	1 - 5

#### 4. FIRST AID MEASURES

#### Description of first aid measures

General advice

Get medical advice/attention if you feel unwell.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or

doctor/physician.

Skin contact

IF ON SKIN:. Wash with soap and water, Immediately call a POISON CENTER or

doctor/physician. Wash contaminated clothing before reuse.

# 1007A - 84160 FAST CURE 60 SECOND EPOXY (HARDENER)

Revision Date 27-Jul-2018

Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing. If symptoms persist, call a physician.

**Ingestion** IF SWALLOWED:. Do NOT induce vomiting. Never give anything by mouth to an

unconscious person. Call a physician.

Self-protection of the first aider Ensure that medical personnel are aware of the material(s) involved and take precautions to

protect themselves.

Most important symptoms and effects, both acute and delayed

**Symptoms** See section 2 for more information.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

### 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable extinguishing media

None

Specific hazards arising from the chemical

None in particular.

Explosion data

Sensitivity to Mechanical Impact

None.

Sensitivity to Static Discharge

None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

#### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation, especially in confined areas. Avoid contact with eyes and skin.

Use personal protective equipment as required.

Environmental precautions

**Environmental precautions** See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Ensure adequate ventilation. Soak up with inert absorbent material. Sweep up and shovel

into suitable containers for disposal. Use personal protective equipment as required.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

### 7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Wash thoroughly after handling. Use personal protective equipment as required.

### Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep container tightly closed in a dry and well-ventilated place. Store locked up.

Incompatible materials

Strong oxidizing agents

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

**Exposure Guidelines** 

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
2,2-OXYBIS (N,N-DIMETHYLETHANAMINE) 3033-62-3	STEL: 0.15 ppm TWA: 0.05 ppm S*	-	_

#### Appropriate engineering controls

**Engineering Controls** 

Use exhaust ventilation to keep airborne concentrations below exposure limits

### Individual protection measures, such as personal protective equipment

Eye/face protection

Wear safety glasses with side shields (or goggles).

Skin and body protection

Wear protective natural rubber, nitrile rubber, Neoprene™ or PVC gloves.

Respiratory protection

Use NIOSH-approved air-purifying respirator with organic vapor cartridge or canister, as

appropriate.

**General Hygiene Considerations** 

Handle in accordance with good industrial hygiene and safety practice. Regular cleaning of

equipment, work area and clothing is recommended.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

**Physical state** 

**Appearance** Odor

Liquid Clear Mercaptan

Odor threshold

No information available

**Property** 

На

<u>Values</u>

Remarks • Method

Pensky-Martens Closed Cup (PMCC)

Melting point / freezing point

Boiling point / boiling range

Flash point **Evaporation rate** 

Flammability (solid, gas) Flammability Limit in Air

**Upper flammability limit:** Lower flammability limit:

Vapor pressure Vapor density Relative density

Water solubility Solubility in other solvents Partition coefficient Autoignition temperature **Decomposition temperature**  No information available

No information available No information available

> 95 °C / > 204 °F No information available

No information available

No information available No information available

No information available No information available

1.12 Soluble in water

No information available No information available No information available No information available

# 1007A - 84160 FAST CURE 60 SECOND EPOXY (HARDENER)

Revision Date 27-Jul-2018

Kinematic viscosity

80-150 cm2/s

Dynamic viscosity Explosive properties Oxidizing properties No information available No information available No information available

**Other Information** 

Softening point Molecular weight VOC Content (%) No information available No information available

0

Density Bulk density

No information available No information available

### **10. STABILITY AND REACTIVITY**

#### Reactivity

Stable under normal conditions

#### Chemical stability

Stable under recommended storage conditions

#### Possibility of Hazardous Reactions

None under normal processing.

#### Conditions to avoid

Excessive heat.

### Incompatible materials

Strong oxidizing agents

### **Hazardous Decomposition Products**

Carbon oxides
Nitrogen oxides (NOx)
Oxides of sulfur

### 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

Inhalation

Irritant and corrosive effects.

Eye contact

Severely irritating to eyes. May cause burns.

Skin contact

Corrosive. Contact causes severe skin irritation and possible burns.

Ingestion

Can burn mouth, throat, and stomach.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
2,2-OXYBIS (N,N-DIMETHYLETHANAMINE) 3033-62-3	= 910 mg/kg(Rat)= 1045 mg/kg( Rat)	= 280 μL/kg (Rabbit)= 238 mg/kg (Rabbit)	= 117 ppm (Rat)6 h

### Information on toxicological effects

**Symptoms** 

No information available.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization

No information available.

Germ cell mutagenicity

No information available.

Carcinogenicity

No information available.

**Target Organ Effects** 

Eyes, Peripheral Nervous System (PNS), Skin, Urinary Tract.

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral)

2836.6 mg/kg 10000 mg/kg

ATEmix (dermal)
ATEmix (inhalation-vapor)

366.7

### 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

100 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

#### Persistence and degradability

No information available.

#### **Bioaccumulation**

No information available.

#### **Mobility**

No information available.

#### Other adverse effects

No information available

#### 13. DISPOSAL CONSIDERATIONS

#### Waste treatment methods

Disposal of wastes

Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging

Do not reuse container.

**US EPA Waste Number** 

D002

Nf:

### **14. TRANSPORT INFORMATION**

DOT

**UN/ID No** 

3267

Proper shipping name:

Corrosive liquid, basic, organic, n.o.s, (Mercaptan mixture), Limited Quantity (LQ)

Hazard Class

8 III

Packing Group

151

**Emergency Response Guide** 

Number

153

<u>IATA</u>

UN/ID No

3267

Proper shipping name:

Corrosive liquid, basic, organic, n.o.s, (Mercaptan mixture), Limited Quantity (LQ)

Hazard Class

o III

Packing Group ERG Code

8L

**IMDG** 

**UN/ID No** 

3267

Proper shipping name:

Corrosive liquid, basic, organic, n.o.s, (Mercaptan mixture), Limited Quantity (LQ)

Hazard Class Packing Group

were inquita, bacie, organio, m.o.s, (ivi

EmS-No

F-A, S-B

8

Ш

### 15. REGULATORY INFORMATION

## International Inventories

**TSCA** Complies **DSL/NDSL** Complies **EINECS/ELINCS** Complies **ENCS** Complies **IECSC** Complies KECL Complies **PICCS** Complies **AICS** Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

#### **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

#### SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

#### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

### US State Regulations

### **California Proposition 65**

This product is not known to contain any chemicals listed as carcinogens or reproductive toxins

### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
2,2-OXYBIS	X	-	-
(N,N-DIMETHYLETHANAMINE)			
3033-62-3			

#### U.S. EPA Label Information

**EPA Pesticide Registration Number** Not applicable

#### **WHMIS Hazard Class**

D2B - Toxic materials

## 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA HMIS Health hazards 3 Health hazards 3

Flammability 2 Flammability 2

Instability 0

Physical hazards 0

Personal protection B

NFPA (National Fire Protection Association) HMIS (Hazardous Material Information System)

**Revision Date** 

27-Jul-2018

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**