

# SAFETY DATA SHEET

GUNK GLASS CLEANER  
STREAK FREE SPRAY  
By: RSC

## 1. Identification

**Product Identifier** Gunk Glass Cleaner - Streak Free

### Other means of identification

**SDS number** GC1  
**Part No.** GC1  
**Tariff code** 3402.90.5030

**Recommended use** Glass Cleaner

**Recommended restrictions** None known.

### Manufacturer/Importer/Supplier/Distributor information

#### Manufacturer

**Company name** RSC Chemical Solutions  
**Address** 600 Radiator Road  
Indian Trail, NC 28079  
United States  
**Telephone** Customer Service: (704) 821-7643  
Technical: (704) 684-1811  
**Website** www.rscbrands.com  
**E-mail** sds@rscbrands.com  
**Emergency phone number** Emergency Telephone: (303) 623-5716  
Emergency Contact: RMPDC (877-740-5015)

## 2. Hazard(s) identification

**Physical hazards** Flammable aerosols Category 1

**Health hazards** Acute toxicity, inhalation Category 4

**Environmental hazards** Hazardous to the aquatic environment, acute hazard Category 3

**OSHA defined hazards** Not classified.

### Label elements



**Signal word** Danger

**Hazard statement** Extremely flammable aerosol. Harmful if inhaled. Harmful to aquatic life.

### Precautionary statement

**Prevention** Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Avoid breathing vapors. Use only outdoors or in a well-ventilated area. Avoid release to the environment.

**Response** If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel unwell.

**Storage** Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

**Hazard(s) not otherwise classified (HNOC)** None known.

**Supplemental information** 6.07% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment.

## 3. Composition/information on ingredients

### Mixtures

| Chemical name                            | Common name and synonyms | CAS number | %        |
|------------------------------------------|--------------------------|------------|----------|
| Isobutane                                |                          | 75-28-5    | 3 - < 5  |
| Isopropyl Alcohol                        |                          | 67-63-0    | 1 - < 3  |
| AMMONIUM HYDROXIDE                       |                          | 1336-21-6  | < 1      |
| SODIUM NITRITE                           |                          | 7632-00-0  | < 0.2    |
| Other components below reportable levels |                          |            | 90 - 100 |

\*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

#### 4. First-aid measures

|                                                                               |                                                                                                                                                                                               |
|-------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Inhalation</b>                                                             | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or artificial respiration if needed. Call a POISON CENTER or doctor/physician if you feel unwell. |
| <b>Skin contact</b>                                                           | Wash off with soap and water. Get medical attention if irritation develops and persists.                                                                                                      |
| <b>Eye contact</b>                                                            | Rinse with water. Get medical attention if irritation develops and persists.                                                                                                                  |
| <b>Ingestion</b>                                                              | In the unlikely event of swallowing contact a physician or poison control center. Rinse mouth.                                                                                                |
| <b>Most important symptoms/effects, acute and delayed</b>                     | Direct contact with eyes may cause temporary irritation.                                                                                                                                      |
| <b>Indication of immediate medical attention and special treatment needed</b> | Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victim under observation. Symptoms may be delayed.                                                      |
| <b>General information</b>                                                    | Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.                                                                              |

#### 5. Fire-fighting measures

|                                                                      |                                                                                                                                                                                                                                                                            |
|----------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Suitable extinguishing media</b>                                  | Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).                                                                                                                                                                                                                |
| <b>Unsuitable extinguishing media</b>                                | Do not use water jet as an extinguisher, as this will spread the fire.                                                                                                                                                                                                     |
| <b>Specific hazards arising from the chemical</b>                    | Contents under pressure. Pressurized container may explode when exposed to heat or flame. During fire, gases hazardous to health may be formed.                                                                                                                            |
| <b>Special protective equipment and precautions for firefighters</b> | Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.                                                                                                           |
| <b>Fire fighting equipment/instructions</b>                          | Move containers from fire area if you can do so without risk. Containers should be cooled with water to prevent vapor pressure build up. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out. |
| <b>Specific methods</b>                                              | Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk. In the event of fire and/or explosion do not breathe fumes.                                                       |
| <b>General fire hazards</b>                                          | Extremely flammable aerosol.                                                                                                                                                                                                                                               |

#### 6. Accidental release measures

|                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|----------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Personal precautions, protective equipment and emergency procedures</b> | Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid inhalation of vapors and spray mists. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS. |
| <b>Methods and materials for containment and cleaning up</b>               | Refer to attached safety data sheets and/or instructions for use. Keep combustibles (wood, paper, oil, etc.) away from spilled material. Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent product from entering drains. Following product recovery, flush area with water.                     |
| <b>Environmental precautions</b>                                           | Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. For waste disposal, see section 13 of the SDS.<br>Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. Inform appropriate managerial or supervisory personnel of all environmental releases.                                                           |

## 7. Handling and storage

### Precautions for safe handling

Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. All equipment used when handling the product must be grounded. Do not re-use empty containers. Avoid inhalation of vapors and spray mists. Avoid prolonged exposure. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

### Conditions for safe storage, including any incompatibilities

Level 1 Aerosol.

Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50°C/122 °F. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. This material can accumulate static charge which may cause spark and become an ignition source. Store in a well-ventilated place. Keep out of the reach of children. Store away from incompatible materials (see Section 10 of the SDS).

## 8. Exposure controls/personal protection

### Occupational exposure limits

#### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

| Components                         | Type | Value                          |
|------------------------------------|------|--------------------------------|
| AMMONIUM HYDROXIDE (CAS 1336-21-6) | PEL  | 35 mg/m3                       |
| Isopropyl Alcohol (CAS 67-63-0)    | PEL  | 50 ppm<br>980 mg/m3<br>400 ppm |

#### US. ACGIH Threshold Limit Values

| Components                         | Type | Value    |
|------------------------------------|------|----------|
| AMMONIUM HYDROXIDE (CAS 1336-21-6) | STEL | 35 ppm   |
|                                    | TWA  | 25 ppm   |
| Isobutane (CAS 75-28-5)            | STEL | 1000 ppm |
| Isopropyl Alcohol (CAS 67-63-0)    | STEL | 400 ppm  |
|                                    | TWA  | 200 ppm  |

#### US. NIOSH: Pocket Guide to Chemical Hazards

| Components                         | Type | Value      |
|------------------------------------|------|------------|
| AMMONIUM HYDROXIDE (CAS 1336-21-6) | STEL | 27 mg/m3   |
|                                    |      | 35 ppm     |
|                                    | TWA  | 18 mg/m3   |
|                                    |      | 25 ppm     |
| Isobutane (CAS 75-28-5)            | TWA  | 1900 mg/m3 |
|                                    |      | 800 ppm    |
| Isopropyl Alcohol (CAS 67-63-0)    | STEL | 1225 mg/m3 |
|                                    |      | 500 ppm    |
|                                    | TWA  | 980 mg/m3  |
|                                    |      | 400 ppm    |

### Biological limit values

#### ACGIH Biological Exposure Indices

| Components                      | Value   | Determinant | Specimen | Sampling Time |
|---------------------------------|---------|-------------|----------|---------------|
| Isopropyl Alcohol (CAS 67-63-0) | 40 mg/l | Acetone     | Urine    | *             |

\* - For sampling details, please see the source document.

### Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

**Individual protection measures, such as personal protective equipment**

|                                       |                                                                                                                                                                                                                                                |
|---------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Eye/face protection</b>            | Chemical respirator with organic vapor cartridge and full facepiece.                                                                                                                                                                           |
| <b>Skin protection</b>                |                                                                                                                                                                                                                                                |
| <b>Hand protection</b>                | Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove supplier.                                                                                                                                          |
| <b>Other</b>                          | Wear suitable protective clothing.                                                                                                                                                                                                             |
| <b>Respiratory protection</b>         | Chemical respirator with organic vapor cartridge and full facepiece.                                                                                                                                                                           |
| <b>Thermal hazards</b>                | Wear appropriate thermal protective clothing, when necessary.                                                                                                                                                                                  |
| <b>General hygiene considerations</b> | When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. |

**9. Physical and chemical properties**

|                                                     |                        |
|-----------------------------------------------------|------------------------|
| <b>Appearance</b>                                   | Clear. Liquid.         |
| <b>Physical state</b>                               | Liquid.                |
| <b>Form</b>                                         | Aerosol.               |
| <b>Color</b>                                        | Colorless              |
| <b>Odor</b>                                         | Ammonia                |
| <b>Odor threshold</b>                               | Not available.         |
| <b>pH</b>                                           | 10.5 - 11.5            |
| <b>Melting point/freezing point</b>                 | Not available.         |
| <b>Initial boiling point and boiling range</b>      | Not available.         |
| <b>Flash point</b>                                  | None                   |
| <b>Evaporation rate</b>                             | Not available.         |
| <b>Flammability (solid, gas)</b>                    | Not applicable.        |
| <b>Upper/lower flammability or explosive limits</b> |                        |
| <b>Flammability limit - lower (%)</b>               | Not available.         |
| <b>Flammability limit - upper (%)</b>               | Not available.         |
| <b>Explosive limit - lower (%)</b>                  | Not available.         |
| <b>Explosive limit - upper (%)</b>                  | Not available.         |
| <b>Vapor pressure</b>                               | 0.00001 hPa estimated  |
| <b>Vapor density</b>                                | Not available.         |
| <b>Relative density</b>                             | Not available.         |
| <b>Solubility(ies)</b>                              |                        |
| <b>Solubility (water)</b>                           | Not available.         |
| <b>Partition coefficient (n-octanol/water)</b>      | Not available.         |
| <b>Auto-ignition temperature</b>                    | Not available.         |
| <b>Decomposition temperature</b>                    | Not available.         |
| <b>Viscosity</b>                                    | Not available.         |
| <b>Other information</b>                            |                        |
| <b>Density</b>                                      | 8.17 lbs/gal estimated |
| <b>Explosive properties</b>                         | Not explosive.         |
| <b>Flame extension</b>                              | No Extension           |
| <b>Flammability (flash back)</b>                    | No                     |
| <b>Heat of combustion (NFPA 30B)</b>                | 2.09 kJ/g estimated    |
| <b>Oxidizing properties</b>                         | Not oxidizing.         |
| <b>Percent volatile</b>                             | 94.15 % estimated      |

|                  |            |
|------------------|------------|
| Specific gravity | 0.98 - 1   |
| VOC (Weight %)   | 5.94 % w/w |

## 10. Stability and reactivity

|                                    |                                                                                               |
|------------------------------------|-----------------------------------------------------------------------------------------------|
| Reactivity                         | The product is stable and non-reactive under normal conditions of use, storage and transport. |
| Chemical stability                 | Material is stable under normal conditions.                                                   |
| Possibility of hazardous reactions | No dangerous reaction known under conditions of normal use.                                   |
| Conditions to avoid                | Contact with incompatible materials.                                                          |
| Incompatible materials             | Strong oxidizing agents.                                                                      |
| Hazardous decomposition products   | No hazardous decomposition products are known.                                                |

## 11. Toxicological information

### Information on likely routes of exposure

|                                                                              |                                                          |
|------------------------------------------------------------------------------|----------------------------------------------------------|
| Inhalation                                                                   | Harmful if inhaled.                                      |
| Skin contact                                                                 | No adverse effects due to skin contact are expected.     |
| Eye contact                                                                  | Direct contact with eyes may cause temporary irritation. |
| Ingestion                                                                    | Expected to be a low ingestion hazard.                   |
| Symptoms related to the physical, chemical and toxicological characteristics | Direct contact with eyes may cause temporary irritation. |

### Information on toxicological effects

|                |                     |
|----------------|---------------------|
| Acute toxicity | Harmful if inhaled. |
|----------------|---------------------|

| Components                         | Species | Test Results      |
|------------------------------------|---------|-------------------|
| AMMONIUM HYDROXIDE (CAS 1336-21-6) |         |                   |
| <u>Acute</u>                       |         |                   |
| Oral                               |         |                   |
| LD50                               | Rat     | 350 mg/kg         |
| Isobutane (CAS 75-28-5)            |         |                   |
| <u>Acute</u>                       |         |                   |
| Inhalation                         |         |                   |
| LC50                               | Mouse   | 52 mg/l, 1 Hours  |
| Isopropyl Alcohol (CAS 67-63-0)    |         |                   |
| <u>Acute</u>                       |         |                   |
| Dermal                             |         |                   |
| LD50                               | Rabbit  | 12800 mg/kg       |
| Oral                               |         |                   |
| LD50                               | Dog     | 4797 mg/kg        |
|                                    | Mouse   | 3600 mg/kg        |
|                                    | Rabbit  | 5.03 g/kg         |
|                                    | Rat     | 4.7 g/kg          |
| SODIUM NITRITE (CAS 7632-00-0)     |         |                   |
| <u>Acute</u>                       |         |                   |
| Inhalation                         |         |                   |
| LC50                               | Rat     | 5.5 mg/l, 4 Hours |
| Oral                               |         |                   |
| LD50                               | Mouse   | 175 mg/kg         |
|                                    | Rabbit  | 186 mg/kg         |
|                                    | Rat     | 85 mg/kg          |

\* Estimates for product may be based on additional component data not shown.

|                                                                       |                                                                                                                  |
|-----------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|
| <b>Skin corrosion/irritation</b>                                      | Prolonged skin contact may cause temporary irritation.                                                           |
| <b>Serious eye damage/eye irritation</b>                              | Direct contact with eyes may cause temporary irritation.                                                         |
| <b>Respiratory or skin sensitization</b>                              |                                                                                                                  |
| <b>Respiratory sensitization</b>                                      | Not a respiratory sensitizer.                                                                                    |
| <b>Skin sensitization</b>                                             | This product is not expected to cause skin sensitization.                                                        |
| <b>Germ cell mutagenicity</b>                                         | No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. |
| <b>Carcinogenicity</b>                                                | This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.                                  |
| <b>OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)</b> |                                                                                                                  |
| Not listed.                                                           |                                                                                                                  |
| <b>Reproductive toxicity</b>                                          | This product is not expected to cause reproductive or developmental effects.                                     |
| <b>Specific target organ toxicity - single exposure</b>               | Not classified.                                                                                                  |
| <b>Specific target organ toxicity - repeated exposure</b>             | Not classified.                                                                                                  |
| <b>Aspiration hazard</b>                                              | Not an aspiration hazard.                                                                                        |
| <b>Chronic effects</b>                                                | Prolonged inhalation may be harmful.                                                                             |

## 12. Ecological information

**Ecotoxicity** Harmful to aquatic life.

| Components                                |      | Species                                                       | Test Results                 |
|-------------------------------------------|------|---------------------------------------------------------------|------------------------------|
| <b>AMMONIUM HYDROXIDE (CAS 1336-21-6)</b> |      |                                                               |                              |
| <b>Aquatic</b>                            |      |                                                               |                              |
| Fish                                      | LC50 | Western mosquitofish ( <i>Gambusia affinis</i> )              | 15 mg/l, 96 hours            |
| <b>Isopropyl Alcohol (CAS 67-63-0)</b>    |      |                                                               |                              |
| <b>Aquatic</b>                            |      |                                                               |                              |
| Fish                                      | LC50 | Bluegill ( <i>Lepomis macrochirus</i> )                       | > 1400 mg/l, 96 hours        |
| <b>SODIUM NITRITE (CAS 7632-00-0)</b>     |      |                                                               |                              |
| <b>Aquatic</b>                            |      |                                                               |                              |
| Crustacea                                 | EC50 | Greasyback shrimp ( <i>Metapenaeus ensis</i> )                | 16.14 - 26.61 mg/l, 48 hours |
| Fish                                      | LC50 | Rainbow trout, donaldson trout ( <i>Oncorhynchus mykiss</i> ) | 0.15 - 0.25 mg/l, 96 hours   |

\* Estimates for product may be based on additional component data not shown.

**Persistence and degradability** No data is available on the degradability of this product.

### Bioaccumulative potential

#### Partition coefficient n-octanol / water (log Kow)

|                   |      |
|-------------------|------|
| Isobutane         | 2.76 |
| Isopropyl Alcohol | 0.05 |

**Mobility in soil** No data available.

**Other adverse effects** No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

## 13. Disposal considerations

|                                   |                                                                                                                                                                                                                                                                                                                                                                                                         |
|-----------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Disposal instructions</b>      | Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Contents under pressure. Do not puncture, incinerate or crush. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations. |
| <b>Local disposal regulations</b> | Dispose in accordance with all applicable regulations.                                                                                                                                                                                                                                                                                                                                                  |
| <b>Hazardous waste code</b>       | The waste code should be assigned in discussion between the user, the producer and the waste disposal company.                                                                                                                                                                                                                                                                                          |

**Waste from residues / unused products**

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

**Contaminated packaging**

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers.

**14. Transport information****DOT**

|                              |                                                                         |
|------------------------------|-------------------------------------------------------------------------|
| UN number                    | Not available.                                                          |
| UN proper shipping name      | Consumer Commodity                                                      |
| Transport hazard class(es)   |                                                                         |
| Class                        | ORM-D                                                                   |
| Subsidiary risk              | -                                                                       |
| Label(s)                     | 2.1                                                                     |
| Packing group                | Not applicable.                                                         |
| Special precautions for user | Read safety instructions, SDS and emergency procedures before handling. |
| Special provisions           | 19, T50                                                                 |
| Packaging exceptions         | 306                                                                     |
| Packaging non bulk           | 304                                                                     |
| Packaging bulk               | 314, 315                                                                |

**IATA**

Not regulated as dangerous goods.

**IMDG**

|                                                                          |                                                                         |
|--------------------------------------------------------------------------|-------------------------------------------------------------------------|
| UN number                                                                | UN1950                                                                  |
| UN proper shipping name                                                  | AEROSOLS                                                                |
| Transport hazard class(es)                                               |                                                                         |
| Class                                                                    | 2                                                                       |
| Subsidiary risk                                                          | -                                                                       |
| Packing group                                                            | Not applicable.                                                         |
| Environmental hazards                                                    |                                                                         |
| Marine pollutant                                                         | No.                                                                     |
| EmS                                                                      | F-D, S-U                                                                |
| Special precautions for user                                             | Read safety instructions, SDS and emergency procedures before handling. |
| Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code | Not established.                                                        |

**IMDG****15. Regulatory information****US federal regulations**

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

**TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)**

SODIUM NITRITE (CAS 7632-00-0) 1.0 % One-Time Export Notification only.

**CERCLA Hazardous Substance List (40 CFR 302.4)**

|                                    |         |
|------------------------------------|---------|
| AMMONIUM HYDROXIDE (CAS 1336-21-6) | Listed. |
| Isobutane (CAS 75-28-5)            | Listed. |
| Isopropyl Alcohol (CAS 67-63-0)    | Listed. |
| SODIUM NITRITE (CAS 7632-00-0)     | Listed. |

**SARA 304 Emergency release notification**

Not regulated.

**OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)**

Not listed.

**Superfund Amendments and Reauthorization Act of 1986 (SARA)**

**Hazard categories**  
Immediate Hazard - Yes  
Delayed Hazard - No  
Fire Hazard - Yes  
Pressure Hazard - No  
Reactivity Hazard - No

**SARA 302 Extremely hazardous substance**

Not listed.

**SARA 311/312 Hazardous chemical** No

**SARA 313 (TRI reporting)**

| Chemical name      | CAS number | % by wt. |
|--------------------|------------|----------|
| Isopropyl Alcohol  | 67-63-0    | 1 - < 3  |
| AMMONIUM HYDROXIDE | 1336-21-6  | < 1      |

**Other federal regulations****Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List**

Not regulated.

**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)**

Isobutane (CAS 75-28-5)

**Safe Drinking Water Act (SDWA)** Not regulated.

**US state regulations****US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)**

Not listed.

**US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))**

Isobutane (CAS 75-28-5)  
Isopropyl Alcohol (CAS 67-63-0)

**US. Massachusetts RTK - Substance List**

AMMONIUM HYDROXIDE (CAS 1336-21-6)  
Isobutane (CAS 75-28-5)  
Isopropyl Alcohol (CAS 67-63-0)  
SODIUM NITRITE (CAS 7632-00-0)

**US. New Jersey Worker and Community Right-to-Know Act**

AMMONIUM HYDROXIDE (CAS 1336-21-6)  
Isobutane (CAS 75-28-5)  
Isopropyl Alcohol (CAS 67-63-0)  
SODIUM NITRITE (CAS 7632-00-0)

**US. Pennsylvania Worker and Community Right-to-Know Law**

AMMONIUM HYDROXIDE (CAS 1336-21-6)  
Isobutane (CAS 75-28-5)  
Isopropyl Alcohol (CAS 67-63-0)  
SODIUM NITRITE (CAS 7632-00-0)

**US. Rhode Island RTK**

AMMONIUM HYDROXIDE (CAS 1336-21-6)  
Isobutane (CAS 75-28-5)  
Isopropyl Alcohol (CAS 67-63-0)  
SODIUM NITRITE (CAS 7632-00-0)

**US. California Proposition 65**

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

**International Inventories**

| Country(s) or region | Inventory name                                     | On inventory (yes/no)* |
|----------------------|----------------------------------------------------|------------------------|
| Australia            | Australian Inventory of Chemical Substances (AICS) | Yes                    |
| Canada               | Domestic Substances List (DSL)                     | Yes                    |
| Canada               | Non-Domestic Substances List (NDSL)                | No                     |

Material name: Gunk Glass Cleaner - Streak Free

GC1 Version #: 02 Revision date: 08-10-2015 Issue date: 05-08-2015

SDS US

8 / 9

| Country(s) or region        | Inventory name                                                         | On inventory (yes/no)* |
|-----------------------------|------------------------------------------------------------------------|------------------------|
| China                       | Inventory of Existing Chemical Substances in China (IECSC)             | Yes                    |
| Europe                      | European Inventory of Existing Commercial Chemical Substances (EINECS) | No                     |
| Europe                      | European List of Notified Chemical Substances (ELINCS)                 | No                     |
| Japan                       | Inventory of Existing and New Chemical Substances (ENCS)               | No                     |
| Korea                       | Existing Chemicals List (ECL)                                          | Yes                    |
| New Zealand                 | New Zealand Inventory                                                  | Yes                    |
| Philippines                 | Philippine Inventory of Chemicals and Chemical Substances (PICCS)      | Yes                    |
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory                          | Yes                    |

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

## 16. Other information, including date of preparation or last revision

|               |                                                    |
|---------------|----------------------------------------------------|
| Issue date    | 05-08-2015                                         |
| Revision date | 08-10-2015                                         |
| Version #     | 02                                                 |
| HMIS® ratings | Health: 2<br>Flammability: 4<br>Physical hazard: 0 |
| NFPA ratings  | Health: 2<br>Flammability: 4<br>Instability: 0     |

NFPA ratings



### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

### Revision Information

Physical & Chemical Properties: Multiple Properties  
Physical and chemical properties: Odor  
Stability and reactivity: Possibility of hazardous reactions  
Transport Information: Material Transportation Information  
GHS: Classification