

SAFETY DATA SHEET

10/24/16

1. Product and Company Identification

Product identifier

NU-BRITE (4291-01, 4291-05, 4291-08, 4891-08)

Other means of identification

Not available.

Nu-Brite coil Cleaner

Recommended use

Coil Cleaner / Degreaser

Recommended restrictions

Manufacturer information

None known.
Nu-Calgon
2008 Altom Court

St. Louis, MO 63146 US

Phone: 314-469-7000 / 800-554-5499

Serious eye damage/eye irritation

Emergency Phone: 1-800-424-9300 (CHEMTREC)

2. Hazards Identification

Physical hazards

Corrosive to metals

Category 1

Health hazards

Skin corrosion/irritation

Category 1
Category 1

Environmental hazards

Not classified.

OSHA defined hazards

Not classified.

Label elements



Signal word

Danger

Hazard statement

May be corrosive to metals.

Causes severe skin burns and eye damage.

Precautionary statement

Prevention

Keep only in original container.

Do not breathe mist or vapor. Wash thoroughly after handling. Wear protective gloves/protective

clothing/eye protection/face protection.

Response

Absorb spillage to prevent material damage.

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If inhaled: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

Immediately call a poison center/doctor.

Specific treatment (see information on this label).

Storage

Store in corrosive resistant container with a resistant inner liner.

Store locked up.

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise classified (HNOC)

None known.

Supplemental information

Not applicable.

3. Composition/Information on Ingredients

Mixture

Chemical name	Common name and synonyms	CAS number	%
Sodium hydroxide		1310-73-2	15-40
Alkyl polyglycoside		110615-47-9	1-5

Composition comments

US GHS: The exact percentage (concentration) of composition has been withheld as a trade

secret in accordance with paragraph (i) of §1910.1200.

4. First Aid Measures

Inhalation

If inhaled: Remove person to fresh air and keep comfortable for breathing. Immediately call a poison center/doctor/.

Skin contact

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. Specific treatment (see information on this label). Immediately call a poison center/doctor/.

Eye contact

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

Ingestion

easy to do. Continue rinsing. Immediately call a poison center/doctor.

Most important

symptoms/effects, acute and

If swallowed: Rinse mouth. Do NOT induce vomiting. Immediately call a poison center/doctor/. Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.

delayed Indication of immediate

medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Symptoms may be delayed.

General information

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. If you feel unwell, seek medical advice (show the label where possible). Show this safety data sheet to the doctor in attendance. Use of an impervious apron is recommended. Avoid contact with eyes and skin. Wear rubber gloves and chemical splash goggles. Keep out of reach of children.

5. Fire Fighting Measures

Suitable extinguishing media

Unsuitable extinguishing media

Specific hazards arising from the chemical

Special protective equipment and precautions for firefighters

Fire-fighting equipment/instructions

Specific methods

Hazardous combustion products

Explosion data

Sensitivity to mechanical impact

Sensitivity to static discharge

Treat for surrounding material.

Do not use water jet as an extinguisher, as this will spread the fire.

Firefighters should wear a self-contained breathing apparatus.

Firefighters should wear full protective clothing including self contained breathing apparatus.

Move containers from fire area if you can do so without risk.

Use standard firefighting procedures and consider the hazards of other involved materials.

May include and are not limited to: Oxides of carbon.

No.

No.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep out of low areas. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Large Spills: Stop leak if you can do so without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb spillage to prevent material damage. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. Never return spills to original containers for re-use.

Never return spills to original containers for re-use.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground. Do not discharge into lakes, streams, ponds or public waters.

7. Handling and Storage

Precautions for safe handling

Avoid prolonged exposure. Wear appropriate personal protective equipment. Wash thoroughly after handling. Ensure adequate ventilation. Do not get in eyes, on skin or on clothing. Use good industrial hygiene practices in handling this material. Keep container tightly closed. Avoid breathing vapors or mists of this product.

Conditions for safe storage, including any incompatibilities

Store locked up. Store in corrosive resistant container with a resistant inner liner. Store in a closed container away from incompatible materials. Keep only in the original container. Store in a cool, dry place out of direct sunlight. Store away from incompatible materials (see Section 10 of the SDS)

8. Exposure Controls/Personal Protection

Occupational exposure limits

US, OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

 Components
 Type
 Value

 Sodium hydroxide (CAS
 PEL
 2 mg/m3

1310-73-2)

US. ACGIH Threshold Limit Values

 Components
 Type
 Value

 Sodium hydroxide (CAS
 Ceiling
 2 mg/m3

1310-73-2)

US. NIOSH: Pocket Guide to Chemical Hazards

 Components
 Type
 Value

 Sodium hydroxide (CAS
 Ceiling
 2 mg/m3

1310-73-2)

Biological limit values

No biological exposure limits noted for the ingredient(s).

Exposure guidelines Chemicals listed in section 3 that are not listed here do not have established limit values for

ACGIH.

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear chemical goggles.

Skin protection

Hand protection

Rubber gloves. Confirm with a reputable supplier first.

Other

Wear appropriate chemical resistant clothing. As required by employer code. Rubber apron

recommended.

Respiratory protection

Wear positive pressure self-contained breathing apparatus (SCBA). Avoid breathing mists or

vapors

Where exposure guideline levels may be exceeded, use an approved NIOSH respirator.

Thermal hazards

General hygiene considerations

Not applicable.

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Wash hands before breaks and immediately after handling the product.

9. Physical and Chemical Properties

AppearanceLiquidPhysical stateLiquid.FormLiquid.

Color Blue

Odor Characteristic, Mild

Odor threshold Not available.
pH 12.7 (1%)

14 (Concentrate) 32 °F (0 °C)

Melting point/freezing point
Initial boiling point and boiling

212 °F (100 °C)

range

nge

Not available.

Pour point Specific gravity

1.24

Partition coefficient

Not available

(n-octanol/water)
Flash point

None to boiling

Evaporation rate Flammability (solid, gas)

Equal to water Not applicable.

#18522

Page: 3 of 9

Issue date 10-February-2016 4291-01, 4291-05, 4291-08, 4891-08 Upper/lower flammability or explosive limits

Flammability limit - lower

Not available

Flammability limit - upper

(%)

Not available

Explosive limit - lower (%)

Explosive limit - upper (%)

Not available. Not available.

Vapor pressure

Vapor density

Not available Not available

Relative density Solubility(ies)

Not available. Complete

Auto-ignition temperature **Decomposition temperature** Not available Not available.

Viscosity

Water thin

Other information

10.36 lb/gal

Bulk density VOC (Weight %)

None

10. Stability and Reactivity

Reactivity

Reacts violently with acids. This product may react with oxidizing agents.

Possibility of hazardous reactions

Hazardous polymerization does not occur.

Chemical stability

Stable under recommended storage conditions.

Conditions to avoid

Do not mix with other chemicals. Hazardous vapours may be produced when mixed with

chlorinated detergents or sanitizers.

Incompatible materials

Hazardous decomposition

products

Oxidizing agents. Acids. May include and are not limited to: Oxides of carbon.

11. Toxicological Information

Routes of exposure

Eye, Skin contact, Inhalation, Ingestion.

Information on likely routes of exposure

Ingestion

Causes digestive tract burns.

Inhalation

Prolonged inhalation may be harmful. May cause irritation to the respiratory system.

Skin contact Eye contact

Causes severe skin burns. Causes serious eye damage.

Symptoms related to the physical, chemical and

toxicological characteristics

Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including

blindness could result.

Information on toxicological effects

Acute toxicity

Components **Species** **Test Results**

Alkyl polyglycoside (CAS 110615-47-9)

Acute

Dermal LD50

Rabbit

> 2000 mg/kg

Inhalation

Not available

LC50 Oral

LD50

Rat

> 5000 mg/kg

Sodium hydroxide (CAS 1310-73-2)

Acute

Dermal

LD50 Rabbit 1350 mg/kg

Species Components

Inhalation

LC50 Not available

Oral

LD50 Not available

Skin corrosion/irritation Causes severe skin burns and eye damage.

Not available. **Exposure minutes** Not available. Erythema value Not available.

Oedema value

Serious eye damage/eye irritation

Causes serious eye damage.

Corneal opacity value

Not available.

Iris lesion value Conjunctival reddening Not available. Not available.

value

Not available. Conjunctival oedema value Not available. Recover days

Respiratory or skin sensitization

Respiratory sensitization

Not available.

Skin sensitization

This product is not expected to cause skin sensitization.

Germ cell mutagenicity Mutagenicity

Non-hazardous by WHMIS/OSHA criteria. Non-hazardous by WHMIS/OSHA criteria. Non-hazardous by WHMIS/OSHA criteria.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Reproductive toxicity

Non-hazardous by WHMIS/OSHA criteria. Non-hazardous by WHMIS/OSHA criteria.

Specific target organ toxicity -

single exposure

Teratogenicity

Carcinogenicity

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard

Chronic effects

Not available.

Not available. Further information

Name of Toxicologically Synergistic Products

Not available.

12. Ecological Information

Prolonged inhalation may be harmful. Non-hazardous by WHMIS/OSHA criteria.

Components of this product have been identified as having potential environmental concerns. See **Ecotoxicity**

below

Ecotoxicological data

Components

Species

Test Results

Test Results

Sodium hydroxide (CAS 1310-73-2)

Aquatic

Crustacea

EC50

Water flea (Ceriodaphnia dubia)

34.59 - 47.13 mg/L, 48 hours

Fish

LC50

Western mosquitofish (Gambusia affinis) 125 mg/L, 96 hours

Persistence and degradability

Bioaccumulative potential

No data is available on the degradability of this product.

Mobility in soil

No data available. No data available.

Mobility in general

Other adverse effects

Not available.

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal Considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. This material

and its container must be disposed of as hazardous waste. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international

regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

14. Transport Information

General

Canada: TDG Proof of Classification: In accordance with Part 2.2.1 (SOR/2014-152) of the Transportation of Dangerous Goods Regulations, we certify that the classification of this product is correct as of the SDS date of issue. If applicable, the technical name and the classification of the product will appear below.

U.S. Department of Transportation (DOT)

Basic shipping requirements:

UN number

Proper shipping name

Corrosive liquid, basic, inorganic, n.o.s.

Technical name

Sodium hydroxide

Hazard class

11

Packing group Special provisions

B2, IB2, T11, TP2, TP27

Packaging exceptions

154 202

Packaging non bulk Packaging bulk

242

Transportation of Dangerous Goods (TDG - Canada)

Basic shipping requirements:

UN number

Proper shipping name

CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.

Technical name

SODIUM HYDROXIDE

Hazard class

8 11

Packing group

Special provisions

16 <1L - Limited Quantity

Packaging exceptions

IATA/ICAO (Air)

Basic shipping requirements:

UN number

UN3266

Proper shipping name

Corrosive liquid, basic, inorganic, n.o.s.

Technical name

Sodium hydroxide

Hazard class

Packing group

П

IMDG (Marine Transport)

Basic shipping requirements:

UN number

UN3266

Proper shipping name

CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.

Technical name

Sodium hydroxide

Hazard class **Packing group** 8 11



IATA; IMDG; TDG



15. Regulatory Information

Canadian federal regulations

This product has been classified in accordance with the hazard criteria of the Controlled Products

Regulations and the SDS contains all the information required by the Controlled Products

Regulations.

WHMIS status

Controlled

WHMIS classification

Class E - Corrosive Material

WHMIS labeling



US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Sodium hydroxide (CAS 1310-73-2)

Listed.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely

hazardous substance

SARA 311/312 Hazardous

No

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Clean Water Act (CWA) Section 112(r) (40 CFR

Hazardous substance

68.130)

Safe Drinking Water Act

Not regulated.

(SDWA)

Drug Enforcement Administration (DEA). List 2, Essential Chemicals (21 CFR 1310.02(b) and 1310.04(f)(2) and **Chemical Code Number**

Not listed.

Drug Enforcement Administration (DEA). List 1 & 2 Exempt Chemical Mixtures (21 CFR 1310.12(c))

Not regulated.

DEA Exempt Chemical Mixtures Code Number

Not regulated.

Food and Drug

Not regulated.

Administration (FDA) **US state regulations**

This product does not contain a chemical known to the State of California to cause cancer, birth

defects or other reproductive harm.

US - Illinois Chemical Safety Act: Listed substance

Sodium hydroxide (CAS 1310-73-2)

US - Minnesota Haz Subs: Listed substance

Sodium hydroxide (CAS 1310-73-2)

SODIUM HYDROXIDE

US - New Jersey RTK - Substances: Listed substance

Sodium hydroxide (CAS 1310-73-2)

US - New York Release Reporting: Hazardous Substances: Listed substance

Sodium hydroxide (CAS 1310-73-2)

SODIUM HYDROXIDE

US - New York Release Reporting: Hazardous Substances: Reportable quantity for releases to air

Sodium hydroxide (CAS 1310-73-2)

SODIUM HYDROXIDE

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100) Not listed.

US. Massachusetts RTK - Substance List

Sodium hydroxide (CAS 1310-73-2)

US. New Jersey Worker and Community Right-to-Know Act

Not regulated.

US. Pennsylvania RTK - Hazardous Substances

Sodium hydroxide (CAS 1310-73-2)

US. Pennsylvania Worker and Community Right-to-Know Law

Sodium hydroxide (CAS 1310-73-2)

US. Rhode Island RTK

Sodium hydroxide (CAS 1310-73-2)

Inventory status

Country(s) or region

Inventory name

On inventory (yes/no)*

Canada

Domestic Substances List (DSL)

Canada

Non-Domestic Substances List (NDSL)

No

United States & Puerto Rico

Toxic Substances Control Act (TSCA) Inventory


Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other Information

LEGEND	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0
Serious Moderate Slight	3 2 1





Disclaimer

The information in the sheet was written based on the best knowledge and experience currently available. Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

Issue date Effective date

Expiry date

10-February-2016 10-February-2016

10-February-2019

Further information

Prepared by Other information For an updated SDS, please contact the supplier/manufacturer listed on the first page of the document.

Nu-Calgon Technical Service Phone: (314) 469-7000

This Safety Data Sheet was prepared to comply with the current OSHA Hazard Communication Standard (HCS) adoption of the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).