

TURTLE WAX, INC. 2250 W. Pinehurst Blvd., STE 150 Addison, IL 60101

SAFETY DATA SHEET

Turtle Wax Nano-Tech

FORMULA F-21 TiRE

Foam - E- Shine CLEANER

1. Product and Company Identification

1.1 Product Identifier

Product Code (SKU):

Product Name:

Turtle Wax Tire Foam 'N' Shine

T49R1 (50378)

1.2 Relevant Identified Uses Of The Substance

Product Use:

Rubber & Vinyl Protectant - (Aerosol)

1.3 Details of the Supplier of the SDS

Company Name:

Turtle Wax, Inc.

Street Address:

2250 W. Pinehurst Blvd., Suite 150

City, State, Zip Code:

Addison, IL 60101

1.4 Emergency Telephone Numbers

Phone Number:

1(630)455-3700

Fax Number:

1(630)455-3868

Transportation:

1(800)424-9300 (CHEMTREC)

Medical Assistance:

Call your local Poison Control Center

2. Hazard Identification:

2.1 Classification of the Substance or Mixture

Hazard Classification:

Flammable aerosol 2

Gas under pressure - Liquified Gas

2.2 Label Elements



Pictogram:

Signal Word:

Warning

Hazard Statement:

Flammable aerosol. Contains gas under pressure. May

explode if heated.

Precautionary Statement:

Keep away from heat, sparks, open flames, and hot

surfaces. Do not spray on an open flame or other ignition

source. Pressurized container; Do not puncture or

incinerate even when empty. Do not store in direct sunlight. Do not expose to temperatures exceeding 49°C(120°F).

Store in a cool well ventilated place.

2.3 Other Hazards

Description of additional HNOC:

Intentional misuse by deliberately concentrating and inhaling

the contents may be harmful or fatal.

3. Information on Ingredients:

3.1 Substance

not applicable

Component	CAS Number	Concentration (wt%)
Water	7732-18-5	75–85%
Isobutane	75-28-5	5–10%
Propane	74-98-6	1–5%
Polydimethyl Siloxane	63148-62-9	510%
Sodium Nitrite	7632-00-0	<0.2%

4. First Aid Measures:

4.1 Description of First Aid Measures

Inhalation: Remove to fresh air and promote deep breathing. Get medical attention if effects persist.

Skin: In case of skin contact, wash thoroughly with soap and water. If irritation persists, get medical attention.

Eyes: In case of eye contact, immediately flush eyes with plenty of water. Remove contact lenses if worn. If irritation persists, get medical attention

Ingestion: If swallowed, do not induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention if effects persist.

4.2 Most important symptoms and effects - acute and chronic

Inhalation: May cau

May cause respiratory tract irritation. Intentional misuse by deliberately

concentrating and inhaling the contents may be harmful or fatal.

Skin:

May cause skin irritation. May cause drying, cracking, or mild dermatitis.

Eyes:

May cause temporary eye irritation.

Ingestion:

May cause stomach distress, nausea, and vomiting.

4.3 Indication of any immediate medical attention and special treatment

Symptoms may not appear immediately. Seek medical attention if effects persist and you feel unwell.

5. Fire Fighting Measures:

5.1 Extinguishing media

Water spray, carbon dioxide, dry chemical, and alcohol foam

5.2 Special hazards arising from the substance or mixture

Flammable Aerosol; Byproducts may include CO₂, CO, and hydrocarbons

5.3 Advice for Fire Fighters

Keep up wind of fire. Wear full firefighting turn out gear (full bunker gear) and respiratory protection (SCBA). See Section 8 for personal protection.

6. Accidental Release Measures:

6.1 Personal precautions, protective equipment, and emergency procedures

Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

6.2 Methods and materials for containment and clean up

For containment: Contain and absorb spill with inert material. Place in suitable container for disposal. Spilled material may be slippery.

For clean up: Take up material and place in a suitable container. Provide adequate ventilation. Spilled material may be slippery.

7. Handling and Storage

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Do not swallow. Do not eat, drink or smoke while handling. Wash hands with soap and water after handling. Launder all clothing before re-use.

7.2 Conditions for safe storage including incompatibilities

Keep out of reach of children. Keep container tightly closed. Store in a well ventilated place. Do not store above 49°C (120°F).

7.3 Specific end uses

Shelf Life: Shelf life is considered to be 7 – 10 years when properly stored and kept closed. Aerosols have been proven to last much longer.

8. Exposure Control/Personal Protection:

8.1 Control parameters

Exposure Limits 8 hr TWA:	<u>(OSHA PEL)</u>	(ACGIH TWA)
Isobutane (75-28-5)	not applicable	1000 ppm
Propane (74-98-6)	1000 ppm	1000 ppm
Polydimethyl Siloxane (63148-62-9)	not applicable	not applicable
Sodium Nitrite (7632-00-0)	not applicable	not applicable

8.2 Exposure controls

Use adequate ventilation to keep exposure below recommended limits. Ensure that eye wash station and safety shower are close to work station.

Hand Protection Equipment: Wear chemical resistant gloves and clothing to prevent skin contact.

Eye Protection Equipment: Wear safety glasses or splash goggles to prevent eye contact.

Skin and Body Protection: Wear suitable protective clothing.

Respiration/Ventilation Protection Requirements: Provide good ventilation.

Ingestion Protection Requirements: Do not eat, drink or smoke while handling. Wash hands with soap and water after handling. Launder all clothing before re-use.

9. Physical And Chemical Properties:

9.1 Information of basic chemical and physical properties

Physical Form:

gas / pressurized liquid translucent to white

Color:

Odor:

pH:

typical

Odor Threshold:

not available 8.6 (liquid phase)

Melting Point/Freeze Point:

0°C (32°F) - Based on Water

Initial Boiling Point:

100°C (212°F) - Based on Water

Flash Point (Seta Closed Cup):

>93°C (200°F)

Flammability Limits:

Upper: not available Lower: not available **Explosive Limits:**

Evaporation Rate: Flammability Solid/Gas: not available not applicable

Vapor Pressure:

not available not available

Vapor Density: Specific Gravity:

Solubility in Water:

0.998 (liquid phase) dispersible

Auto Ignition Temperature:

not available

Partition coefficient (n/octonol/water):

not available

Viscosity:

water thin

9. 2 Other information

%NVM by Weight:

7.3%

%VOC Content (California):

9.7%

10. Stability and Reactivity:

10.1 Reactivity

Does not react under normal conditions

10.2 Chemical stability

Stable

10.3 Possibility of hazardous reactions

Does not react under normal conditions

10.4 Conditions to avoid

Heat and incompatible materials

10.5 Incompatible materials

Strong oxidizers such as bleach and peroxides

10.6 Hazardous decomposition products

CO₂, CO and hydrocarbons

11. Toxicological Information:

11.1 Information on Toxicological effects

Turtle Wax Tire Foam 'N' Shine

LD50 - Oral Rat >2000 mg/Kg LD50 - Dermal Rabbit >2000 mg/Kg LC50 - Inhalation Rat >5 mg/L (4 hr)

Isobutane (75-28-5)

LD50 – Inhalation Rat 658 mg/L (4hr)

Propane (76-98-6)

LD50 – Inhalatyion Rat 658 mg/L(4hr)

Sodium Nitrite (7632-00-0)

LD50 - Oral Rat 180 mg/Kg LC50 – Inhalation Rat 5.5 mg/L (4 hr)

Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization Germ cell mutagenicity Carcinogenicity

Based on available data, classification data are not met Based on available data, classification data are not met Based on available data, classification data are not met Based on available data, classification data are not met Based on available data, classification data are not met

Reproductive toxicity Based on available data, classification data are not met Specific target organs - single exposure

Based on available data, classification data are not met

Specific target organs – repeated exposure

Based on available data, classification data are not met Aspiration hazard Based on available data, classification data are not met

Symptoms/injuries after inhalation May cause respiratory tract irritation. Intentional misuse by

deliberately concentrating and inhaling the contents may be harmful or fatal.

Symptoms/injuries after skin contact May cause skin irritation. May cause drying, cracking, or

mild dermatitis.

Symptoms/injuries after eye contact May cause temporary eye irritation. Symptoms may include

discomfort, redness, excess blinking and tearing.

Symptoms/injuries after ingestion May be harmful if swallowed. May cause stomach distress,

nausea, and vomiting.

12. Ecological Information:

12.1 Toxicity

Not recommended for release into aquatic systems without treatment

12.2 Persistence and degradability

Not established

12.3 Bioaccumulative potential

Not established

12.4 Mobility in soil

Not established

12.5 Other adverse effects

None known

13. Disposal Considerations:

13.1 Waste treatment methods

RCRA Hazardous Waste: Waste Disposal Method:

Product is regulated as a hazardous waste - D001 Ignitable.

Dispose of in accordance with local, state and federal

regulations.

Waste Disposal Vessel:

Plastic or metal drums. Dispose of un-used

aerosol cans through a registered aerosol recycler.

14. Transportation Information:

14.1 UN number 1950

14.2 UN Proper shipping name

Aerosol - Flammable

14.3 Transport Hazard class

2.1

14.4 Packaging group

Not applicable

14.5 Marine Pollutant

No

14.6 Transportation in Bulk

Not applicable

14.7 Special precautions

NFPA (34b) Level 1 Aerosol

15. Regulatory Information:

15.1 US Federal Regulations

TSCA Status: All ingredients are commercially available and listed by the manufacturer under TSCA.

15.2 Foreign Regulations

Canadian Status: All materials contained in this product are listed on the Canadian Domestic Substance List (DSL). Consult Turtle Wax, Inc. regarding status of ingredients.

European Union: All materials contained in this product are listed on EINECS.

AICS: All materials are registered for AICS (Australia)

15.3 State Regulations

State Regulatory Information:

The following chemicals are specifically listed by individual states; other product specific health and safety data in other sections of the SDS may also be applicable for state requirements. For details on your regulatory requirements, contact the appropriate agency in your state.

California Prop 65:

CAS Number	Concentration	State Code		
None				
15.4 HMIS & NFPA Cla	ssifications			
HMIS Classification:	Health Flammability Reactivity	1 2 0		
NFPA Classification:	Health Flammability Reactivity	1 2 0		
16. Other Information:				
Reason For Issue	Address Update	Address Update		
Prepared By	James Heidel	James Heidel		
Preparer's Title	Technical Directo	Technical Director, R&D		
SDS Administrator	Jean Mayszak - ⁻	Jean Mayszak - Technical Compliance Manager, R&D		
Approval Date	January 27, 2017	January 27, 2017		
Supersedes Date	November 21, 20	November 21, 2014		
Revision Number	A – 6	A-6		

This information is, to the best of Turtle Wax, Inc.'s knowledge and belief, accurate and reliable. However, no representation, warranty, or guarantee is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy oneself as to the suitableness and completeness of such information for their own particular use.