Tulip Brush on Fabric Paint, Duncan

OVETOCREATE®

Safety **Data Sheet**



1. COMPANY AND PRODUCT IDENTIFICATION

iLoveToCreate A Duncan Enterprises Company 5673 East Shields Avenue Fresno, CA 93727 559-291-4444 559-291-9444 (Fax)

EMERGENCY TELEPHONE NUMBERS Health Emergencies: 559-291-4444 7:00 am - 3:30 pm Pacific Std. Time Spill and Off-Hour Health Emergencies: 800-424-9300 U.S. and Canada 703-527-3887 Outside U.S. and Canada (Collect)

Product Name: Product Description: **TULIP SOFT FABRIC PAINT**

Brush - On Fabric Paint

2. HAZARDS IDENTIFICATION

HMIS Hazard Ratings for Product		Rating Scale:
		0 = Minimal
		1 = Slight
Reactivity	0	2 = Moderate
Personal Protection	See	3 = Serious
	Section 8	4 = Severe
<u> </u>	00000000	* = Chronic Effects

3. COMPOSITION / INGREDIENT INFORMATION

The ingredients in this formulation are a trade secret. All ingredients in the formula are nonhazardous, unless specified in Sections 2 and 15.

4. FIRST AID MEASURES

Eye

Flush eyes with large amounts of water until irritation subsides. Consult a

Contact: physician if irritation persists.

Skin

Wash affected skin areas thoroughly with soap and water. Consult a physician if

Contact: irritation persists.

Inhalation:

Move subject to fresh air.

Ingestion:

If swallowed, give two glasses of water to drink. Consult a physician. Never give

anything by mouth to an unconscious person.

5. FIRE FIGHTING MEASURES

Autoignition Temperature:

Unknown

Flash Point:

Not Applicable

Upper Explosive Limit (%):

Not Applicable

Lower Explosive Limit (%):

Not Applicable

Extinguisher Media:

CO₂, Dry Chemical, Foam - Use extinguishing media appropriate for surrounding fire

Special Firefighting Procedures:

Not Applicable

Fire & Explosion Hazards:

Not Applicable

NFPA Flammability Hazard Class:

0 = Insignificant

6. ACCIDENTAL RELEASE MEASURES

Spill or Leak Procedures:

Spills should be taken up with suitable absorbent material and placed in containers. Spill areas can be washed with water; collect wash water for

approved disposal. Do not flush to storm sewer or waterway.

For safety and environmental precautions, please review entire Safety Data Sheet for necessary information.

7. HANDLING AND STORAGE

Storage Temperature:

40° - 100°F

Handling / Storage:

Protect from freezing; keep container sealed when not in use.

Ventilation Requirements: General

8. EXPOSURE CONTROL AND PERSONAL PROTECTION

Conditions Under Which Personal

Protective Equipment Required:

Normal work conditions, maintenance / repair.

Eye Protection Requirements:

Wear safety glasses with side shields.

Glove Requirements:

Gloves not normally required for foreseeable conditions

of use.

Clothing Requirements:

Protective clothing is normally not necessary for

foreseeable conditions of use.

Change / Removal of Clothing:

Wash Requirements:

None required None

Respirator Requirements:

None required under normal handling conditions.

Ventilation Requirements:

General

9. PHYSICAL AND CHEMICAL PROPERTIES

Pure Material or Mixture:

Mixture

Physical Form:

Boiling Point:

Viscous liquid

Appearance / Physical Description:

Colored viscous liquid; slight odor

pH:

7.5 - 8.5> 212°F

Melting / Freezing Point:

< 32°F

Odor Threshold:

Not Applicable

Miscible

Solubility in Water:

Not Applicable

Partition Coefficient (n-octanol/water): Specific Gravity (Water = 1):

0.9 - 1.2

Bulk Density:

7.5 - 10.0 lb / gal

Volatiles:

>50% / wt

Vapor Pressure:

17.5 mm Hg @ 20°C (68°F)

Evaporation Rate (Water = 1):

0.62

Vapor Density (Air = 1):

Volatile Organic Compounds:

211 g/l Unknown

Autoignition Temperature: Flash Point:

Not Applicable Not Applicable

Oxidizing Properties:

10. STABILITY AND REACTIVITY

Stability: Stable

Incompatibilities: Materials that react with water

NFPA Reactivity Hazard Class: 0 = Insignificant

Hazardous Decomposition Products: Carbon monoxide, carbon dioxide

Hazardous Polymerization: Will not occur

11. TOXICOLOGICAL INFORMATION

Acute (Short-Term) Effects of Exposure

Route of Entry

Acute Effects - Eye: Slight, transient

Acute Effects - Skin Contact: No hazard in normal industrial use Acute Effects - Inhalation: No hazard in normal industrial use

Acute Effects – Ingestion: No hazard in normal industrial use

Chronic (Long-Term) Effects of Exposure

Effect of Chronic This product should be considered non - hazardous and has no

Exposure: known chronic effects.

Target Organs: Not applicable

Carcinogenicity: None

12. ECOLOGICAL INFORMATION

No Applicable Data

13. DISPOSAL CONSIDERATIONS

Waste Disposal Waste disposal should be in accordance with existing Federal, State,

Methods: and Local environmental regulations.

Empty Container Empty containers may contain product residue; follow SDS and label Warnings:

warnings even after they have been emptied.

14. TRANSPORT INFORMATION

U.S. Department of Transportation Information

DOT Shipping Name: Paints or Stains 149980 Sub. 2

DOT Hazard Class: Non-hazardous

DOT Reportable Quantity: None

United Nations Information U.N. Number: None U.N. Class: None

15. REGULATORY INFORMATION

TSCA: All components are on the TSCA Inventory

FDA: 21CFR175.105

SARA/Title III: This product contains no substances at or above the reported threshold under

Section 313, based on available data.

CONFORMS TO
NONTOXIC
ASTM D-4236

Products bearing the Nontoxic Product Seal are certified in a program of toxicological evaluation by a nationally recognized toxicologist to contain no materials in sufficient quantities to be toxic or injurious to humans or to cause acute or chronic health problems. These products are certified to be labeled in accordance with the voluntary chronic hazard labeling standard ASTM D-4236. In addition, there is no physical hazard as defined within 29 CFR Part

1910.1200(c).

16. OTHER INFORMATION

	Table of Abbreviations
ACGIH	American Conference of Governmental Industrial Hygienists
ANSI	American National Standards Institute
ASTM	American Society for Testing Materials
°C	Degrees Centigrade
CAS	Chemical Abstract Service
CERCLA	Comprehensive Environmental Response, Compensation and Liability Act
CFR	Code of Federal Regulations
CPR	Controlled Products Regulations
DOT	Department of Transportation
EPA	Environmental Protection Agency
°F	Degrees Fahrenheit
FDA	Food & Drug Administration
g/l	Grams per liter
DOT	Department of Transportation
EPA	Environmental Protection Agency
°F	Degrees Fahrenheit
FDA	Food & Drug Administration
g/I	Grams per liter
Hg	Mercury
HMIS	Hazardous Materials Identification System
IARC	International Agency for Research on Cancer
LD	Lethal Dose
mg / kg	Milligram per kilogram
mm	Millimeter
MSHA	Mine Safety and Health Administration
N/A	Not Applicable
NFPA	National Fire Protection Association
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
ppm	Parts per million
SARA	Superfund Amendment and Reauthorization Act
SDS	Safety Data Sheet
STEL	Short-Term Exposure Limit

16. OTHER INFORMATION (Continued)

Table of Abbreviations (Continued)			
TSCA	Toxic Substances Control Act		
TWA	Time - Weighted Average		
U.N.	United Nations		
WHMIS	Workplace Hazardous Materials Information System		
>	Greater Than		
<	Less Than		

Creation Date: 01/00
Revision Date: 01/21/13
Technical Contact: Frank Peters
Research & Development Manager
iLoveToCreate
A Duncan Enterprises Company
5673 East Shields Avenue
Fresno, CA 93727

559-291-4444 (Fax)

Disclaimer

The information given and the recommendations made herein apply to our product(s) alone and not combined with any other product(s). Such are based on our research and on data from other reliable sources and are believed to be accurate. No guarantee of accuracy is made. It is the purchaser's responsibility before using any product to verify this data under their own operating conditions and to determine whether the product is suitable for their purposes.