Material Safety Data Sheet

Issuing Date No data available

Revision Date 27-Nov-2013

Revision Number 2

Page 1/6

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name

Poulan Bar and Chain Oil

Poulan PRO Weedeater

Recommended Use

Bar and Chain Saw Lubricant.

Bar-E-Chain DiL

Supplier Address

Spectrum Corporation 500 Industrial Park Drive

Selmer Tennessee 38375

US Phone:7316454937 Fax:7316458719

Contact:Valeria Smith Wedley
Email:vswedley@spectrumcorporation.c

om.

Contact Phone7316454937

2. HAZARDS IDENTIFICATION

Emergency Overview

May cause skin, eye, and respiratory tract irritation
Aspiration hazard if swallowed - can enter lungs and cause damage

Appearance Amber

Physical State Oil, Liquid.

Odor Petroleum like

Potential Health Effects

Principle Routes of Exposure

Inhalation. Skin contact. Eye contact.

Acute Toxicity

Eyes

May cause irritation.

Skin

May cause skin irritation and/or dermatitis.

Inhalation Ingestion Inhalation of vapors in high concentration may cause irritation of respiratory system. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Potential for

aspiration if swallowed. Aspiration may cause pulmonary edema and pneumonitis.

Chronic Effects

Based on OSHA 1910.1200 and IARC study requirements, this product does not require labeling. Meets EU requirement of less than 3% (w/w) DMSO extract for total polycyclic aromatic compound (PAC) using IP 346. NTP and OSHA do not list this product as a potential

carcinogen.

Aggravated Medical

Conditions

Skin disorders.

Environmental Hazard

See Section 12 for additional Ecological Information.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %

Page 2/6

Petroleum distillates, hydrotreated heavy naphthenic	64742-52-5	60-100
Residual oils (petroleum), hydrotreated	64742-57-0	5-10

4. FIRST AID MEASURES

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention immediately if symptoms occur

Skin Contact Wash off immediately with soap and plenty of water removing all contaminated clothes and

shoes.

Inhalation Move to fresh air. Get medical attention immediately if symptoms occur.

Ingestion Aspiration hazard if swallowed - can enter lungs and cause damage. Do NOT induce vomiting.

If vomiting occurs, lean victim forward to reduce the risk of aspiration. Call a physician or

Poison Control Center immediately.

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Flammable Properties

Combustible liquid.

Flash Point

218C / 424F

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Uniform Fire Code

Combustible Liquid: III-B

Hazardous Combustion Products

Carbon oxides.

Explosion Data

Sensitivity to Mechanical Impact

No.

Sensitivity to Static Discharge

Yes.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

Health Hazard 1

Flammability 1

Stability 0

Physical and Chemical Hazards -

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions

Use personal protective equipment. Avoid contact with skin, eyes and clothing. Take

precautionary measures against static discharges.

Environmental Precautions

Prevent further leakage or spillage if safe to do so. Do not flush into surface water or sanitary

sewer system.

Methods for Containment

Prevent further leakage or spillage if safe to do so.

Methods for Cleaning Up

Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled

containers. Clean contaminated surface thoroughly.

7. HANDLING AND STORAGE

Handling

Handle in accordance with good industrial hygiene and safety practice. Wear personal

Page 3/6

7. HANDLING AND STORAGE

protective equipment. Avoid contact with skin, eyes and clothing. Take precautionary measures

against static discharges.

Storage Keep in properly labeled containers. Keep containers tightly closed in a cool, well-ventilated

place.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines This product does not contain any hazardous materials with occupational exposure limits

established by the region specific regulatory bodies.

Engineering Measures Showers

> Eyewash stations Ventilation systems

Personal Protective Equipment

Eye/Face Protection Skin and Body Protection **Respiratory Protection**

Tightly fitting safety goggles. Wear protective gloves/clothing.

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance

with current local regulations.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice. When using, do not eat,

drink or smoke.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Odor Threshold

Hq

Amber.

No information available

UNKNOWN

Flash Point

Decomposition Temperature

Melting Point/Range

Flammability Limits in Air

424F / 218C

No information available

No information available

No information available

Odor

Physical State

Petroleum like.

Oil Liquid

Boiling Point/Range

Autoignition Temperature

No information available No information available

No information available

No information available

Water Solubility

Evaporation Rate Vapor Density

Insoluble

No information available

No data available

Solubility

Vapor Pressure

Explosion Limits

Partition Coefficient: n-

No data available

octanol/water

10. STABILITY AND REACTIVITY

Stability Stable under recommended storage conditions,

Incompatible Products Oxidizing agents.

Conditions to Avoid Keep away from open flames, hot surfaces and sources of ignition.

Hazardous Decomposition

Products

Carbon oxides.

Hazardous Polymerization Hazardous polymerization does not occur.

11. TOXICOLOGICAL INFORMATION

Acute Toxicity

Page 4/6

Product Information

Chronic Toxicity

Chronic Toxicity

Contains a known or suspected carcinogen

Carcinogenicity

Based on OSHA 1910.1200 and IARC study requirements, this product does not require labeling. Meets EU requirement of less than 3% (w/w) DMSO extract for total polycyclic aromatic compound (PAC) using IP 346. NTP and OSHA do not list this product as a potential carcinogen.

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Petroleum distillates,		LC50: > 5000 mg/L (96 h)	<u> </u>	EC50: > 1000 mg/L (48 h)
hydrotreated heavy		Oncorhynchus mykiss		Daphnia magna
naphthenic		·		, ,

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods

This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

Contaminated Packaging

Dispose of in accordance with local regulations.

California Hazardous Waste Codes

221

14. TRANSPORT INFORMATION

DOT

NOT REGULATED

<u>TDG</u>

Not regulated

MEX

Not regulated

<u>ICAO</u>

Not regulated

JATA

Not regulated

IMDG/IMO

Not regulated

Page 5/6

15. REGULATORY INFORMATION

International Inventories

TSCA DSL Complies

Not determined

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product does not contain any substances regulated as hazardous air pollutants (HAPS) under Section 112 of the Clean Air Act Amendments of 1990.

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

This product does not contain any substances regulated by state right-to-know regulations.

International Regulations

Mexico - Grade

Slight risk, Grade 1

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

WHMIS Hazard Class

Not classified

16. OTHER INFORMATION

Page 6/6

16. OTHER INFORMATION

Prepared By

Product Stewardship 23 British American Blvd. Latham, NY 12110 1-800-572-6501

Revision Date

27-Nov-2013

Revision Note

No information available

General Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

Material Safety Data Sheet

Issuing Date No data available

Revision Date 27-Nov-2013

Revision Number 2

Page 1/6

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name

POULAN POULAN PRO WEED EATER SYNTHETIC BLEND ENGINE OIL

Recommended Use

2 Cycle Engine Oil.

Supplier Address
Spectrum Corporation
500 Industrial Park Drive
Selmer
Tennessee

Tennessee 38375 US

Phone:7316454937 Fax:7316458719

Contact: Valeria Smith Wedley

Email:vswedley@spectrumcorporation.c

om

Contact Phone7316454937

2. HAZARDS IDENTIFICATION

Emergency Overview

May cause skin, eye, and respiratory tract irritation
Aspiration hazard if swallowed - can enter lungs and cause damage

Appearance Green

Physical State Oil, Liquid.

Odor Petroleum like

Potential Health Effects

Principle Routes of Exposure

Inhalation. Skin contact. Eye contact.

Acute Toxicity

Eyes Skin May cause irritation.

Inhalation

May cause skin irritation and/or dermatitis.

Ingestion

Inhalation of vapors in high concentration may cause irritation of respiratory system. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Potential for

aspiration if swallowed. Aspiration may cause pulmonary edema and pneumonitis.

Chronic Effects

No known effect based on information supplied.

Aggravated Medical

Conditions

Skin disorders.

Environmental Hazard

See Section 12 for additional Ecological Information.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	60-100
Petroleum distillates, hydrotreated light	64742-47-8	15-40

Page 2/6

l Polybutene	0002 20 6	10.20
i rolybulelle	9003-29-6	10-30
	3333 23 3	10 00

4. FIRST AID MEASURES

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention immediately if symptoms occur

Skin Contact Wash off immediately with soap and plenty of water removing all contaminated clothes and

shoes.

Inhalation Move to fresh air. Get medical attention immediately if symptoms occur.

Ingestion Aspiration hazard if swallowed - can enter lungs and cause damage. Do NOT induce vomiting.

If vomiting occurs, lean victim forward to reduce the risk of aspiration. Call a physician or

Poison Control Center immediately.

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Flammable Properties Combustible liquid.

Flash Point 218C / 424F

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Uniform Fire Code Combustible Liquid: III-B

Hazardous Combustion Products Carbon oxides,

Explosion Data

Sensitivity to Mechanical Impact No.

Sensitivity to Static Discharge Yes.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA Health Hazard 1 Flammability 1 Stability 0 Physical and Chemical Hazards -

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions Use personal protective equipment. Avoid contact with skin, eyes and clothing. Take

precautionary measures against static discharges.

Environmental Precautions Prevent further leakage or spillage if safe to do so. Do not flush into surface water or sanitary

sewer system.

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Cleaning Up Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled

containers. Clean contaminated surface thoroughly.

7. HANDLING AND STORAGE

Handling

Handle in accordance with good industrial hygiene and safety practice. Wear personal

Page 3/6

7. HANDLING AND STORAGE

protective equipment. Avoid contact with skin, eyes and clothing. Take precautionary measures against static discharges.

Storage

Keep in properly labeled containers. Keep containers tightly closed in a cool, well-ventilated place.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Petroleum distillates, hydrotreated heavy paraffinic 64742-54-7	TWA: 5 mg/m3, as oil mist, mineral STEL: TWA: 10 mg/m3, as oil mist, mineral	TWA: 5 mg/m3, as oil mist, mineral	
Petroleum distillates, hydrotreated light 64742-47-8	TWA: 5 mg/m3 STEL: 10 mg/m3 (as oil mist)	TWA: 5 mg/m3 (as oil mist)	

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value. OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits. NIOSH IDLH: Immediately Dangerous to Life or Health.

Engineering Measures

Showers

Eyewash stations Ventilation systems

Personal Protective Equipment

Eye/Face Protection
Skin and Body Protection

Skin and Body Protection Respiratory Protection

Tightly fitting safety goggles. Wear protective gloves/clothing.

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance

with current local regulations.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. When using, do not eat,

drink or smoke.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Green.

Odor

Petroleum like.

Odor Threshold pH

No information available UNKNOWN

Physical State

Oil Liquid

_ . . _ . .

.

Autoignition Temperature

No information available

Flash Point Decomposition Temperature

424F / 218C

Boiling Point/Range

No information available

Melting Point/Range

No information available No information available

Flammability Limits in Air

No information available

Explosion Limits

No information available

Water Solubility Evaporation Rate Insoluble

Solubility Vapor Pressure No information available

Evaporation Rate Vapor Density

No information available

Partition Coefficient: n-

No data available

No data available

octanol/water

10. STABILITY AND REACTIVITY

Stability

Stable under recommended storage conditions.

Incompatible Products

Oxidizing agents.

Page 4/6

Conditions to Avoid

Keep away from open flames, hot surfaces and sources of ignition.

Hazardous Decomposition

Hazardous Polymerization

Carbon oxides.

Products

Hazardous polymerization does not occur.

11. TOXICOLOGICAL INFORMATION

Acute Toxicity

Product Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Petroleum distillates, hydrotreated	> 5000 mg/kg (Rat)	> 2000 mg/kg(Rabbit)	> 5.2 mg/L (Rat)4 h
light			

Chronic Toxicity

Chronic Toxicity

No known effect based on information supplied.

Carcinogenicity

Based on OSHA 1910.1200 and IARC study requirements, this product does not require labeling. Meets EU requirement of less than 3% (w/w) DMSO extract for total polycyclic aromat ic compound (PAC) using IP 346. NTP and OSHA do not list this product as a potential

carcinogen.

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms Daphnia Magna (Water Flea)
Petroleum distillates,		LC50: > 5000 mg/L (96 h)	EC50: > 1000 mg/L (48 h)
hydrotreated heavy paraffinic		Oncorhynchus mykiss	Daphnia magna
Petroleum distillates,	1.1111	LC50: 45 mg/L (96 h flow-	LC50: 4720 mg/L (96 h) Den-
hydrotreated light		through) Pimephales	dronereides heteropoda
		promelas	
		LC50: 2.4 mg/L (96 h static)	
6		Oncorhynchus mykiss	
		LC50: 2.2 mg/L (96 h static)	
		Lepomis macrochirus	

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods

This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

Contaminated Packaging

Dispose of in accordance with local regulations.

California Hazardous Waste Codes

221

Page 5/6

14. TRANSPORT INFORMATION

DOT

NOT REGULATED

TDG

Not regulated

MEX

Not regulated

ICAO

Not regulated

IATA

Not regulated

IMDG/IMO

Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA

Complies

DSL Not determined

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health Hazard Yes
Chronic Health Hazard Yes
Fire Hazard No
Sudden Release of Pressure Hazard No
Reactive Hazard No

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product does not contain any substances regulated as hazardous air pollutants (HAPS) under Section 112 of the Clean Air Act Amendments of 1990.

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

Page 6/6

U.S. State Right-to-Know Regulations

This product does not contain any substances regulated by state right-to-know regulations.

International Regulations

Mexico - Grade

Slight risk, Grade 1

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

WHMIS Hazard Class

Not classified

16. OTHER INFORMATION

Prepared By

Product Stewardship 23 British American Blvd. Latham, NY 12110 1-800-572-6501

Revision Date

27-Nov-2013

Revision Note

No information available

General Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet