# Deb Instant Foam Alcohol Hand Sanitizer Liquid Soap



# SAFETY DATA SHEET Deb Instant Foam

WHS # 9077

Identification

Product identifier

Product name

Deb Instant Foam

Product number

IFS1TF-US,IFS50ML-US,IFS400ML-US,IFS1L-US

Details of the supplier of the safety data sheet

Supplier

Deb USA, Inc.

1100 South Highway 27

Stanley, North Carolina 28164 USA

704-263-4502 (Fax) 704-263-4240

Manufacturer

DEB Worldwide Healthcare Inc

76 Adams Boulevard

Brantford Ontario N3S 7V2

Telephone: 519-759-1051 Fax: 519-759-6384

Emergency telephone number

Emergency telephone

Chemtrec 800 424 9300 (24 hour)

2 Hazard(s) Identification

Classification of the substance or mixture

Physical hazards

Not Classified

Health hazards

Not Classified

Environmental hazards

Not Classified

Environmental

The product contains a substance which has a photochemical ozone creation potential.

Physicochemical

The product is highly flammable. Vapors may form explosive mixtures with air.

Other hazards

Flammable liquid and vapor.

3. Composition/information on ingredients

<u>Mixtures</u>

ETHANOL:

©AS number: 64-17-5: REACH registration number: 0121/194576(10-43-XXXX)

Classification
Flam. Liq. 2 - H225

The Full Text for all Hazard Statements are Displayed in Section 16.

Composition comments Alcohol, Water, Bis-PEG 12 Dimethicone, Coco-Glucoside, Glyceryl Oleate, PEG-200

Hydrogenated Glyceryl Palmate. PEG-7 Glyceryl Cocoate, Behentrimonium Chloride,

Dlhydroxypropyl PEG-5 Linoleammonium Chloride

# 4. First-aid measures

Eye Irrit. 2A - H319

#### Description of first aid measures

General information Get medical attention if any discomfort continues.

Inhalation Move affected person to fresh air and keep warm and at rest in a position comfortable for

breathing.

Ingestion DO NOT induce vomiting. Get medical attention immediately.

Skin Contact Remove contaminated clothing.

Eye contact Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15

minutes. Get medical attention promptly if symptoms occur after washing.

## Most important symptoms and effects, both acute and delayed

Inhalation No specific symptoms known.

**Ingestion** May cause nausea, headache, dizziness and intoxication.

Skin contact None known.

Eye contact May cause severe eye irritation.

# indication of immediate medical attention and special treatment needed

Notes for the doctor No specific recommendations.

# 5.Fire-fighting measures

# Extinguishing media

Suitable extinguishing media Extinguish with alcohol-resistant foam, carbon dioxide or dry powder.

#### Special hazards arising from the substance or mixture

Specific hazards FLAMMABLE. Forms explosive mixtures with air.

Hazardous combustion

products mg/m3. Oxid

Protection against nuisance dust must be used when the airborne concentration exceeds 10 mg/m3. Oxides of carbon.

# Advice for firefighters

Protective actions during Fight fire from safe distance or protected location. Containers close to fire should be removed

firefighting or cooled with water.

# Accidental release measures

## Personal precautions, protective equipment and emergency procedures

Personal precautions

Take precautionary measures against static discharges. No smoking, sparks, flames or other sources of ignition near spillage. Wear suitable protective clothing as protection against splashing or contamination. Avoid inhalation of vapors and contact with eyes

Environmental precautions

**Environmental precautions** 

Do not discharge into drains or watercourses or onto the ground. Contain spillage with sand, earth or other suitable non-combustible material.

# Methods and material for containment and cleaning up

Methods for cleaning up

Eliminate all sources of ignition. No smoking, sparks, flames or other sources of ignition near spillage. Provide adequate ventilation. Wash thoroughly after dealing with a spillage. Absorb spillage with non-combustible, absorbent material. Collect and place in suitable waste disposal containers and seal securely.

Reference to other sections

For personal protection, see Section 8.

# 7. Handling and storage

## Precautions for safe handling

Usage precautions

Keep away from heat, sparks and open flame. Avoid contact with eyes.

## Conditions for safe storage, including any incompatibilities

Storage precautions

Store in tightly closed original container in a dry, cool and well-ventilated place. Keep away from heat, sparks and open flame.

Specific end uses(s)

Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

#### 8. Exposure Controls/personal protection

#### Control parameters

# Occupational exposure limits

#### ETHANOL

Short-term exposure limit (15-minute): ACGIH 1000 ppm

Δ3

Long-term exposure limit (8-hour TWA): OSHA 1000 ppm 1900 mg/m<sup>3</sup>

#### PROPAN-2-OL

Long-term exposure limit (8-hour TWA): ACGIH 200 ppm Short-term exposure limit (15-minute): ACGIH 400 ppm

A4

Long-term exposure limit (8-hour TWA): OSHA 400 ppm 980 mg/m³

ACGIH = American Conference of Governmental Industrial Hygienists.

A3 = Confirmed Animal Carcinogen with Unknown Relevance to Humans.

OSHA = Occupational Safety and Health Administration.

A4 = Not Classifiable as a Human Carcinogen.

ETHANOL (CAS: 64-17-5)

Revision: 3

DNEL

Professional - Inhalation; local effects: 1900 mg/m³ Professional - Dermal; Long term systemic effects: 343 mg/kg/day Professional - Inhalation; Long term systemic effects: 950 mg/m³ Consumer - Inhalation; local effects: 950 mg/m³ Consumer - Dermal; Long term systemic effects: 206 mg/kg/day Consumer - Inhalation; Long term systemic effects: 114 mg/m³ Consumer - Oral; Long term systemic effects: 87 mg/kg/day

PNEC

- Marine water; 0.79 mg/l - Fresh water; 0.96 mg/l - Intermittent release; 2.75 mg/l - STP; 580 mg/l - Sediment (Freshwater); 3.46 mg/kg - Sediment (Marinewater); 2.9 mg/l - Soil; 0.63 mg/kg

.

Immediate danger to life

3300 ppm

and health

## C20-22-ALKYLTRIMETHYLAMMONIUM CHLORIDES (CAS: 68607-24-9)

DNEL

Workers - Inhalation; Long term systemic effects: 0.49 mg/m³ Workers - Dermal;

Long term systemic effects: 1.7 mg/kg/day

**PNEC** 

- Fresh water; 13 μg/L - Marine water; 1.3 μg/L - Intermittent release; 14 μg/L - STP; 430 μg/L - Sediment (Freshwater); 1.25 mg/kg - Sediment (Marinewater); 125 μg/L - Soil; 1 mg/kg

# PROPAN-2-OL (CAS: 67-63-0)

DNEL

Workers - Inhalation; Long term systemic effects: 500 mg/m³ Workers - Dermal; Short term systemic effects: 888 mg/kg/day General population - Inhalation; Long term systemic effects: 89 mg/m³ General population - Dermal; Long term systemic effects: 319 mg/kg/day General population - Oral; Long term systemic effects: 26 mg/kg/day

**PNEC** 

- Fresh water; 140.9 mg/l - Marine water; 140.9 mg/l - Intermittent release; 140.9 mg/l - STP; 2251 mg/l - Sediment (Freshwater); 552 mg/kg - Sediment

(Marinewater); 552 mg/kg - Soil; 28 mg/kg

Immediate danger to life and health

2000 ppm

# Exposure controls

Protective equipment



Appropriate engineering

controls

Not relevant.

Eye/face protection

Not required normally but wear eye protection if you are conducting an operation where there

is a risk of this product getting in the eyes.

Hand protection

Not applicable.

Hygiene measures

DO NOT SMOKE IN WORK AREA! Promptly remove any clothing that becomes

contaminated.

Respiratory protection

Not relevant.

# 9. Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance

Clear liquid.

Color

Colorless.

Odor

Alcoholic.

рΗ

pH (concentrated solution): 5.0-7.5

Melting point

Not Applicable°C

Initial boiling point and range

78°C @

Flash point

23°C TCC (Tag closed cup).

Evaporation rate

1.4 (water = 1)

Vapour pressure

Not Available @ °C

Vapour density

Not available

Relative density

0.858 - 0.866 g/mL @ 25C°C

Other information

None.

Volatility

70-80

Volatile organic compound

This product contains a maximum VOC content of 70-80%.

# 10. Stability and reactivity

Reactivity

There are no known reactivity hazards associated with this product.

Stability

No particular stability concerns.

Possibility of hazardous

reactions

Not known.

Conditions to avoid

Avoid heat, flames and other sources of ignition.

Materials to avoid

Oxidising Agents Aluminium

Hazardous decomposition

products

Protection against nulsance dust must be used when the airborne concentration exceeds 10

mg/m3. Oxides of carbon.

# 11. Toxicological information.

# Information on toxicological effects

Toxicological effects

No data recorded.

General information

No specific health hazards known.

Inhalation

No specific health hazards known.

Ingestion

May cause nausea, headache, dizziness and intoxication.

Skin Contact

Skin irritation should not occur when used as recommended.

Eye contact

Causes eye irritation

#### 12. Ecological information.

**Ecotoxicity** 

The product is not expected to be toxic to aquatic organisms.

Persistance and degradability

Persistence and degradability The product is biodegradable.

Bioaccumulative potential

**Bio-Accumulative Potential** 

The product is not bioaccumulating.

Mobility in soil

Mobility

The product is soluble in water.

Results of PBT and vPvB assessment

Results of PBT and vPvB

assessment

This product does not contain any substances classified as PBT or vPvB.

Other adverse effects

Other adverse effects

None known.

13. Disposal considerations

Waste treatment methods

General information

When handling waste, the safety precautions applying to handling of the product should be

considered. Wear suitable protective clothing as protection against splashing or

contamination.

Disposal methods

Dispose of waste to licensed waste disposal site in accordance with the requirements of the

local Waste Disposal Authority.

14. Transport information

**UN Number** 

UN No. (DOT)

1987

UN No. (IMDG)

1987

UN No. (ICAO)

1987

UN proper shipping name

Proper shipping name (DOT)

ALCOHOLS, N.O.S.

Proper shipping name

(IMDG)

ALCOHOLS, N.O.S.

Proper shipping name (ICAO) ALCOHOLS, N.O.S.

Transport hazard class(es)

**DOT** hazard class

3

DOT hazard label

Flammable Liquid

TDG class

3

TDG label

3

IMDG Class

3

ICAO class/division

3

## Transport labels



#### Packing group

DOT pack group

H.

IMDG packing group

Ш

ICAO packing group

11

Special precautions for user

**EmS** 

F-E, S-D

# 15. Regulatory/information

Regulatory Status

TSCA: The ingredients of this product are on the TSCA Inventory. This product is manufactured and labeled in compliance with the Federal Food, Drug, and Cosmetic Act, and is exempt from the labeling requirements of the OSHA Hazard Communication Standard.

# 16. Other information

Revision comments

New SDS Software Revision of information

Revision date

5/28/2015

Revision

3

Supersedes date

14/06/2013

SDS No.

11446

Signature

Deb Worldwide Healthcare Inc.

Hazard statements in full

H225 Highly flammable liquid and vapor.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.