classification according to Canadian Hazardous Products Regulation



Liquid Shout

Shout Dye Frag Free Trg 650ml/8 CA

Version 1.0

Print Date 06/20/2017

Revision Date 05/24/2017

SDS Number 350000017021

1. PRODUCT AND COMPANY IDENTIFICATION

Product information

Product name

: Shout Dye Frag Free Trg 650ml/8 CA

Recommended use

Spot & Stain Remover

Restrictions on use

: Use only as directed on label

Manufacturer, importer,

supplier

S.C. Johnson and Son, Limited

1 Webster Street

Brantford ON N3T 5R1

Telephone

: +1-800-558-5566

Emergency telephone

number

24 Hour Transport & Medical Emergency Phone (866) 231-5406

24 Hour International Emergency Phone (952) 852-4647

24 Hour Canadian Transport Emergency Phone (CANUTEC)

(613) 996-6666

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

Globally Harmonized System (GHS) Classification

This product does not meet the criteria for classification in any hazard class according to the Canadian Hazardous Products Regulation

Labelling

Precautionary statements

Other hazards

None identified

3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous chemicals present at or above reportable levels as defined by Canadian Hazardous Products Regulation are listed in this table.

classification according to Canadian Hazardous Products Regulation



Shout Dye Frag Free Trg 650ml/8 CA

Version 1.0

Print Date 06/20/2017

Revision Date 05/24/2017

SDS Number 350000017021

Chemical name	CAS-No.	Weight percent
Alkylpolyglycoside C10-16	110615-47-9	3.00 - 5.00
Subtilisins (proteolytic enzymes)	9014-01-1	0.0001 - 0.10

The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

For additional information on product ingredients, see www.whatsinsidescjohnson.com.

4. FIRST AID MEASURES

Description of first aid measures

Eye contact

: No special requirements

Skin contact

: No special requirements

Inhalation

No special requirements.

Ingestion

No special requirements

Most important symptoms and effects, both acute and delayed

Eyes

: No adverse effects expected when used as directed.

Skin effect

: No adverse effects expected when used as directed.

Inhalation

: No adverse effects expected when used as directed.

Ingestion

: No adverse effects expected when used as directed.

Indication of any immediate medical attention and special treatment needed

See Description of first aid measures unless otherwise stated.

classification according to Canadian Hazardous Products Regulation



Shout Dye Frag Free Trg 650ml/8 CA

Version 1.0

Print Date 06/20/2017

Revision Date 05/24/2017

SDS Number 350000017021

5. FIREFIGHTING MEASURES

Suitable extinguishing

media

: Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Specific hazards during

firefighting

: Container may melt and leak in heat of fire.

Further information

Fight fire with normal precautions from a reasonable distance. Standard procedure for chemical fires. Wear full protective clothing and positive pressure self-contained breathing

apparatus.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

: Wash thoroughly after handling.

Environmental precautions

: Outside of normal use, avoid release to the environment.

Methods and materials for containment and

cleaning up

: Dike large spills.

Clean residue from spill site.

7. HANDLING AND STORAGE

Handling

Precautions for safe

handling

: Avoid contact with skin, eyes and clothing.

For personal protection see section 8.

KEEP OUT OF REACH OF CHILDREN AND PETS.

Advice on protection against fire and explosion

: Normal measures for preventive fire protection.

classification according to Canadian Hazardous Products Regulation



Shout Dye Frag Free Trg 650ml/8 CA

Version 1.0

Print Date 06/20/2017

Revision Date 05/24/2017

SDS Number 350000017021

Storage

Requirements for storage

areas and containers

Other data

: Keep container closed when not in use.

Stable under recommended storage conditions.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits

ACGIH or OSHA exposure limits have not been established for this product or reportable ingredients unless noted in the table above.

Personal protective equipment

Respiratory protection

: No special requirements.

Hand protection

No special requirements.

Eye protection

No special requirements.

Skin and body protection

No special requirements.

Hygiene measures

Handle in accordance with good industrial hygiene and safety

practice. Wash thoroughly after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form

liquid

Color

Colorless

Odour

Functional

Odour Threshold

: Test not applicable for this product type

classification according to Canadian Hazardous Products Regulation



Shout Dye Frag Free Trg 650ml/8 CA

Version 1.0

Print Date 06/20/2017

Revision Date 05/24/2017

SDS Number 350000017021

pН

: 8.0

at (25 °C)

Melting point/freezing point

Initial boiling point and

: 100 °C

boiling range

Flash point

: > 95 °C

> 203 °F

does not flash

Evaporation rate

: Test not applicable for this product type

Flammability (solid, gas)

: Does not sustain combustion.

explosive limits

Upper/lower flammability or : Test not applicable for this product type

Vapour pressure

: Test not applicable for this product type

Vapour density

: No data available

Relative density

: 1.012 g/cm3 at 20 °C

Solubility(ies)

: completely soluble

Partition coefficient: n-

octanol/water

: Test not applicable for this product type

Auto-ignition temperature

: Test not applicable for this product type

classification according to Canadian Hazardous Products Regulation



Shout Dye Frag Free Trg 650ml/8 CA

Version 1.0

Print Date 06/20/2017

Revision Date 05/24/2017

SDS Number 350000017021

Decomposition temperature: Test not applicable for this product type

Viscosity, dynamic

: Very viscous

Viscosity, kinematic

: Very viscous

Oxidizing properties

: Test not applicable for this product type

Volatile Organic Compounds Total VOC (wt. %)* - additional exemptions may apply

*as defined by US Federal and State Consumer Product

Regulations

Other information

: None identified

10. STABILITY AND REACTIVITY

Reactivity

: No dangerous reaction known under conditions of normal use.

Chemical stability

: Stable under recommended storage conditions.

Possibility of hazardous

reactions

: If accidental mixing occurs and toxic gas is formed, exit area

immediately. Do not return until well ventilated.

Conditions to avoid

: Direct sources of heat.

Incompatible materials

Do not mix with bleach or any other household cleaners.

Strong bases

Hazardous decomposition

products

: Thermal decomposition can lead to release of irritating gases

and vapours.

classification according to Canadian Hazardous Products Regulation



Shout Dye Frag Free Trg 650ml/8 CA

Version 1.0

Print Date 06/20/2017

Revision Date 05/24/2017

SDS Number 350000017021

11. TOXICOLOGICAL INFORMATION

Acute oral toxicity

: LD50

Acute inhalation toxicity : LC50 > 10 mg/L

Acute dermal toxicity : LD50 > 5000 mg/kg

GHS Properties	Classification	Routes of entry
Acute toxicity	No classification proposed	Oral
Acute toxicity	No classification proposed	Dermal
Acute toxicity	No classification proposed	Inhalation - Dust and Mist
Acute toxicity	No classification proposed	Inhalation - Vapour
Acute toxicity	No classification proposed	Inhalation - Gas
Skin corrosion/irritation	No classification proposed	-
Serious eye damage/eye irritation	No classification proposed	-
Skin sensitisation	No classification proposed	-
Respiratory sensitisation	No classification proposed	-
Germ cell mutagenicity	No classification proposed	-
Carcinogenicity	No classification proposed	_
Reproductive toxicity	No classification proposed	-
Specific target organ toxicity - single	No classification proposed	-

classification according to Canadian Hazardous Products Regulation



Shout Dye Frag Free Trg 650ml/8 CA

Version 1.0

Print Date 06/20/2017

Revision Date 05/24/2017

SDS Number 350000017021

exposure		
Specific target organ toxicity - repeated exposure	No classification proposed	-
Aspiration hazard	No classification proposed	-

Aggravated Medical Condition

: None known.

12. ECOLOGICAL INFORMATION

Product: The product itself has not been tested.

Toxicity

The ingredients in this formula have been reviewed and no adverse impact to the environment is expected when used according to label directions.

Toxicity to fish

Components	End point	Species	Value	Exposure time
Alkylpolyglycoside C10-16	semi- static test LC50 ISO 7346/2	Fish	1 - 10 mg/l	
	NOEC	Fish	> 1 - 10 mg/l	
Subtilisins (proteolytic enzymes)	LC50 Measured OECD Test Guideline 203	Oncorhynchus mykiss (rainbow trout)	8.2 mg/l	96 h
	flow- through	Pimephales promelas (fathead minnow)	0.042 mg/l	

classification according to Canadian Hazardous Products Regulation



Shout Dye Frag Free Trg 650ml/8 CA

Version 1.0

Print Date 06/20/2017

Revision Date 05/24/2017

SDS Number 350000017021

Toxicity to aquatic invertebrates

Components	End point	Species	Value	Exposure time
Alkylpolyglycoside C10-16	static test EC50	Daphnia magna (Water flea)	7 mg/l	48 h
	NOEC	Daphnia	> 1 - 10 mg/l	
Subtilisins (proteolytic enzymes)	semi- static EC50 Measured OECD Test Guideline 202	Daphnia magna (Water flea)	0.170 mg/l	48 h
	flow- through test NOEC Measured OECD Guideline 211 (Daphnia magna Reproduct ion Test)	Daphnia magna	0.324 mg/l	21 d

classification according to Canadian Hazardous Products Regulation



Shout Dye Frag Free Trg 650ml/8 CA

Version 1.0

Print Date 06/20/2017

Revision Date 05/24/2017

SDS Number 350000017021

Toxicity to aquatic plants

Components	End point	Species	Value	Exposure time
Alkylpolyglycoside C10-16	static test EC50	Desmodesmus subspicatus (green algae)	12.5 mg/l	72 h
Subtilisins (proteolytic enzymes)	ErC50 Measured OECD Test Guideline 201 NOEC Measured OECD Test Guideline 201	Pseudokirchneriella subcapitata (green algae) Pseudokirchneriella subcapitata (green algae)	0.83 mg/l 0.317 mg/l	72 h 72 h

Persistence and degradability

Component	Biodegradation	Exposure time	Summary
Alkylpolyglycoside C10-16	> 70 %	28 d	Readily biodegradable.
Subtilisins (proteolytic enzymes)	100 %	29 d	Readily biodegradable.

Bioaccumulative potential

Component	Bioconcentration factor (BCF)	Partition Coefficient n- Octanol/water (log)
Alkylpolyglycoside C10-16	No data available	<= -0.07
Subtilisins (proteolytic enzymes)	No data available	-3.1 Measured

classification according to Canadian Hazardous Products Regulation



Shout Dye Frag Free Trg 650ml/8 CA

Version 1.0

Print Date 06/20/2017

Revision Date 05/24/2017

SDS Number 350000017021

Mobility

Component	End point	Value
Alkylpolyglycoside C10-16	log Koc	1.7
Subtilisins (proteolytic enzymes)	No data available	

PBT and vPvB assessment

Component	Results
Alkylpolyglycoside C10-16	Not fulfilling PBT and vPvB criteria
Subtilisins (proteolytic enzymes)	Not fulfilling PBT and vPvB criteria

Other adverse effects

: No data available

13. DISPOSAL CONSIDERATIONS

Consumer may discard empty container in trash, or recycle where facilities exist.

14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/receiving documents for up-to-date shipping information.

Land transport

Not classified as dangerous in the meaning of transport regulations.

Sea transport

Not classified as dangerous in the meaning of transport regulations.

Air transport

Not classified as dangerous in the meaning of transport regulations.

classification according to Canadian Hazardous Products Regulation



Shout Dye Frag Free Trg 650ml/8 CA

Version 1.0

Print Date 06/20/2017

Revision Date 05/24/2017

SDS Number 350000017021

15. REGULATORY INFORMATION

Notification status

: All ingredients of this product are listed or are excluded from

listing on the U.S. Toxic Substances Control Act (TSCA)

Chemical Substance Inventory.

Notification status

All ingredients of this product comply with the New Substances

Notification requirements under the Canadian Environmental

Protection Act (CEPA).

California Prop. 65

This product does not contain any chemicals known to State of

California to cause cancer, birth defects, or any other

reproductive harm.

Canada Regulations

This product has been classified in accordance with the hazard

criteria of the Hazardous Products Act and Regulations.

16. OTHER INFORMATION

HMIS Ratings

I IIIII Trauliya		
Health	1	
Flammability	0	
Reactivity	0	

classification according to Canadian Hazardous Products Regulation



Shout Dye Frag Free Trg 650ml/8 CA

Version 1.0

Print Date 06/20/2017

Revision Date 05/24/2017

SDS Number 350000017021

NFPA Ratings		
Health	1	
Fire	0	
Reactivity	0	
Special	-	į

This information is being provided in accordance with Canada's Workplace Hazard Material Information System. The information supplied is designed for workplaces where product use and frequency of exposure exceeds that established for the labeled consumer use.

Further information

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

Prepared by	SC Johnson Global Safety Assessment &
	Regulatory Affairs (GSARA)